



For updated information visit <http://mlrd.es/ML-4536>

**DIMENSIONS**

|                       |        |
|-----------------------|--------|
| H (Height):           | 168 mm |
| OD (Outer Diameter):  | 92 mm  |
| ID (Inner Diameter):  | 11 mm  |
| ID2 (Inner Diameter): | 25 mm  |

**Gaskets:**

|                  |                 |
|------------------|-----------------|
| 1 Unit/s (OD/ID) | 111 mm / 103 mm |
| 1 Unit/s (OD/ID) | 20 mm / 15 mm   |
| 1 Unit/s (OD/ID) | 17 mm / 12 mm   |

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

|                |                |
|----------------|----------------|
| UNITS PER BOX: | 24             |
| WEIGHT:        | 10.3 Kg        |
| VOLUME:        | 0.05 cbm       |
| EAN13:         | 5055148200886  |
| ITF14:         | 85055148200882 |



**CROSS REFERENCES**

|                     |           |                      |                 |
|---------------------|-----------|----------------------|-----------------|
| <b>COOPERSFIAAM</b> | FB1526    | <b>MERCEDES-BENZ</b> | 601 180 02 10   |
| <b>FORD</b>         | 5016 966  | <b>MERCEDES-BENZ</b> | 601 184 01 25   |
| <b>HENGST</b>       | E170HND16 | <b>MERCEDES-BENZ</b> | A 601 184 02 10 |
| <b>KNECHT/MAHLE</b> | OX38D     | <b>P.B.R.</b>        | AC3277          |

**APPLICATIONS (EUROPE)**

| <b>AEBI</b> |       |        |    |    |    |       |        |
|-------------|-------|--------|----|----|----|-------|--------|
| Serie       | Model | Engine | Kw | HP | CV | Start | Finish |
| TT          | 90    |        | 58 | 78 | 79 | 1989  |        |

| <b>DAEWOO</b>       |            |                |    |     |     |       |        |
|---------------------|------------|----------------|----|-----|-----|-------|--------|
| Serie               | Model      | Engine         | Kw | HP  | CV  | Start | Finish |
| KORANDO (KJ)        | 2.9 D      | MB-OM 662      | 72 | 97  | 98  | 1999  |        |
| KORANDO (KJ)        | 2.9 TD     | MB-OM 601 29TD | 88 | 118 | 120 | 1999  |        |
| KORANDO Cabrio (KJ) | 2.9 D      | MB-OM 662      | 72 | 97  | 98  | 1999  |        |
| KORANDO Cabrio (KJ) | 2.9 TD     | MB-OM 601 29TD | 88 | 118 | 120 | 1999  |        |
| MUSSO (FJ)          | 2.2 TD     | MB OM 601      | 74 | 99  | 101 | 1999  |        |
| MUSSO (FJ)          | 2.9 D 4x4  | MB-OM 662      | 73 | 98  | 99  | 1999  | 1999   |
| MUSSO (FJ)          | 2.9 TD 4x4 | OM662LA        | 88 | 118 | 120 | 1999  |        |
| REXTON (GAB )       | 2.9 TD     | OM 662.983     | 88 | 118 | 120 | 2002  |        |

| <b>MERCEDES-BENZ</b> |                       |            |    |     |     |       |        |
|----------------------|-----------------------|------------|----|-----|-----|-------|--------|
| Serie                | Model                 | Engine     | Kw | HP  | CV  | Start | Finish |
| 124 Sedan (W124)     | 200 D (124.120)       | OM 601.912 | 53 | 71  | 72  | 1984  | 1989   |
| 124 Sedan (W124)     | 200 D (124.120)       | OM 601.912 | 55 | 74  | 75  | 1989  | 1993   |
| 124 Sedan (W124)     | 250 D (124.125)       | OM 602.912 | 66 | 88  | 90  | 1985  | 1993   |
| 124 Sedan (W124)     | 250 D (124.125)       | OM 602.912 | 69 | 92  | 94  | 1989  | 1993   |
| 124 Sedan (W124)     | 250 Turbo-D (124.125) | OM 602.962 | 93 | 125 | 126 | 1988  | 1993   |
| 124 Sedan (W124)     | 300 D (124.130)       | OM 603.912 | 80 | 107 | 109 | 1984  | 1989   |
| 124 Sedan (W124)     | 300 D (124.130)       | OM 603.912 | 81 | 109 | 110 | 1990  | 1993   |
| 124 Sedan (W124)     | 300 D (124.130)       | OM 603.912 | 83 | 111 | 113 | 1989  | 1993   |

**MERCEDES-BENZ**

| Serie                  | Model                               | Engine | Kw  | HP  | CV  | Start | Finish |
|------------------------|-------------------------------------|--------|-----|-----|-----|-------|--------|
| 124 Sedan (W124)       | 300 D 4-matic (1½ OM 603.913        |        | 80  | 107 | 109 | 1986  | 1992   |
| 124 Sedan (W124)       | 300 D 4-matic (1½ OM 603.913        |        | 83  | 111 | 113 | 1989  | 1993   |
| 124 Sedan (W124)       | 300 Turbo-D (12¼ OM 603.960         |        | 108 | 145 | 147 | 1988  | 1993   |
| 124 Sedan (W124)       | 300 Turbo-D (12¼ OM 603.960; OM 603 |        | 105 | 141 | 143 | 1986  | 1988   |
| 124 Sedan (W124)       | 300 Turbo-D 4-m OM 603.960; OM 603  |        | 105 | 141 | 143 | 1986  | 1988   |
| 124 Sedan (W124)       | 300 Turbo-D 4-m OM 603.963          |        | 108 | 145 | 147 | 1988  | 1993   |
| 124 T-Model (S124)     | 200 T D (124.180 OM 601.912         |        | 53  | 71  | 72  | 1985  | 1991   |
| 124 T-Model (S124)     | 200 T D (124.180 OM 601.912         |        | 55  | 74  | 75  | 1988  | 1991   |
| 124 T-Model (S124)     | 250 T D (124.185 OM 602.912         |        | 66  | 88  | 90  | 1985  | 1993   |
| 124 T-Model (S124)     | 250 T D (124.185 OM 602.912         |        | 69  | 92  | 94  | 1989  | 1993   |
| 124 T-Model (S124)     | 250 TD Turbo (1½ OM 602.962         |        | 93  | 125 | 126 | 1988  | 1993   |
| 124 T-Model (S124)     | 300 T D (124.190 OM 603.912         |        | 80  | 107 | 109 | 1986  | 1993   |
| 124 T-Model (S124)     | 300 T D (124.190 OM 603.912         |        | 81  | 109 | 110 | 1989  | 1993   |
| 124 T-Model (S124)     | 300 T D (124.190 OM 603.912         |        | 83  | 111 | 113 | 1989  | 1993   |
| 124 T-Model (S124)     | 300 T Turbo-D OM 603.960; OM 603    |        | 105 | 141 | 143 | 1986  | 1989   |
| 124 T-Model (S124)     | 300 T Turbo-D (1 OM 603.960         |        | 108 | 145 | 147 | 1989  | 1993   |
| 124 T-Model (S124)     | 300 T Turbo-D 4- OM 603.963         |        | 105 | 141 | 143 | 1986  | 1989   |
| 124 T-Model (S124)     | 300 T Turbo-D 4- OM 603.963         |        | 108 | 145 | 147 | 1989  | 1993   |
| 190 (W201)             | D 2.0 (201.122) OM 601.911          |        | 53  | 71  | 72  | 1983  | 1989   |
| 190 (W201)             | D 2.0 (201.122) OM 601.911          |        | 55  | 74  | 75  | 1989  | 1993   |
| 190 (W201)             | D 2.5 (201.126) OM 602.911          |        | 66  | 88  | 90  | 1985  | 1993   |
| 190 (W201)             | D 2.5 (201.126) OM 602.911          |        | 69  | 92  | 94  | 1989  | 1993   |
| 190 (W201)             | Turbo-D 2.5 (201 OM 602.961         |        | 90  | 121 | 122 | 1988  | 1993   |
| 190 (W201)             | Turbo-D 2.5 (201 OM 602.961         |        | 93  | 125 | 126 | 1988  | 1993   |
| CLASE C (W202)         | C 200 D (202.120 OM 601.913         |        | 55  | 74  | 75  | 1993  | 2000   |
| CLASE C (W202)         | C 220 D (202.121 OM 604.910         |        | 70  | 94  | 95  | 1993  | 2000   |
| CLASE C (W202)         | C 250 D (202.125 OM 605.910         |        | 83  | 111 | 113 | 1993  | 2000   |
| CLASE E (W124)         | E 200 D (124.120 OM 601.912         |        | 55  | 74  | 75  | 1993  | 1995   |
| CLASE E (W124)         | E 250 D (124.125 OM 605.911         |        | 83  | 111 | 113 | 1993  | 1995   |
| CLASE E (W124)         | E 250 Turbo-D (1 OM 602.962         |        | 93  | 125 | 126 | 1993  | 1995   |
| CLASE E (W124)         | E 300 D (124.131 OM 606.910         |        | 100 | 134 | 136 | 1993  | 1995   |
| CLASE E (W124)         | E 300 Turbo-D (1 OM 603.960         |        | 108 | 145 | 147 | 1993  | 1995   |
| CLASE E (W124)         | E 300 Turbo-D 4- OM 603.963         |        | 108 | 145 | 147 | 1993  | 1995   |
| CLASE E T-Model (S124) | E 250 TD (124.18 OM 605.911         |        | 83  | 111 | 113 | 1993  | 1996   |
| CLASE E T-Model (S124) | E 250 Turbo D OM 602.962            |        | 93  | 125 | 126 | 1993  | 1996   |
| CLASE E T-Model (S124) | E 300 T Turbo-D OM 603.960          |        | 108 | 145 | 147 | 1993  | 1996   |
| CLASE E T-Model (S124) | E 300 T Turbo-D OM 603.963          |        | 108 | 145 | 147 | 1993  | 1996   |
| CLASE E T-Model (S124) | E 300 TD (124.18 OM 606.910         |        | 100 | 134 | 136 | 1993  | 1996   |
| CLASE G (W460)         | 250 GD (460;3) OM 602.930           |        | 62  | 83  | 84  | 1987  | 1992   |
| CLASE G (W460)         | 250 GD (460;3) OM 602.930           |        | 68  | 91  | 92  | 1988  | 1992   |
| CLASE G (W461)         | 250 GD (461) OM 602.939             |        | 68  | 91  | 92  | 1990  | 1993   |
| CLASE G (W461)         | 290 GD G 290 D OM 602.942           |        | 70  | 94  | 95  | 1993  | 2000   |
| CLASE G (W463)         | 250 GD (463.324 OM 602.931          |        | 69  | 92  | 94  | 1990  | 1992   |
| CLASE G (W463)         | 300 GD (463.327 OM 603.931          |        | 83  | 111 | 113 | 1989  | 1993   |
| CLASE G (W463)         | 350 Turbo GD (4 OM 603.972          |        | 100 | 134 | 136 | 1991  | 1996   |
| CLASE G (W463)         | G 300 Diesel (46 OM 603.931         |        | 83  | 111 | 113 | 1993  | 1994   |
| CLASE G Cabrio (W463)  | 300 GD (463.307 OM 603.931          |        | 83  | 111 | 113 | 1989  | 1993   |
| CLASE G Cabrio (W463)  | 350 G Turbo-D (4 OM 603.972         |        | 100 | 134 | 136 | 1991  | 1997   |
| CLASE G Cabrio (W463)  | G 300 Diesel (46 OM 603.931         |        | 83  | 111 | 113 | 1993  | 1994   |
| CLASE S (W140)         | S 350 Turbo-D (1 OM 603.971         |        | 110 | 147 | 149 | 1993  | 1998   |
| O 100                  | City OM 602.940                     |        | 70  | 94  | 95  | 1994  |        |
| O 405                  | O 405 GTZ OM 602.990                |        | 63  | 84  | 86  | 1984  |        |
| O 405                  | O 405 GTZ OM 602.994                |        | 72  | 97  | 98  | 1984  |        |
| T1 Autobus (602)       | 308 D 2.3 OM 601.940                |        | 58  | 78  | 79  | 1990  | 1996   |
| T1 Autobus (602)       | 308 D 2.3 OM 601.940                |        | 60  | 80  | 82  | 1989  | 1996   |
| T1 Autobus (602)       | 310 D 2.9 OM 602.940                |        | 70  | 94  | 95  | 1989  | 1996   |
| T1 Autobus (602)       | 310 D 2.9 OM 602.940                |        | 72  | 97  | 98  | 1990  | 1996   |
| T1 Autobus (B601)      | 208 D 2.3 OM 601.940                |        | 60  | 80  | 82  | 1988  | 1996   |

**DIMENSIONS**

|                       |                 |
|-----------------------|-----------------|
| H (Height):           | 168 mm          |
| OD (Outer Diameter):  | 92 mm           |
| ID (Inner Diameter):  | 11 mm           |
| ID2 (Inner Diameter): | 25 mm           |
| <b>Gaskets:</b>       |                 |
| 1 Unit/s (OD/ID)      | 111 mm / 103 mm |
| 1 Unit/s (OD/ID)      | 20 mm / 15 mm   |
| 1 Unit/s (OD/ID)      | 17 mm / 12 mm   |

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

|                       |                |
|-----------------------|----------------|
| <b>UNITS PER BOX:</b> | 24             |
| <b>WEIGHT:</b>        | 10.3 Kg        |
| <b>VOLUME:</b>        | 0.05 cbm       |
| <b>EAN13:</b>         | 5055148200886  |
| <b>ITF14:</b>         | 85055148200882 |



**MERCEDES-BENZ**

| Serie                   | Model                        | Engine     | Kw | HP | CV | Start | Finish |
|-------------------------|------------------------------|------------|----|----|----|-------|--------|
| T1 Autobus (B601)       | 208 D 2.3 (601.3; OM 601.940 |            | 58 | 78 | 79 | 1988  | 1996   |
| T1 Autobus (B601)       | 210 D 2.8                    | OM 602.940 | 70 | 94 | 95 | 1988  | 1996   |
| T1 Autobus (B601)       | 210 D 2.8                    | OM 602.940 | 72 | 97 | 98 | 1988  | 1996   |
| T1 Caja-Chasis (601)    | 208 D 2.3                    | OM 601.940 | 58 | 78 | 79 | 1988  | 1996   |
| T1 Caja-Chasis (601)    | 208 D 2.3                    | OM 601.940 | 60 | 80 | 82 | 1989  | 1996   |
| T1 Caja-Chasis (601)    | 210 D 2.8                    | OM 602.940 | 72 | 97 | 98 | 1988  | 1996   |
| T1 Caja-Chasis (601)    | 210 D 2.9                    | OM 602.940 | 70 | 94 | 95 | 1988  | 1996   |
| T1 Caja-Chasis (B602)   | 308 D 2.3                    | OM 601.940 | 58 | 78 | 79 | 1989  | 1996   |
| T1 Caja-Chasis (B602)   | 308 D 2.3                    | OM 601.940 | 60 | 80 | 82 | 1989  | 1996   |
| T1 Caja-Chasis (B602)   | 310 D 2.9                    | OM 602.940 | 70 | 94 | 95 | 1989  | 1996   |
| T1 Caja-Chasis (B602)   | 310 D 2.9                    | OM 602.940 | 72 | 97 | 98 | 1989  | 1996   |
| T1 Furgoneta (601; 611) | 208 D 2.3                    | OM 601.940 | 58 | 78 | 79 | 1988  | 1996   |
| T1 Furgoneta (601; 611) | 208 D 2.3                    | OM 601.940 | 60 | 80 | 82 | 1988  | 1996   |
| T1 Furgoneta (601; 611) | 210 D 2.8                    | OM 602.940 | 70 | 94 | 95 | 1988  | 1996   |
| T1 Furgoneta (601; 611) | 210 D 2.8                    | OM 602.940 | 72 | 97 | 98 | 1988  | 1996   |
| T1 Furgoneta (B602)     | 308 D 2.3                    | OM 601.940 | 58 | 78 | 79 | 1988  | 1996   |
| T1 Furgoneta (B602)     | 308 D 2.3                    | OM 601.940 | 60 | 80 | 82 | 1989  | 1996   |
| T1 Furgoneta (B602)     | 310 D 2.9                    | OM 602.940 | 70 | 94 | 95 | 1989  | 1996   |
| T1 Furgoneta (B602)     | 310 D 2.9                    | OM 602.940 | 72 | 97 | 98 | 1989  | 1996   |
| T1-TN Caja-Chasis       | 408 D (611.317; € OM 601.940 |            | 58 | 78 | 79 | 1988  | 1995   |
| T1-TN Caja-Chasis       | 408 D (611.317; € OM 601.940 |            | 60 | 80 | 82 | 1988  | 1995   |
| T1-TN Caja-Chasis       | 410 D (611.417; € OM 602.940 |            | 70 | 94 | 95 | 1988  | 1995   |
| T1-TN Caja-Chasis       | 410 D (611.417; € OM 602.940 |            | 72 | 97 | 98 | 1988  | 1995   |
| T1-TN Furgoneta         | 408 D (611.367; € OM 601.940 |            | 58 | 78 | 79 | 1988  | 1995   |
| T1-TN Furgoneta         | 408 D (611.367; € OM 601.940 |            | 60 | 80 | 82 | 1988  | 1995   |
| T1-TN Furgoneta         | 410 D (611.467; € OM 602.940 |            | 70 | 94 | 95 | 1988  | 1995   |
| T1-TN Furgoneta         | 410 D (611.467; € OM 602.940 |            | 72 | 97 | 98 | 1988  | 1995   |
| T2-LN1 Caja-Chasis      | 508 D (667.301; € OM 601.941 |            | 58 | 78 | 79 | 1989  | 1994   |
| T2-LN1 Furgoneta        | 508 D (667.361; € OM 601.941 |            | 58 | 78 | 79 | 1989  | 1994   |
| UNIMOG                  | U 100L                       | OM 602.948 | 71 | 95 | 96 | 1992  |        |
| UNIMOG                  | U 90                         | OM 602.941 | 65 | 87 | 88 | 1992  |        |

**MULTICAR**

| Serie | Model | Engine     | Kw | HP | CV | Start | Finish |
|-------|-------|------------|----|----|----|-------|--------|
| Tremo | 601   | OM 601.900 | 62 | 83 | 84 | 1998  |        |

**PUCH**

| Serie           | Model            | Engine              | Kw  | HP  | CV  | Start | Finish |
|-----------------|------------------|---------------------|-----|-----|-----|-------|--------|
| G-MODELL (W460) | 250 GD (460.337  | OM 602.930          | 62  | 83  | 84  | 1987  | 1991   |
| G-MODELL (W461) | 290 GD (461.338  | OM 602.942; OM 602. | 70  | 94  | 95  | 1991  | 1997   |
| G-MODELL (W463) | 300 GD (463.327  | OM 603.931          | 83  | 111 | 113 | 1989  | 1993   |
| G-MODELL (W463) | 350 GD Turbo (4i | OM 603.972          | 100 | 134 | 136 | 1991  | 1993   |

**SSANGYONG**

| Serie               | Model        | Engine            | Kw | HP  | CV  | Start | Finish |
|---------------------|--------------|-------------------|----|-----|-----|-------|--------|
| KORANDO (K5; K9)    | 2.2 D        | DC23              | 50 | 67  | 68  | 1988  | 1996   |
| KORANDO (KJ)        | 2.3 D (KJ)   | OM 601.940        | 58 | 78  | 79  | 1996  | 1998   |
| KORANDO (KJ)        | 2.3 TDiC 4x4 | OM661LA           | 74 | 99  | 101 | 1998  | 2006   |
| KORANDO (KJ)        | 2.9 D        | MB-OM 662         | 73 | 98  | 99  | 1997  | 2000   |
| KORANDO (KJ)        | 2.9 D (KJ)   | MB-OM 662         | 72 | 97  | 98  | 1996  | 2000   |
| KORANDO (KJ)        | 2.9 TD       | MB-OM 662 LA      | 88 | 118 | 120 | 1998  | 2006   |
| KORANDO Cabrio (KJ) | 2.9 D        | MB-OM 662         | 72 | 97  | 98  | 1997  | 2000   |
| KORANDO Cabrio (KJ) | 2.9 TD       | OM 662 LA         | 88 | 118 | 120 | 1998  | 2000   |
| MUSSO (FJ)          | 2.3 D        | OM 601.940; MB-OM | 59 | 79  | 80  | 1995  | 1999   |
| MUSSO (FJ)          | 2.3 D        | OM 661.940        | 58 | 78  | 79  | 1993  | 1997   |
| MUSSO (FJ)          | 2.9 D        | MB-OM 662         | 73 | 98  | 99  | 1996  | 1998   |
| MUSSO (FJ)          | 2.9 TD       | OM 662 LA         | 88 | 118 | 120 | 1998  | 2007   |

**DIMENSIONS**

|                       |                 |
|-----------------------|-----------------|
| H (Height):           | 168 mm          |
| OD (Outer Diameter):  | 92 mm           |
| ID (Inner Diameter):  | 11 mm           |
| ID2 (Inner Diameter): | 25 mm           |
| <b>Gaskets:</b>       |                 |
| 1 Unit/s (OD/ID)      | 111 mm / 103 mm |
| 1 Unit/s (OD/ID)      | 20 mm / 15 mm   |
| 1 Unit/s (OD/ID)      | 17 mm / 12 mm   |

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

|                |                |
|----------------|----------------|
| UNITS PER BOX: | 24             |
| WEIGHT:        | 10.3 Kg        |
| VOLUME:        | 0.05 cbm       |
| EAN13:         | 5055148200886  |
| ITF14:         | 85055148200882 |



**ML 4536** Millard Oil Filter

| SSANGYONG                 |           |            |    |     |     |       |        |
|---------------------------|-----------|------------|----|-----|-----|-------|--------|
| Serie                     | Model     | Engine     | Kw | HP  | CV  | Start | Finish |
| MUSSO SPORTS              | 2.9 D 4x4 | OM 662 LA  | 88 | 118 | 120 | 2004  |        |
| REXTON - REXTON II (GAB ) | 2.9 TD    | OM 662.925 | 88 | 118 | 120 | 2002  | 2006   |

**DIMENSIONS**

|                       |        |
|-----------------------|--------|
| H (Height):           | 168 mm |
| OD (Outer Diameter):  | 92 mm  |
| ID (Inner Diameter):  | 11 mm  |
| ID2 (Inner Diameter): | 25 mm  |

**Gaskets:**

|                  |                 |
|------------------|-----------------|
| 1 Unit/s (OD/ID) | 111 mm / 103 mm |
| 1 Unit/s (OD/ID) | 20 mm / 15 mm   |
| 1 Unit/s (OD/ID) | 17 mm / 12 mm   |

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

|                |                |
|----------------|----------------|
| UNITS PER BOX: | 24             |
| WEIGHT:        | 10.3 Kg        |
| VOLUME:        | 0.05 cbm       |
| EAN13:         | 5055148200886  |
| ITF14:         | 85055148200882 |

