



For updated information visit <http://mlrd.es/ML-4536>

**CROSS REFERENCES**

<b>COOPERSFIAAM</b>	FB1526	<b>MERCEDES-BENZ</b>	601 180 02 10
<b>FORD</b>	5016 966	<b>MERCEDES-BENZ</b>	601 184 01 25
<b>HENGST</b>	E170HND16	<b>MERCEDES-BENZ</b>	A 601 184 02 10
<b>KNECHT/MAHLE</b>	OX38D	<b>P.B.R.</b>	AC3277

**APPLICATIONS (EUROPE)**

<b>AEBI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TT TT	90		58	78	79	1989	

<b>DAEWOO</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
KORANDO (KJ)	2.9 D	MB-OM 662	72	97	98	1999	
KORANDO (KJ)	2.9 TD	MB-OM 601 29TD	88	118	120	1999	
KORANDO Cabrio (KJ)	2.9 D	MB-OM 662	72	97	98	1999	
KORANDO Cabrio (KJ)	2.9 TD	MB-OM 601 29TD	88	118	120	1999	
MUSSO (FJ)	2.2 TD	MB OM 601	74	99	101	1999	
MUSSO (FJ)	2.9 D 4x4	MB-OM 662	73	98	99	1999	1999
MUSSO (FJ)	2.9 TD 4x4	OM662LA	88	118	120	1999	
REXTON (GAB )	2.9 TD	OM 662.983	88	118	120	2002	

<b>MERCEDES-BENZ</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Sedan (W124)	200 D (124.120)	OM 601.912	53	71	72	1984	1989
124 Sedan (W124)	200 D (124.120)	OM 601.912	55	74	75	1989	1993
124 Sedan (W124)	250 D (124.125)	OM 602.912	66	88	90	1985	1993
124 Sedan (W124)	250 D (124.125)	OM 602.912	69	92	94	1989	1993
124 Sedan (W124)	250 Turbo-D (124.125)	OM 602.962	93	125	126	1988	1993
124 Sedan (W124)	300 D (124.130)	OM 603.912	80	107	109	1984	1989
124 Sedan (W124)	300 D (124.130)	OM 603.912	81	109	110	1990	1993
124 Sedan (W124)	300 D (124.130)	OM 603.912	83	111	113	1989	1993

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm

**Gaskets:**

1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882



**MERCEDES-BENZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Sedan (W124)	300 D 4-matic (1½ OM 603.913		80	107	109	1986	1992
124 Sedan (W124)	300 D 4-matic (1½ OM 603.913		83	111	113	1989	1993
124 Sedan (W124)	300 Turbo-D (12¼ OM 603.960		108	145	147	1988	1993
124 Sedan (W124)	300 Turbo-D (12¼ OM 603.960; OM 603		105	141	143	1986	1988
124 Sedan (W124)	300 Turbo-D 4-m OM 603.960; OM 603		105	141	143	1986	1988
124 Sedan (W124)	300 Turbo-D 4-m OM 603.963		108	145	147	1988	1993
124 T-Model (S124)	200 T D (124.180 OM 601.912		53	71	72	1985	1991
124 T-Model (S124)	200 T D (124.180 OM 601.912		55	74	75	1988	1991
124 T-Model (S124)	250 T D (124.185 OM 602.912		66	88	90	1985	1993
124 T-Model (S124)	250 T D (124.185 OM 602.912		69	92	94	1989	1993
124 T-Model (S124)	250 TD Turbo (1½ OM 602.962		93	125	126	1988	1993
124 T-Model (S124)	300 T D (124.190 OM 603.912		80	107	109	1986	1993
124 T-Model (S124)	300 T D (124.190 OM 603.912		81	109	110	1989	1993
124 T-Model (S124)	300 T D (124.190 OM 603.912		83	111	113	1989	1993
124 T-Model (S124)	300 T Turbo-D OM 603.960; OM 603		105	141	143	1986	1989
124 T-Model (S124)	300 T Turbo-D (1 OM 603.960		108	145	147	1989	1993
124 T-Model (S124)	300 T Turbo-D 4- OM 603.963		105	141	143	1986	1989
124 T-Model (S124)	300 T Turbo-D 4- OM 603.963		108	145	147	1989	1993
190 (W201)	D 2.0 (201.122) OM 601.911		53	71	72	1983	1989
190 (W201)	D 2.0 (201.122) OM 601.911		55	74	75	1989	1993
190 (W201)	D 2.5 (201.126) OM 602.911		66	88	90	1985	1993
190 (W201)	D 2.5 (201.126) OM 602.911		69	92	94	1989	1993
190 (W201)	Turbo-D 2.5 (201 OM 602.961		90	121	122	1988	1993
190 (W201)	Turbo-D 2.5 (201 OM 602.961		93	125	126	1988	1993
CLASE C (W202)	C 200 D (202.120 OM 601.913		55	74	75	1993	2000
CLASE C (W202)	C 220 D (202.121 OM 604.910		70	94	95	1993	2000
CLASE C (W202)	C 250 D (202.125 OM 605.910		83	111	113	1993	2000
CLASE E (W124)	E 200 D (124.120 OM 601.912		55	74	75	1993	1995
CLASE E (W124)	E 250 D (124.125 OM 605.911		83	111	113	1993	1995
CLASE E (W124)	E 250 Turbo-D (1 OM 602.962		93	125	126	1993	1995
CLASE E (W124)	E 300 D (124.131 OM 606.910		100	134	136	1993	1995
CLASE E (W124)	E 300 Turbo-D (1 OM 603.960		108	145	147	1993	1995
CLASE E (W124)	E 300 Turbo-D 4- OM 603.963		108	145	147	1993	1995
CLASE E T-Model (S124)	E 250 TD (124.115 OM 605.911		83	111	113	1993	1996
CLASE E T-Model (S124)	E 250 Turbo D OM 602.962		93	125	126	1993	1996
CLASE E T-Model (S124)	E 300 T Turbo-D OM 603.960		108	145	147	1993	1996
CLASE E T-Model (S124)	E 300 T Turbo-D OM 603.963		108	145	147	1993	1996
CLASE E T-Model (S124)	E 300 TD (124.115 OM 606.910		100	134	136	1993	1996
CLASE G (W460)	250 GD (460;3) OM 602.930		62	83	84	1987	1992
CLASE G (W460)	250 GD (460;3) OM 602.930		68	91	92	1988	1992
CLASE G (W461)	250 GD (461) OM 602.939		68	91	92	1990	1993
CLASE G (W461)	290 GD G 290 D OM 602.942		70	94	95	1993	2000
CLASE G (W463)	250 GD (463.324 OM 602.931		69	92	94	1990	1992
CLASE G (W463)	300 GD (463.327 OM 603.931		83	111	113	1989	1993
CLASE G (W463)	350 Turbo GD (4 OM 603.972		100	134	136	1991	1996
CLASE G (W463)	G 300 Diesel (46 OM 603.931		83	111	113	1993	1994
CLASE G Cabrio (W463)	300 GD (463.307 OM 603.931		83	111	113	1989	1993
CLASE G Cabrio (W463)	350 G Turbo-D (4 OM 603.972		100	134	136	1991	1997
CLASE G Cabrio (W463)	G 300 Diesel (46 OM 603.931		83	111	113	1993	1994
CLASE S (W140)	S 350 Turbo-D (1 OM 603.971		110	147	149	1993	1998
O 100	City OM 602.940		70	94	95	1994	
O 405	O 405 GTZ OM 602.990		63	84	86	1984	
O 405	O 405 GTZ OM 602.994		72	97	98	1984	
T1 Autobus (602)	308 D 2.3 OM 601.940		58	78	79	1990	1996
T1 Autobus (602)	308 D 2.3 OM 601.940		60	80	82	1989	1996
T1 Autobus (602)	310 D 2.9 OM 602.940		70	94	95	1989	1996
T1 Autobus (602)	310 D 2.9 OM 602.940		72	97	98	1990	1996
T1 Autobus (B601)	208 D 2.3 OM 601.940		60	80	82	1988	1996

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	10.3 Kg
<b>VOLUME:</b>	0.05 cbm
<b>EAN13:</b>	5055148200886
<b>ITF14:</b>	85055148200882



**MERCEDES-BENZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
T1 Autobus (B601)	208 D 2.3 (601.3; OM 601.940		58	78	79	1988	1996
T1 Autobus (B601)	210 D 2.8	OM 602.940	70	94	95	1988	1996
T1 Autobus (B601)	210 D 2.8	OM 602.940	72	97	98	1988	1996
T1 Caja-Chasis (601)	208 D 2.3	OM 601.940	58	78	79	1988	1996
T1 Caja-Chasis (601)	208 D 2.3	OM 601.940	60	80	82	1989	1996
T1 Caja-Chasis (601)	210 D 2.8	OM 602.940	72	97	98	1988	1996
T1 Caja-Chasis (601)	210 D 2.9	OM 602.940	70	94	95	1988	1996
T1 Caja-Chasis (B602)	308 D 2.3	OM 601.940	58	78	79	1989	1996
T1 Caja-Chasis (B602)	308 D 2.3	OM 601.940	60	80	82	1989	1996
T1 Caja-Chasis (B602)	310 D 2.9	OM 602.940	70	94	95	1989	1996
T1 Caja-Chasis (B602)	310 D 2.9	OM 602.940	72	97	98	1989	1996
T1 Furgoneta (601; 611)	208 D 2.3	OM 601.940	58	78	79	1988	1996
T1 Furgoneta (601; 611)	208 D 2.3	OM 601.940	60	80	82	1988	1996
T1 Furgoneta (601; 611)	210 D 2.8	OM 602.940	70	94	95	1988	1996
T1 Furgoneta (601; 611)	210 D 2.8	OM 602.940	72	97	98	1988	1996
T1 Furgoneta (B602)	308 D 2.3	OM 601.940	58	78	79	1988	1996
T1 Furgoneta (B602)	308 D 2.3	OM 601.940	60	80	82	1989	1996
T1 Furgoneta (B602)	310 D 2.9	OM 602.940	70	94	95	1989	1996
T1 Furgoneta (B602)	310 D 2.9	OM 602.940	72	97	98	1989	1996
T1-TN Caja-Chasis	408 D (611.317; € OM 601.940		58	78	79	1988	1995
T1-TN Caja-Chasis	408 D (611.317; € OM 601.940		60	80	82	1988	1995
T1-TN Caja-Chasis	410 D (611.417; € OM 602.940		70	94	95	1988	1995
T1-TN Caja-Chasis	410 D (611.417; € OM 602.940		72	97	98	1988	1995
T1-TN Furgoneta	408 D (611.367; € OM 601.940		58	78	79	1988	1995
T1-TN Furgoneta	408 D (611.367; € OM 601.940		60	80	82	1988	1995
T1-TN Furgoneta	410 D (611.467; € OM 602.940		70	94	95	1988	1995
T1-TN Furgoneta	410 D (611.467; € OM 602.940		72	97	98	1988	1995
T2-LN1 Caja-Chasis	508 D (667.301; € OM 601.941		58	78	79	1989	1994
T2-LN1 Furgoneta	508 D (667.361; € OM 601.941		58	78	79	1989	1994
UNIMOG	U 100L	OM 602.948	71	95	96	1992	
UNIMOG	U 90	OM 602.941	65	87	88	1992	

**MULTICAR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Tremo	601	OM 601.900	62	83	84	1998	
Tremo	601	OM 601.900	62	83	84	1998	

**PUCH**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
G-MODELL (W460)	250 GD (460.337 OM 602.930		62	83	84	1987	1991
G-MODELL (W461)	290 GD (461.338 OM 602.942; OM 602		70	94	95	1991	1997
G-MODELL (W463)	300 GD (463.327 OM 603.931		83	111	113	1989	1993
G-MODELL (W463)	350 GD Turbo (4 OM 603.972		100	134	136	1991	1993

**SSANGYONG**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
KORANDO (K5; K9)	2.2 D	DC23	50	67	68	1988	1996
KORANDO (KJ)	2.3 D (KJ)	OM 601.940	58	78	79	1996	1998
KORANDO (KJ)	2.3 TDiC 4x4	OM661LA	74	99	101	1998	2006
KORANDO (KJ)	2.9 D	MB-OM 662	73	98	99	1997	2000
KORANDO (KJ)	2.9 D (KJ)	MB-OM 662	72	97	98	1996	2000
KORANDO (KJ)	2.9 TD	MB-OM 662 LA	88	118	120	1998	2006
KORANDO Cabrio (KJ)	2.9 D	MB-OM 662	72	97	98	1997	2000
KORANDO Cabrio (KJ)	2.9 TD	OM 662 LA	88	118	120	1998	2000
MUSSO (FJ)	2.3 D	OM 601.940; MB-OM	59	79	80	1995	1999
MUSSO (FJ)	2.3 D	OM 661.940	58	78	79	1993	1997
MUSSO (FJ)	2.9 D	MB-OM 662	73	98	99	1996	1998

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	10.3 Kg
<b>VOLUME:</b>	0.05 cbm
<b>EAN13:</b>	5055148200886
<b>ITF14:</b>	85055148200882



**ML 4536** Millard Oil Filter

**SSANGYONG**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MUSSO (FJ)	2.9 TD	OM 662 LA	88	118	120	1998	2007
MUSSO SPORTS	2.9 D 4x4	OM 662 LA	88	118	120	2004	
REXTON - REXTON II (GAB )	2.9 TD	OM 662.925	88	118	120	2002	2006

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm

**Gaskets:**

1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882

