

# ML 4558 Millard Oil Filter

Catalog Europe, 09/04/2025



For updated information visit <http://mlrd.es/ML-4558>

## DIMENSIONS

H (Height):	101 mm
OD (Outer Diameter):	77 mm
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

## PROPERTIES

ANTIDRAIN BACK VALVE

## PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.2 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200237
ITF14:	85055148200233



## CROSS REFERENCES

<b>ALFA ROMEO</b>	60621830	<b>FORD</b>	5022 738
<b>CHRYSLER</b>	33004195	<b>FRAM</b>	PH4558
<b>CITROËN</b>	1109 AR	<b>KNECHT/MAHLE</b>	OC983
<b>FIAT</b>	59030262	<b>P.B.R.</b>	BC1090
<b>FIAT</b>	5973926	<b>PURFLUX</b>	LS715
<b>FIAT</b>	5973928	<b>RENAULT</b>	77 00 749 566
<b>FIAT</b>	K05012968AA	<b>UFI</b>	2319600
<b>FORD</b>	2192 565	<b>WIX FILTERS</b>	51841
<b>FORD</b>	5016 954		

## APPLICATIONS (EUROPE)

### ALFA ROMEO

Serie	Model	Engine	Kw	HP	CV	Start	Finish
6 (119 )	2.0 (119AA)	AR 01932	99	133	135	1981	1986

### AUTOBIANCHI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Y10	1.0	156 A2.000	33	44	45	1985	1995
Y10	1.0	156A.000	41	55	56	1985	1995
Y10	1.0 4WD	156 A3.000	37	50	50	1986	1995
Y10	1.0 Cat	156A2.246	33	44	45	1987	1995
Y10	1.1		37	50	50	1990	1992
Y10	1.1	156C.000	42	56	57	1989	1995
Y10	1.1 4WD	156C.000	42	56	57	1989	1995
Y10	1.1 i.e. Cat	156C.046	42	56	57	1990	1995

### CITROEN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
C25 Autobus (280 ; 290 )	2.5 D	CRD93L (U25 661)	54	72	73	1985	1994
C25 Autobus (280 ; 290 )	2.5 D	CRD93L (U25 661)	55	74	75	1981	1994
C25 Autobus (280 ; 290 )	2.5 D 4x4	CRD93L (U25 661)	54	72	73	1987	1994

**CITROEN**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
C25 Autobus (280 ; 290 )	2.5 D Turbo	CRD93LS (U25 673)	70	94	95	1987	1994
C25 Autobus (280 ; 290 )	2.5 D Turbo 4x4	CRD93LS (U25 673)	70	94	95	1987	1994
C25 Caja-Chasis (280 ; 290 )	2.5 D	CRD93L (U25 661)	55	74	75	1983	1994
C25 Caja-Chasis (280 ; 290 )	2.5 DT	CRD93LS (U25 673)	70	94	95	1987	1994
C25 Furgoneta (280 ; 290 )	2.5 D	CRD93L (U25 661)	54	72	73	1985	1994
C25 Furgoneta (280 ; 290 )	2.5 D	CRD93L (U25 661)	55	74	75	1981	1994
C25 Furgoneta (280 ; 290 )	2.5 D 4x4	CRD93L (U25 661)	55	74	75	1983	1986
C25 Furgoneta (280 ; 290 )	2.5 DT	CRD93LS (U25 673)	70	94	95	1991	1994
C25 Furgoneta (280 ; 290 )	2.5 DT 4x4	CRD93LS (U25 673)	70	94	95	1991	1994
CX I (MA)	25 D Turbo	M25 648	70	94	95	1983	1985
CX I Break (MA)	2500 D	M25 629	55	74	75	1978	1985
CX I Break (MA)	2500 D Turbo	M25 648	70	94	95	1983	1985
CX II	25 D	M25 660	54	72	73	1985	1992
CX II	25 D Turbo	M25 648	70	94	95	1985	1986
CX II	25 D Turbo	M25 669	88	118	120	1987	1992
CX II Break	25 D	M25 660	54	72	73	1986	1992
CX II Break	25 D Turbo 2	M25 669	88	118	120	1987	1992
CX II Break	2500 D Turbo	M25 648	70	94	95	1985	1986
JUMPY I (U6U )	1.6	220 A2.000; 1580 SPI	58	78	79	1995	2000
JUMPY I Furgoneta (BS ; BT ;	1.6 i	220 A2.000; 1580 SPI	58	78	79	1995	2000

**FIAT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
BRAVA (182 )	1.2 16V 80	182 B2.000	60	80	82	1998	2002
BRAVA (182 )	1.2 16V 80	188 A5.000	59	79	80	2000	2001
BRAVA (182 )	1.4 (182.BG)	182 A5.000	55	74	75	1995	2001
BRAVA (182 )	1.4 12 V (182.BA)	182 A3.000	59	79	80	1995	1998
BRAVA (182 )	1.6 16V (182.BB)	182 A4.000	76	102	103	1996	2001
BRAVA (182 )	1.6 16V (182.BH)	182 A6.000	66	88	90	1995	2001
BRAVO I (182 )	1.2 16V 80	182 B2.000	60	80	82	1998	2000
BRAVO I (182 )	1.2 16V 80	188 A5.000	59	79	80	2000	2001
BRAVO I (182 )	1.4 (182.AA)	182 A3.000	59	79	80	1995	2001
BRAVO I (182 )	1.4 (182.AG)	182 A5.000	55	74	75	1995	2001
BRAVO I (182 )	1.6	182 B6.000	76	102	103	2000	2001
BRAVO I (182 )	1.6 16V (182.AB)	182 A4.000	76	102	103	1996	2001
BRAVO I (182 )	1.6 16V (182.AH)	182 A6.000	66	88	90	1995	2001
CINQUECENTO (170 )	1.1 Sporting (170	176 B2.000	40	54	54	1994	1998
CINQUECENTO VAN (170 )	1.1 iE (170AH)	176 B2.000	40	54	54	1994	1998
DOBLO Furgoneta-monovolum	1.6 16V (223ZXD)	182 B6.000	76	102	103	2001	
DOBLO Furgoneta-monovolum	1.6 Natural Powe	182 B6.000	76	102	103	2002	
DOBLO Monospace (119 ; 223	1.6 16V (223AXD)	182 B6.000	76	102	103	2001	
DOBLO Monospace (119 ; 223	1.6 Natural Powe	182 B6.000	76	102	103	2002	
FIORINO Furgoneta-monovol	70 i.e. 1.4	146 C5.000; 146 D5.0	49	66	67	1994	2001
FIORINO Furgoneta-monovol	75 i.e. 1.6	146 C6.000; 146 D6.0	55	74	75	1993	2001
FIORINO Monospace (146 )	1.4 (146RE)	146 D5.000	49	66	67	1996	2000
FIORINO Pick up (146 )	1.4	146 D5.000	49	66	67	1994	2001
FIORINO Pick up (146 )	1.6	146 C6.000; 146 D6.0	55	74	75	1994	2001
FIORINO Pick up (146 )	1.7 TD	146 D7.000	46	62	63	1997	2001
MAREA (185 )	1.4 80 12V	182 A3.000	59	79	80	1996	2002
MAREA (185 )	1.6	182 B6.000	76	102	103	2000	2002
MAREA (185 )	1.6 100 16V	182 A4.000	76	102	103	1996	2002
MAREA (185 )	1.6 100 16V Bipo	186 A4.000; 185 A3.0	76	102	103	1999	2002
MAREA (185 )	2.0 150 20V	185 A8.000	110	147	149	2001	2002
MAREA Weekend (185 )	1.4 80 12V	182 A3.000	59	79	80	1996	2002
MAREA Weekend (185 )	1.6	182 B6.000	76	102	103	2000	2002
MAREA Weekend (185 )	1.6 100 16V	182 A4.000	76	102	103	1996	2002
MAREA Weekend (185 )	2.0 150 20V	185 A8.000	110	147	149	2001	2002
MULTIPLA (186 )	1.6 (186AXC1A; 1	182 B6.000	76	102	103	2000	2010

**DIMENSIONS**

H (Height):	101 mm
OD (Outer Diameter):	77 mm
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	9.2 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200237
ITF14:	85055148200233



FIAT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MULTIPLA (186 )	1.6 100 16V (186	182 A4.000	76	102	103	1999	2010
MULTIPLA (186 )	1.6 16V (186AGE	182 B6.000	70	94	95	2002	2010
MULTIPLA (186 )	1.6 16V Bipower	186 A4.000	76	102	103	1999	2010
MULTIPLA (186 )	1.6 16V Bipower	182 B6.000	76	102	103	2001	2010
MULTIPLA (186 )	1.6 16V Blupowe	186 A3.000	70	94	95	1999	2010
MULTIPLA VAN (186 )	1.6 (186AXC1A;	182 B6.000	76	102	103	2000	2010
MULTIPLA VAN (186 )	Bipower	182 B6.000	76	102	103	2001	2010
PALIO (178 ; 171 ; 371 )	1.0	178 A1.000; 178 A3.0	45	60	61	1996	2003
PALIO (178 ; 171 ; 371 )	1.2	176 A8.000; 178 B5.0	54	72	73	1998	
PALIO (178 ; 171 ; 371 )	1.2	188 A4.000; 178 B7.0	44	59	60	1997	2002
PALIO (178 ; 171 ; 371 )	1.4	178 B2.000	51	68	69	1996	2002
PALIO (178 ; 171 ; 371 )	1.4 Cat	178 B2.016	51	68	69	1996	2001
PALIO (178 ; 171 ; 371 )	1.6 16V	178 B3.000	74	99	101	1996	2002
PALIO Weekend (178 ; 173 ; 3	1.2	178 B5.000	54	72	73	1996	2004
PALIO Weekend (178 ; 173 ; 3	1.2 (178DYA1A;	188 A4.000; 178 C4.0	44	59	60	1997	2004
PALIO Weekend (178 ; 173 ; 3	1.3 (178DYE1A;	188 A5.000; 178 D6.0	59	79	80	2001	2004
PALIO Weekend (178 ; 173 ; 3	1.6 16V	182 B6.000	76	102	103	2001	2012
PALIO Weekend (178 ; 173 ; 3	1.6 16V (178DXC	178 B3.000	74	99	101	1996	2001
PANDA (141 )	1000	156 A2.100	32	43	43	1986	1992
PANDA (141 )	1000	156 A3.000	37	50	50	1985	1992
PANDA (141 )	1000 4x4	156 A2.246; 141 C2.0	33	44	45	1986	1994
PANDA (141 )	1000 4x4	156 A3.000	37	50	50	1986	1992
PANDA (141 )	1000 4x4	156 A3.100; 156 A2.1	32	43	43	1986	1989
PANDA (141 )	1000 i.e. Cat	156 A2.246; 141 C2.0	33	44	45	1987	1998
PANDA (141 )	1100	156 C.046	37	50	50	1991	1999
PANDA (141 )	1100	176 B2.000; 187 A1.0	40	54	54	1995	2003
PANDA (141 )	1100 4x4	176 B2.000; 187 A1.0	40	54	54	1995	2004
PANDA (141 )	1100 Trekking 4x	156 C.046	37	50	50	1991	2004
PANDA (141 )	750	156 A4.000; 156 A4.0	25	34	34	1986	2003
PANDA Furgoneta-Hatchback	1.1	187 A1.000	40	54	54	2000	2004
PANDA Furgoneta-Hatchback	1.1 4x4	187 A1.000	40	54	54	2000	2004
PANDA Furgoneta-Hatchback	1000	156 A3.100; 156 A2.1	32	43	43	1986	1992
PANDA Furgoneta-Hatchback	1000 i.e	156 A2.246; 141 C2.0	33	44	45	1992	2004
PANDA Furgoneta-Hatchback	750	141 B.000	25	34	34	1986	1992
PUNTO (176 )	1.2 16V	176 B9.000	63	84	86	1997	1999
PUNTO (176 )	1.4 GT Turbo (17	176 A4.000	98	131	133	1993	1997
PUNTO (176 )	1.4 GT Turbo (17	176 B6.000	96	129	130	1996	1999
PUNTO (176 )	1.6	176 A9.000	65	87	88	1994	1997
PUNTO (176 )	55 1.1	176 A6.000; 176 B2.0	40	54	54	1993	1999
PUNTO (176 )	60 1.2	176 A7.000	43	58	58	1994	1999
PUNTO (176 )	60 1.2 (176AP; 1	176 B1.000; 176 B4.0	44	59	60	1993	1999
PUNTO (176 )	75 1.2	176 A8.000	54	72	73	1993	1999
PUNTO (188 )	1.2 60 (188.030;	188 A4.000	44	59	60	1999	2010
PUNTO Descapotable (176 )	60 1.2	176 A7.000	43	58	58	1994	2000
PUNTO Descapotable (176 )	60 1.2 (176AR_;	176 B1.000; 176 B4.0	44	59	60	1995	2000
PUNTO Descapotable (176 )	85 16V 1.2	176 B9.000	63	84	86	1997	2000
PUNTO Descapotable (176 )	90 1.6	176 A9.000	65	87	88	1994	1997
PUNTO Furgoneta-Hatchback	1.2 60	188 A4.000	44	59	60	2000	2009
PUNTO Van (176 )	1.1	176 B2.000	40	54	54	1996	2000
SCUDO Autobus (220 )	1.6	220 A 2.000	58	78	79	1996	2006
SCUDO Caja-Chasis (220 )	1.6	220 A 2.000	58	78	79	1996	2006
SCUDO Furgoneta (220 )	1.6	220 A 2.000	58	78	79	1996	2006
SIENA (178 ; 172 ; 372 )	1.3 (178CXG1AA	178 B5.000	54	72	73	1998	2002
SIENA (178 ; 172 ; 372 )	1.4	178 B2.000	51	68	69	1996	2009
SIENA (178 ; 172 ; 372 )	1.4 Cat	178 B2.016	51	68	69	1996	2009
SIENA (178 ; 172 ; 372 )	1.6 16V	178 B3.000	74	99	101	1998	2009
STILO (192 )	1.6 16V (192_XB	182 B6.000	76	102	103	2001	2006
STILO Multi Wagon (192 )	1.6 16V	182 B6.000	76	102	103	2003	2008

**DIMENSIONS**

H (Height):	101 mm
OD (Outer Diameter):	77 mm
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	9.2 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200237
ITF14:	85055148200233



<b>FIAT</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
STILO VAN (192)	1.6 (192DXB1A)	182 B6.000	100	134	136	2005	2008
STRADA Pick-up (178 ; 278)	1.2	178 B5.000	54	72	73	1999	2006
TEMPRA (159)	1.4 i.e. (159.AA)	159 A2.000	57	76	77	1991	1996
TEMPRA (159)	1.4 i.e. (159.AC)	836 A4.000; 160 A1.0	51	68	69	1990	1996
TEMPRA (159)	1.6 i.e. (159.AJ)	159 B9.000	63	84	86	1994	1996
TEMPRA (159)	1.6 i.e. (159.AJ)	159 B9.000	66	88	90	1994	1996
TEMPRA (159)	1.6 i.e. (159.AS)	159 A3.048; 835 C1.0	55	74	75	1992	1996
TEMPRA S.W. (159)	1.4 i.e. (159.AC)	836 A4.000; 160 A1.0	51	68	69	1992	1996
TEMPRA S.W. (159)	1.6 i.e. (159.AE)	159 A3.046; 835 C1.0	57	76	77	1990	1996
TEMPRA S.W. (159)	1.6 i.e. (159.AJ)	159 B9.000	66	88	90	1994	1996
TEMPRA S.W. (159)	1.6 i.e. (159.AS)	159 A3.048; 835 C1.0	55	74	75	1992	1996
TIPO (160)	1.1 (160.AA)	160 A3.000	41	55	56	1988	1991
TIPO (160)	1.4 i.e.	159 A2.000	57	76	77	1989	1995
TIPO (160)	1.6 i.e. (160.A1)	159 A3.048; 835 C1.0	55	74	75	1992	1995
UNO (146 ; 158)	1.1	160 A3.000	41	55	56	1986	2006
UNO (146 ; 158)	1.4 Turbo i.e.	146 A8.000	87	117	118	1989	1996
UNO (146 ; 158)	1.6 R	159 A3.048	66	88	90	1993	1995
UNO (146 ; 158)	45 1.0 (146A.ED)	156 A2.048; 156 A2.1	32	43	43	1986	1993
UNO (146 ; 158)	45 i.e. 1.0 (146E)	156 A2.246; 156 A2.0	33	44	45	1984	1995
UNO (146 ; 158)	50 1.1	146 A4.044	37	50	50	1986	1989
UNO (146 ; 158)	50 1.1	156 C.046	37	50	50	1990	1993
UNO (146 ; 158)	50 i.e. 1.1	146 C3.000	36	48	49	1992	1993

<b>FORD</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
C-MAX (DM2)	1.8 TDCi	KKDA; KKDB	85	114	115	2007	2010
FOCUS C-MAX (DM2)	1.8 TDCi	KKDA; KKDB	85	114	115	2005	2007
FOCUS II (DA ; HCP; DP)	1.8 TDCi	KKDA	85	114	115	2005	2012
FOCUS II Sedan (DB ; FCH; D)	1.8 TDCi	KKDA	85	114	115	2005	2012
FOCUS II Turnier (DA ; FFS; D)	1.8 TDCi	KKDA	85	114	115	2004	2012
GALAXY II (WA6)	1.8 TDCi	FFWA	74	99	101	2006	2015
GALAXY II (WA6)	1.8 TDCi	QYWA	92	123	125	2006	2015
MONDEO IV (BA7)	1.8 TDCi	FFBA	74	99	101	2007	2015
MONDEO IV (BA7)	1.8 TDCi	QYBA; KHBA	92	123	125	2007	2015
MONDEO IV Sedan (BA7)	1.8 TDCi	FFBA	74	99	101	2007	2015
MONDEO IV Sedan (BA7)	1.8 TDCi	QYBA; KHBA	92	123	125	2007	2015
MONDEO IV Turnier (BA7)	1.8 TDCi	FFBA	74	99	101	2007	2012
MONDEO IV Turnier (BA7)	1.8 TDCi	QYBA; KHBA	92	123	125	2007	2012
S-MAX (WA6)	1.8 TDCi	QYWA	92	123	125	2006	2014

<b>INNOCENTI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
ELBA	1.4 i.e. (146EN; 1	146 C5.000; 146 D5.0	49	66	67	1994	1996
ELBA	1.6 i.e. (146EO; 1	146 C6.000; 146 D6.0	55	74	75	1994	1996

<b>JEEP</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CHEROKEE (XJ)	2.1 TD	J8S	64	86	87	1984	2001
CHEROKEE (XJ)	4.0	M400L	131	176	178	1986	1990
CHEROKEE (XJ)	4.0 4x4	M400L	131	176	178	1986	1990
CHEROKEE (XJ)	4.0 i	ERH	136	182	185	1988	2001
CJ5 - CJ8	2.0	J5R-800	63	84	86	1983	1987
CJ5 - CJ8	2.5	Y150	78	105	106	1984	1987
WRANGLER I (YJ; SJ)	2.5	E246L	76	102	103	1988	1991
WRANGLER I (YJ; SJ)	4.2	6L <C 2V>	84	113	114	1986	1989

<b>KIOTI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
Series NX	NX 6010		45	60	61	2013	

**DIMENSIONS**

H (Height):	101 mm
OD (Outer Diameter):	77 mm
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	71 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	9.2 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200237
ITF14:	85055148200233



**KIOTI**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Series RX	RX 6010 C; RX 6		43	58	58	2011	

**LANCIA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
DEDRA (835 )	1.6 16V (835EI)	182 A4.000	76	102	103	1996	1999
DEDRA (835 )	1.6 LE Cat (835E	159 B9.000	66	88	90	1994	1999
DEDRA (835 )	1.8 16V LE (835F	182 A2.000	83	111	113	1996	1999
DEDRA (835 )	1.8 GT 16V (835f	183 A1.000	96	129	130	1996	1999
DEDRA SW (835 )	1.6 (835EB)	159 B9.000	66	88	90	1994	1999
DEDRA SW (835 )	1.6 16V (835EI)	182 A4.000	76	102	103	1996	1999
DEDRA SW (835 )	1.8 16V LE (835F	182 A2.000	83	111	113	1996	1999
DEDRA SW (835 )	1.8 GT 16V (835f	183 A1.000	96	129	130	1996	1999
DELTA II (836 )	1.6 i.e. (836AD)	835 C1.000	55	74	75	1993	1999
DELTA II (836 )	1.6 i.e. (836AP)	182 A6.000	66	88	90	1996	1999
DELTA II (836 )	1.6 i.e. 16V (836f	182 A4.000	76	102	103	1996	1999
LYBRA (839 )	1.6	182 B6.000	76	102	103	2000	2005
LYBRA (839 )	1.6 16V (839AXA	182 A4.000	76	102	103	1999	2005
LYBRA SW (839 )	1.6 (839.BXF1A)	182 B6.000	76	102	103	2000	2005
LYBRA SW (839 )	1.6 16V (839BXA	182 A4.000	76	102	103	1999	2005
Y (840 )	1.1 (840AE)	176 B2.000	40	54	54	1995	2003
Y (840 )	1.2 (840AA; 840f	840 A3.000; 188 A4.0	44	59	60	1996	2003
Y (840 )	1.2 16V (840AD)	176 B9.000	63	84	86	1997	2003
Y (840 )	1.4 12V (840AB)	840 A2.000	59	79	80	1996	2003
Y (840 )	1.4 12V (840AC)	840 A4.000	55	74	75	1996	2003
Y10 (156 )	1.0 (156C)	156 A.000	41	55	56	1985	1989
Y10 (156 )	1.0 Fire (156AA)	156 A2.000; 156 A2.2	33	44	45	1985	1989
Y10 (156 )	1.0 Fire (156AA; 156	A2.000	37	50	50	1985	1990
Y10 (156 )	1.0 Fire (156B; 1f	156 A2.100	32	43	43	1985	1991
Y10 (156 )	1.0 Fire A las 4 r	156 A2.100	32	43	43	1986	1989
Y10 (156 )	1.0 Fire A las 4 r	156 A2.000; 156 A2.2	33	44	45	1987	1992
Y10 (156 )	1.0 Fire Catalytic	156 A2.246	33	44	45	1987	1992
Y10 (156 )	1.1 Fire (156AG)	176 B2.000	40	54	54	1995	1995
Y10 (156 )	1.1 Fire A las 4 r	176 B2.000	40	54	54	1995	1995
Y10 (156 )	1.1 i.e Fire (156A	156 C.000	42	56	57	1989	1992
Y10 (156 )	1.1 i.e Fire A las	156 C.000	42	56	57	1989	1992
Y10 (156 )	1.1 i.e. Fire (156f	156 C.046	37	50	50	1989	1995
Y10 (156 )	1.1 i.e. Fire A las	156 C.046	37	50	50	1992	1995

**RENAULT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CLIO I (B-C57 ; 5-357 )	1.9 D	F8Q 714; F8Q 632; Ff	48	64	65	1996	1998
CLIO I (B-C57 ; 5-357 )	1.9 D (B C S576;	F8Q 730; F8Q 732	47	63	64	1991	1998
ESPACE II (J-S63 )	2.1 TD (J63E)	J8S 612	66	88	90	1994	1996
RAPID Furgoneta-monovolume	1.9 D (F40R)	F8Q 640; F8Q 682; Ff	40	54	54	1994	1998

**DIMENSIONS**

H (Height):	101 mm
OD (Outer Diameter):	77 mm
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	9.2 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200237
ITF14:	85055148200233

