

ML 5552 Millard Oil Filter

Catalog Europe, 21/11/2024



DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493

For updated information visit <http://mlrd.es/ML-5552>

CROSS REFERENCES

BMW	11 42 1 287 836	MAHLE	OC264
BMW	11 42 1 707 779	MAZDA	YF091-4302
CASE IH	3 147 441 R 91	MAZDA	Z ZN1-23302
CASE IH	S-62427	MERCEDES-BENZ	103 184 00 01
CHRYSLER	05003558AA	MERCEDES-BENZ	103 184 02 01
CHRYSLER	4720364	MERCEDES-BENZ	103 184 03 01
CHRYSLER	4781452BB	MERCEDES-BENZ	103 184 06 10
CHRYSLER	5003558AA	MERCEDES-BENZ	A 003 094 06 01
CHRYSLER	P4720364	MERCEDES-BENZ	A 102 184 02 01
DEUTZ-FAHR	0117 2346	MERCEDES-BENZ	A 102 184 03 01
FIAT	K4781452AA	MERCEDES-BENZ	A 103 184 00 01
FIAT	K4781452BB	NISSAN	15208-V4000
FORD	1037 678	ONAN	1220680
FORD	1043 147	P.B.R.	BC1278
FORD	1066071	PEUGEOT	MLS000702
FORD	1119 421	RENAULT	77 01 415 078
FORD	4454116	RENAULT	801382
FORD	5004 928	SKODA	06A 115 561 B
FORD	5012 651	VAG	030 115 561 D
FORD	6937 011	VAG	037 115 561 B
FORD	978M-6714-B2A	VAG	056 115 561 A
FORD	YN2G6714838	VAG	057 115 561
GENERAL MOTORS	93156747	VAG	06A 115 561 B
GENERAL MOTORS	93892090	VAG	06A 115 561 E
JAGUAR	XR 8E6714 AB	VAG	070 115 561
JOHN DEERE	AM34770	VAG	8920 180 82 01
KNECHT/MAHLE	OC264	VAG	BAT 115 561 A
LINDNER	3205161	VAG	XE 021 030 288 A



CROSS REFERENCES (CONTINUES FROM PREVIOUS PAGE)

VM	4 115 064	VW GROUP	06A115561B
VM	41 150 064 B	WARTBURG	04 82 551 001
VM	41152006A	WIX	51342
VOLVO	1526187	WIX FILTERS	51342

APPLICATIONS (EUROPE)

ALPINA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
B3 (E30)	2.7	M20 B27 (27EH2)	150	201	204	1987	1992
B3 (E30)	2.7 A las 4 rueda:	M20 B27 (27EH2)	150	201	204	1987	1992
B3 Descapotable (E30)	2.7	M20 B27 (27EH2)	150	201	204	1987	1992
B3 Touring (E30)	2.7	M20 B27 (27EH2)	150	201	204	1987	1992
C1 (E21)	2.3	C1 (M20 B23)	125	168	170	1980	1983
C1 (E30)	2.3	C1 1 (M20 B23)	125	168	170	1983	1985
C1 (E30)	2.5	M20 B25 (256KE1)	140	188	190	1986	1988
C2 (E30)	2.5	M20 B25 (256KE1)	136	182	185	1985	1988
C2 (E30)	2.7	M20 B27 (276KE1)	150	201	204	1987	1987
C2 (E30)	2.7	M20 B27 (276KE1)	154	206	209	1986	1987
C2 (E30)	2.7 A las 4 rueda:	M20 B27 (276KE1)	154	206	209	1986	1987
C2 Descapotable (E30)	2.7	M20 B27 (276KE1)	154	206	209	1986	1987
RLE Roadster (Z1)	2.7	C2 6	147	197	200	1990	1991

AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C1 Coupe (817)	1.9	ZJ	82	110	111	1971	1976
100 C1 Coupe (817)	1.9	ZP	85	114	115	1970	1971
100 C1 Sedan (801; 803; 805;)	1.6	YM	63	84	86	1975	1976
100 C1 Sedan (801; 803; 805;)	1.8	ZU	63	84	86	1971	1974
100 C1 Sedan (801; 803; 805;)	1.8	ZV	59	79	80	1968	1971
100 C1 Sedan (801; 803; 805;)	1.8	ZX	66	88	90	1968	1971
100 C1 Sedan (801; 803; 805;)	1.8	ZZ; ZS	74	99	101	1970	1976
100 C1 Sedan (801; 803; 805;)	1.9	ZJ	82	110	111	1971	1976
100 C2 Avant (435; 436)	1.6	YV	63	84	86	1977	1983
100 C2 Avant (435; 436)	1.9	WH	74	99	101	1980	1982
100 C2 Avant (435; 436)	2.0	WA	85	114	115	1977	1980
100 C2 Avant (435; 436)	2.1	WB; WE	85	114	115	1977	1983
100 C2 Avant (435; 436)	2.1	WC; WG	100	134	136	1977	1983
100 C2 Sedan (431; 433; 434)	1.6	YV	63	84	86	1976	1982
100 C2 Sedan (431; 433; 434)	1.9	WH	74	99	101	1980	1984
100 C2 Sedan (431; 433; 434)	2.0	WA	85	114	115	1976	1978
100 C2 Sedan (431; 433; 434)	2.1	WB; WE	85	114	115	1977	1982
100 C2 Sedan (431; 433; 434)	2.1	WC; WG; WK	100	134	136	1977	1982
100 C3 Avant (445; 446)	1.8	DR; RS	55	74	75	1982	1987
100 C3 Avant (445; 446)	1.8	DS; JW; NP; SH	66	88	90	1983	1989
100 C3 Avant (445; 446)	1.8	SH	65	87	88	1986	1990
100 C3 Avant (445; 446)	1.8 Cat	4B; PH	66	88	90	1985	1990
100 C3 Avant (445; 446)	1.8 Cat quattro	4B; PH	66	88	90	1985	1990
100 C3 Avant (445; 446)	1.8 quattro	JW; NP	66	88	90	1984	1988
100 C3 Avant (445; 446)	1.8 quattro	SH	65	87	88	1986	1990
100 C3 Avant (445; 446)	1.9	WH	74	99	101	1983	1984
100 C3 Avant (445; 446)	2.0	SL	83	111	113	1986	1987
100 C3 Avant (445; 446)	2.0 E	KP	85	114	115	1985	1987
100 C3 Avant (445; 446)	2.0 E Cat	RT	85	114	115	1988	1990

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C3 Avant (445; 446)	2.1	WC	100	134	136	1982	1984
100 C3 Avant (445; 446)	2.2	KU	101	135	137	1984	1988
100 C3 Avant (445; 446)	2.2	KZ	85	114	115	1984	1986
100 C3 Avant (445; 446)	2.2 Cat	HX; KU	101	135	137	1989	1990
100 C3 Avant (445; 446)	2.2 Cat quattro	HX; KU	101	135	137	1989	1990
100 C3 Avant (445; 446)	2.2 E quattro	PX	88	118	120	1985	1986
100 C3 Avant (445; 446)	2.2 quattro	KU	101	135	137	1984	1988
100 C3 Avant (445; 446)	2.2 Turbo	MC	121	162	164	1986	1990
100 C3 Avant (445; 446)	2.2 Turbo quattro	MC	121	162	164	1986	1990
100 C3 Avant (445; 446)	2.3	NF	98	131	133	1990	1990
100 C3 Avant (445; 446)	2.3	NF	100	134	136	1986	1990
100 C3 Avant (445; 446)	2.3 E quattro	NF	100	134	136	1986	1990
100 C3 Avant (445; 446)	2.3 quattro	NF	98	131	133	1990	1990
100 C3 Sedan (443; 444)	1.8	DR; RS	55	74	75	1982	1987
100 C3 Sedan (443; 444)	1.8	DS; JW; NP; SH	66	88	90	1983	1989
100 C3 Sedan (443; 444)	1.8	SH	65	87	88	1986	1988
100 C3 Sedan (443; 444)	1.8 Cat	4B; PH	66	88	90	1985	1990
100 C3 Sedan (443; 444)	1.8 Cat quattro	4B; PH	66	88	90	1985	1990
100 C3 Sedan (443; 444)	1.8 quattro	JW; NP	66	88	90	1984	1988
100 C3 Sedan (443; 444)	1.8 quattro	SH	65	87	88	1986	1990
100 C3 Sedan (443; 444)	1.9	WH	74	99	101	1982	1984
100 C3 Sedan (443; 444)	2.0	KP	85	114	115	1984	1987
100 C3 Sedan (443; 444)	2.0	SL	83	111	113	1986	1987
100 C3 Sedan (443; 444)	2.0 Cat	RT	85	114	115	1988	1990
100 C3 Sedan (443; 444)	2.1	WC	100	134	136	1982	1984
100 C3 Sedan (443; 444)	2.2	KU	101	135	137	1984	1988
100 C3 Sedan (443; 444)	2.2	KZ	85	114	115	1984	1986
100 C3 Sedan (443; 444)	2.2 Cat	HX; KU	101	135	137	1984	1987
100 C3 Sedan (443; 444)	2.2 Cat quattro	HX; KU	101	135	137	1984	1987
100 C3 Sedan (443; 444)	2.2 E quattro	PX	88	118	120	1985	1986
100 C3 Sedan (443; 444)	2.2 E Turbo quatt	MC	121	162	164	1986	1990
100 C3 Sedan (443; 444)	2.2 quattro	KU	101	135	137	1984	1988
100 C3 Sedan (443; 444)	2.2 Turbo	MC	121	162	164	1986	1990
100 C3 Sedan (443; 444)	2.3 E	NF	98	131	133	1990	1990
100 C3 Sedan (443; 444)	2.3 E	NF	100	134	136	1986	1990
100 C3 Sedan (443; 444)	2.3 E quattro	NF	100	134	136	1986	1990
100 C3 Sedan (443; 444)	2.3 quattro	NF	98	131	133	1990	1990
100 C4 Avant (4A5)	2.0 E	AAD; ABK	85	114	115	1991	1994
100 C4 Avant (4A5)	2.0 E	AAE	74	99	101	1991	1994
100 C4 Avant (4A5)	2.0 E 16V	ACE	103	138	140	1992	1994
100 C4 Avant (4A5)	2.0 E quattro	AAD	85	114	115	1990	1992
100 C4 Avant (4A5)	2.3 E	AAR	98	131	133	1991	1994
100 C4 Avant (4A5)	2.3 E quattro	AAR	98	131	133	1991	1994
100 C4 Avant (4A5)	2.6	ABC	110	147	149	1992	1994
100 C4 Avant (4A5)	2.6 quattro	ABC	110	147	149	1992	1994
100 C4 Avant (4A5)	2.8 E	AAH	128	172	174	1991	1994
100 C4 Avant (4A5)	2.8 E quattro	AAH	128	172	174	1991	1994
100 C4 Avant (4A5)	S4 Turbo quattro	AAN	169	227	230	1991	1994
100 C4 Sedan (4A2)	2.0	AAE	74	99	101	1990	1994
100 C4 Sedan (4A2)	2.0 E	AAD; ABK	85	114	115	1990	1994
100 C4 Sedan (4A2)	2.0 E 16V	ACE	103	138	140	1992	1994
100 C4 Sedan (4A2)	2.0 E quattro	AAD	85	114	115	1990	1992
100 C4 Sedan (4A2)	2.3 E	AAR	98	131	133	1990	1994
100 C4 Sedan (4A2)	2.3 E quattro	AAR	98	131	133	1990	1994
100 C4 Sedan (4A2)	2.6	ABC	110	147	149	1992	1994
100 C4 Sedan (4A2)	2.6 quattro	ABC	110	147	149	1992	1994
100 C4 Sedan (4A2)	2.8 E	AAH	128	172	174	1990	1994
100 C4 Sedan (4A2)	2.8 E quattro	AAH	128	172	174	1990	1994

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C4 Sedan (4A2)	S4 Turbo quattro	AAN	169	227	230	1991	1994
200 C2 Sedan (437; 438)	2.1 5E	WC	100	134	136	1979	1982
200 C2 Sedan (437; 438)	2.1 5T	WJ	125	168	170	1979	1982
200 C3 Avant (447; 448)	2.1 Turbo quattro	JY; KG	134	180	182	1983	1988
200 C3 Avant (447; 448)	2.2 20V Turbo qu	3B	162	217	220	1989	1990
200 C3 Avant (447; 448)	2.2 Turbo	MC	121	162	164	1985	1991
200 C3 Avant (447; 448)	2.2 Turbo quattro	1B	147	197	200	1988	1991
200 C3 Avant (447; 448)	2.2 Turbo quattro	MC	121	162	164	1983	1990
200 C3 Avant (447; 448)	2.3	NF	100	134	136	1986	1991
200 C3 Sedan (447; 448)	2.1 5E	KH; WC	100	134	136	1983	1984
200 C3 Sedan (447; 448)	2.1 Turbo	KG	134	180	182	1983	1988
200 C3 Sedan (447; 448)	2.1 Turbo quattro	KG	134	180	182	1983	1986
200 C3 Sedan (447; 448)	2.2	KU	101	135	137	1984	1985
200 C3 Sedan (447; 448)	2.2 20V Turbo qu	3B	162	217	220	1989	1990
200 C3 Sedan (447; 448)	2.2 Turbo	1B	147	197	200	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo	2B	140	188	190	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo	MC	121	162	164	1985	1991
200 C3 Sedan (447; 448)	2.2 Turbo quattro	1B	147	197	200	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo quattro	MC	121	162	164	1985	1991
200 C3 Sedan (447; 448)	2.3	NF	100	134	136	1986	1991
50 (863)	1.1	HB	37	50	50	1974	1978
50 (863)	1.1	HC	44	59	60	1974	1977
50 (863)	1.3	HH	44	59	60	1977	1978
60 (613; 615)	1.5	8910; 10	40	54	54	1968	1972
60 Variant (613; 615)	1.5	8910; 10	40	54	54	1968	1972
75 (613; 615)	1.7	ZG	55	74	75	1968	1972
75 Variant (615)	1.7	ZG	55	74	75	1968	1972
80 B1 Sedan (80; 82)	1.3	ZA	40	54	54	1972	1978
80 B1 Sedan (80; 82)	1.3	ZF	44	59	60	1972	1978
80 B1 Sedan (80; 82)	1.5	ZB; YJ	55	74	75	1972	1975
80 B1 Sedan (80; 82)	1.5	ZC	63	84	86	1972	1976
80 B1 Sedan (80; 82)	1.6	FS	53	71	72	1976	1978
80 B1 Sedan (80; 82)	1.6	YN	55	74	75	1975	1978
80 B1 Sedan (80; 82)	1.6	YP	63	84	86	1975	1978
80 B1 Sedan (80; 82)	1.6 GT	XX	74	99	101	1973	1976
80 B1 Sedan (80; 82)	1.6 GTE	YS	81	109	110	1976	1978
80 B2 Sedan (811; 813; 814; 8	1.3	EP	44	59	60	1978	1986
80 B2 Sedan (811; 813; 814; 8	1.3	FY	40	54	54	1978	1981
80 B2 Sedan (811; 813; 814; 8	1.3	FZ	44	59	60	1978	1981
80 B2 Sedan (811; 813; 814; 8	1.6	JU; DT	55	74	75	1978	1987
80 B2 Sedan (811; 813; 814; 8	1.6	SA	54	72	73	1986	1986
80 B2 Sedan (811; 813; 814; 8	1.6	WV; WY; YN	55	74	75	1978	1986
80 B2 Sedan (811; 813; 814; 8	1.6	YP	63	84	86	1978	1983
80 B2 Sedan (811; 813; 814; 8	1.6 GLE	YZ	81	109	110	1978	1982
80 B2 Sedan (811; 813; 814; 8	1.8	DS; JV; JN	66	88	90	1983	1986
80 B2 Sedan (811; 813; 814; 8	1.8	SF	65	87	88	1986	1986
80 B2 Sedan (811; 813; 814; 8	1.8 CC quattro (8	JV; JN; NE	66	88	90	1984	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE	DZ; MU	82	110	111	1984	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE	PV	81	109	110	1985	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE quattro (DZ	82	110	111	1984	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE quattro (PV	81	109	110	1985	1986
80 B2 Sedan (811; 813; 814; 8	1.9 CD-5S	WN	85	114	115	1981	1983
80 B2 Sedan (811; 813; 814; 8	2.0	HP; JS	85	114	115	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.0	JL	81	109	110	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.0 quattro (85Q)	JS	85	114	115	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.2 quattro (85Q)	KK	100	134	136	1982	1984
80 B3 Sedan (893; 894; 8A2)	1.4	SE	48	64	65	1986	1988
80 B3 Sedan (893; 894; 8A2)	1.6	ABB	75	101	102	1990	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
80 B3 Sedan (893; 894; 8A2)	1.6	PP	51	68	69	1987	1991
80 B3 Sedan (893; 894; 8A2)	1.6	RN	55	74	75	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8	RU	55	74	75	1986	1990
80 B3 Sedan (893; 894; 8A2)	1.8	SD	83	111	113	1986	1988
80 B3 Sedan (893; 894; 8A2)	1.8 E	DZ	82	110	111	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 E quattro	DZ	82	110	111	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 quattro	SD	83	111	113	1986	
80 B3 Sedan (893; 894; 8A2)	1.8 S	JV; PM; SF; JN; NE	66	88	90	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 S	SF	65	87	88	1986	1990
80 B3 Sedan (893; 894; 8A2)	1.8 S quattro	PM; SF; JN; NE	66	88	90	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 S quattro	SF	65	87	88	1986	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	3A	82	110	111	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	3A	83	111	113	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	AAD	85	114	115	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E 16V	6A	101	135	137	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E 16V quattro	6A	101	135	137	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E quattro	3A	83	111	113	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 quattro	AAD	85	114	115	1990	1991
80 B4 Avant (8C5)	1.6 E	ADA	74	99	101	1993	1996
80 B4 Avant (8C5)	2.0	ABT	66	88	90	1992	1996
80 B4 Avant (8C5)	2.0 E	ABK	85	114	115	1992	1996
80 B4 Avant (8C5)	2.0 E 16V	ACE	103	138	140	1993	1996
80 B4 Avant (8C5)	2.0 E 16V quattro	ACE	103	138	140	1992	1995
80 B4 Avant (8C5)	2.3 E	NG	98	131	133	1992	1996
80 B4 Avant (8C5)	2.3 E quattro	NG	98	131	133	1991	1994
80 B4 Avant (8C5)	2.6	ABC	110	147	149	1992	1996
80 B4 Avant (8C5)	2.6 quattro	ABC	110	147	149	1992	1995
80 B4 Avant (8C5)	2.8	AAH	128	172	174	1991	1996
80 B4 Avant (8C5)	2.8 quattro	AAH	128	172	174	1992	1995
80 B4 Avant (8C5)	RS2 quattro	ADU	232	311	315	1994	1995
80 B4 Avant (8C5)	S2 quattro	ABY	169	227	230	1993	1995
80 B4 Sedan (8C2)	1.6	ABM	52	70	71	1991	1994
80 B4 Sedan (8C2)	1.6 E	ADA	74	99	101	1993	1994
80 B4 Sedan (8C2)	2.0	ABT	66	88	90	1991	1994
80 B4 Sedan (8C2)	2.0 E	ABK	85	114	115	1991	1994
80 B4 Sedan (8C2)	2.0 E 16V	6A	101	135	137	1991	1992
80 B4 Sedan (8C2)	2.0 E 16V	ACE	103	138	140	1992	1994
80 B4 Sedan (8C2)	2.0 E 16V quattro	ACE	103	138	140	1992	1994
80 B4 Sedan (8C2)	2.0 E quattro	ABK	85	114	115	1991	1994
80 B4 Sedan (8C2)	2.3 E	NG	98	131	133	1991	1994
80 B4 Sedan (8C2)	2.3 E quattro	NG	98	131	133	1991	1994
80 B4 Sedan (8C2)	2.6	ABC	110	147	149	1992	1994
80 B4 Sedan (8C2)	2.6 quattro	ABC	110	147	149	1992	1994
80 B4 Sedan (8C2)	2.8	AAH; AFC	128	172	174	1991	1994
80 B4 Sedan (8C2)	2.8 quattro	AAH; AFC	128	172	174	1991	1994
80 B4 Sedan (8C2)	S2 quattro	ABY	169	227	230	1993	1994
90 B2 (813; 814; 853)	2.0	HP; JS	85	114	115	1984	1987
90 B2 (813; 814; 853)	2.0	SK	83	111	113	1986	1987
90 B2 (813; 814; 853)	2.0 quattro	JS	85	114	115	1984	1986
90 B2 (813; 814; 853)	2.2	HY; KV	100	134	136	1984	1987
90 B2 (813; 814; 853)	2.2	KX	85	114	115	1985	1987
90 B2 (813; 814; 853)	2.2 E quattro	JT	88	118	120	1985	1987
90 B2 (813; 814; 853)	2.2 E quattro	KV	100	134	136	1984	1987
90 B3 (893; 894; 8A2)	1.8 E	DZ	82	110	111	1989	1991
90 B3 (893; 894; 8A2)	2.0	PS	85	114	115	1988	1991
90 B3 (893; 894; 8A2)	2.0 20 V	NM	118	158	160	1989	1991
90 B3 (893; 894; 8A2)	2.0 20 V quattro	NM	118	158	160	1988	1991
90 B3 (893; 894; 8A2)	2.2 E	KV	100	134	136	1987	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
90 B3 (893; 894; 8A2)	2.2 E quattro	KV	100	134	136	1987	1991
90 B3 (893; 894; 8A2)	2.3 E	NG	98	131	133	1987	1991
90 B3 (893; 894; 8A2)	2.3 E	NG	100	134	136	1987	1991
90 B3 (893; 894; 8A2)	2.3 E 20V	7A	123	165	167	1990	1991
90 B3 (893; 894; 8A2)	2.3 E 20V	7A	125	168	170	1988	1991
90 B3 (893; 894; 8A2)	2.3 E 20V quattro	7A	123	165	167	1990	1991
90 B3 (893; 894; 8A2)	2.3 E 20V quattro	7A	125	168	170	1988	1991
90 B3 (893; 894; 8A2)	2.3 E quattro	NG	98	131	133	1987	1991
90 B3 (893; 894; 8A2)	2.3 E quattro	NG	100	134	136	1987	1991
A3 (8L1)	1.6	AEH; AKL; APF	74	99	101	1996	2003
A3 (8L1)	1.6	AVU; BFQ	75	101	102	2000	2003
A3 (8L1)	1.8	AGN; APG	92	123	125	1996	2003
A3 (8L1)	1.8 T	AGU; AQA; ARZ; AUM	110	147	149	1996	2003
A3 (8L1)	1.8 T	AJQ; APP; ARY; AUQ	132	177	179	1998	2003
A3 (8L1)	1.8 T quattro	AGU; AQA; ARX	110	147	149	1996	2003
A3 (8L1)	1.8 T quattro	AJQ; ARY	132	177	179	1998	2003
A3 (8L1)	S3 quattro	APY; AMK; AUL	154	206	209	1999	2002
A3 (8L1)	S3 quattro	BAM	165	221	224	2001	2003
A3 (8P1)	1.6	BGU; BSE; BSF; CCS	75	101	102	2003	2012
A3 Descapotable (8P7)	1.6	BSE	75	101	102	2008	2010
A3 Sportback (8PA)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
A4 B5 (8D2)	1.6	ADP; AHL; ANA; ARM	74	99	101	1994	2000
A4 B5 (8D2)	1.6	ALZ	75	101	102	2000	2000
A4 B5 (8D2)	1.8	ADR; APT; ARG; AVV	92	123	125	1994	2000
A4 B5 (8D2)	1.8 quattro	ADR; APT; ARG	92	123	125	1995	2000
A4 B5 (8D2)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T	AJL	132	177	179	1997	2000
A4 B5 (8D2)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T quattro	AJL	132	177	179	1997	2000
A4 B5 Avant (8D5)	1.6	ADP; AHL; ANA; ARM	74	99	101	1994	2001
A4 B5 Avant (8D5)	1.6	ALZ	75	101	102	2000	2001
A4 B5 Avant (8D5)	1.8	ADR; APT; ARG; AVV	92	123	125	1996	2001
A4 B5 Avant (8D5)	1.8 quattro	ADR; APT; ARG	92	123	125	1996	2001
A4 B5 Avant (8D5)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T	AJL	132	177	179	1997	2001
A4 B5 Avant (8D5)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T quattro	AJL	132	177	179	1997	2001
A4 B5 Avant (8D5)	RS4 quattro	ASJ; AZR	280	375	380	2000	2001
A4 B6 (8E2)	1.6	ALZ	75	101	102	2000	2004
A4 B6 (8E2)	1.8 T	BFB	120	161	163	2002	2004
A4 B6 (8E2)	1.8 T quattro	BFB	120	161	163	2002	2004
A4 B6 (8E2)	2.0	ALT	96	129	130	2000	2004
A4 B6 (8E2)	2.0 FSI	AWA	110	147	149	2002	2004
A4 B6 Avant (8E5)	1.6	ALZ	75	101	102	2001	2004
A4 B6 Avant (8E5)	1.8 T	BFB	120	161	163	2002	2004
A4 B6 Avant (8E5)	1.8 T quattro	BFB	120	161	163	2002	2004
A4 B6 Avant (8E5)	2.0	ALT	96	129	130	2001	2004
A4 B6 Avant (8E5)	2.0 FSI	AWA	110	147	149	2002	2004
A4 B6 Descapotable (8H7)	1.8 T	BFB	120	161	163	2002	2005
A4 B6 Descapotable (8H7)	1.8 T quattro	BFB	120	161	163	2003	2005
A4 B6 Descapotable (8H7)	2.0	ALT	96	129	130	2004	2005
A4 B7 (8EC)	1.6	ALZ	75	101	102	2004	2008
A4 B7 (8EC)	1.8 T	BFB	120	161	163	2004	2008
A4 B7 (8EC)	1.8 T quattro	BFB	120	161	163	2004	2008
A4 B7 (8EC)	2.0	ALT	96	129	130	2004	2008
A4 B7 Avant (8ED)	1.6	ALZ	75	101	102	2004	2008
A4 B7 Avant (8ED)	1.8 T	BFB	120	161	163	2004	2008
A4 B7 Avant (8ED)	1.8 T quattro	BFB	120	161	163	2004	2008

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
A4 B7 Avant (8ED)	2.0	ALT	96	129	130	2004	2008
A4 B7 Descapotable (8HE)	1.8 T	BFB	120	161	163	2006	2009
A6 C4 (4A2)	1.8	ADR	92	123	125	1995	1997
A6 C4 (4A2)	1.8 quattro	ADR	92	123	125	1995	1997
A6 C4 (4A2)	2.0	AAE	74	99	101	1994	1997
A6 C4 (4A2)	2.0	ABK	85	114	115	1994	1997
A6 C4 (4A2)	2.0	ADW	79	106	107	1994	1995
A6 C4 (4A2)	2.0 16V	ACE	103	138	140	1994	1997
A6 C4 (4A2)	2.0 16V quattro	ACE	103	138	140	1994	1997
A6 C4 (4A2)	2.3	AAR	98	131	133	1994	1995
A6 C4 (4A2)	2.3 quattro	AAR	98	131	133	1994	1995
A6 C4 (4A2)	2.6	ABC	110	147	149	1994	1997
A6 C4 (4A2)	2.6 quattro	ABC	110	147	149	1994	1997
A6 C4 (4A2)	2.8	AAH; AFC	128	172	174	1994	1997
A6 C4 (4A2)	2.8 quattro	AAH; AFC	128	172	174	1994	1997
A6 C4 (4A2)	S6 Turbo quattro	AAN	169	227	230	1994	1997
A6 C4 Avant (4A5)	1.8	ADR	92	123	125	1995	1997
A6 C4 Avant (4A5)	1.8 quattro	ADR	92	123	125	1995	1997
A6 C4 Avant (4A5)	2.0	AAE	74	99	101	1994	1997
A6 C4 Avant (4A5)	2.0	ABK	85	114	115	1994	1997
A6 C4 Avant (4A5)	2.0 16V	ACE	103	138	140	1994	1997
A6 C4 Avant (4A5)	2.0 16V quattro	ACE	103	138	140	1994	1997
A6 C4 Avant (4A5)	2.3	AAR	98	131	133	1994	1995
A6 C4 Avant (4A5)	2.3 quattro	AAR	98	131	133	1994	1995
A6 C4 Avant (4A5)	2.6	ABC	110	147	149	1994	1997
A6 C4 Avant (4A5)	2.6 quattro	ABC	110	147	149	1994	1997
A6 C4 Avant (4A5)	2.8	AAH; AFC	128	172	174	1994	1997
A6 C4 Avant (4A5)	2.8 quattro	AAH; AFC	128	172	174	1994	1997
A6 C4 Avant (4A5)	S6 Turbo quattro	AAN	169	227	230	1994	1997
A6 C5 (4B2)	1.8	AJP; AQE; ARH	92	123	125	1997	2005
A6 C5 (4B2)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2)	1.8 T	AJL	132	177	179	1997	2005
A6 C5 (4B2)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2)	1.8 T quattro	AJL	132	177	179	1997	2005
A6 C5 (4B2)	2.0	ALT	96	129	130	2001	2005
A6 C5 (4B2)	RS6 quattro	BCY	331	444	450	2002	2005
A6 C5 Avant (4B5)	1.8	AJP; AQE; ARH	92	123	125	1997	2005
A6 C5 Avant (4B5)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5)	1.8 T	AJL	132	177	179	1999	2005
A6 C5 Avant (4B5)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5)	1.8 T quattro	AJL	132	177	179	1997	2005
A6 C5 Avant (4B5)	2.0	ALT	96	129	130	2001	2005
A6 C5 Avant (4B5)	RS6 plus quattro	BRV	353	473	480	2004	2005
A6 C5 Avant (4B5)	RS6 quattro	BCY	331	444	450	2002	2005
A8 D2 (4D2; 4D8)	2.8	AAH	128	172	174	1994	1996
A8 D2 (4D2; 4D8)	2.8 quattro	AAH	128	172	174	1994	1996
CABRIOLET B3 (8G7)	1.8	ADR	92	123	125	1997	2000
CABRIOLET B3 (8G7)	2.0 E	ABK	85	114	115	1993	1998
CABRIOLET B3 (8G7)	2.3 E	NG	98	131	133	1991	1994
CABRIOLET B3 (8G7)	2.6	ABC	110	147	149	1993	2000
CABRIOLET B3 (8G7)	2.8	AAH; AFC	128	172	174	1992	2000
COUPE B2 (81; 855; 856)	1.6	YN	55	74	75	1980	1981
COUPE B2 (81; 855; 856)	1.8	DD	55	74	75	1981	1983
COUPE B2 (81; 855; 856)	1.8 GT	DS; JV; JN	66	88	90	1982	1988
COUPE B2 (81; 855; 856)	1.8 GT	DZ	82	110	111	1986	1988
COUPE B2 (81; 855; 856)	1.8 GT	PV	79	106	107	1986	1987
COUPE B2 (81; 855; 856)	1.8 GT	SF	65	87	88	1986	1988
COUPE B2 (81; 855; 856)	1.8 GT quattro	DZ	82	110	111	1984	1988

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
COUPE B2 (81; 855; 856)	1.9	WN	85	114	115	1980	1983
COUPE B2 (81; 855; 856)	2.0	HP; JS	85	114	115	1983	1986
COUPE B2 (81; 855; 856)	2.0	SK	83	111	113	1986	1988
COUPE B2 (81; 855; 856)	2.1 GT	KE; KL	96	129	130	1982	1987
COUPE B2 (81; 855; 856)	2.2 GT	HY; KV	100	134	136	1984	1988
COUPE B2 (81; 855; 856)	2.2 GT	KX	85	114	115	1981	1987
COUPE B2 (81; 855; 856)	2.2 quattro	JT	88	118	120	1985	1988
COUPE B2 (81; 855; 856)	2.2 quattro	KV	100	134	136	1984	1988
COUPE B2 (81; 855; 856)	2.3	NG	98	131	133	1986	1987
COUPE B2 (81; 855; 856)	2.3 quattro	NG	98	131	133	1987	1987
COUPE B3 (89; 8B3)	1.8	DZ	82	110	111	1989	1991
COUPE B3 (89; 8B3)	2.0	3A	82	110	111	1990	1990
COUPE B3 (89; 8B3)	2.0	3A	83	111	113	1989	1990
COUPE B3 (89; 8B3)	2.0	AAD; ABK	85	114	115	1989	1996
COUPE B3 (89; 8B3)	2.0 16 V	6A	101	135	137	1992	1992
COUPE B3 (89; 8B3)	2.0 16 V	ACE	103	138	140	1992	1996
COUPE B3 (89; 8B3)	2.0 20 V	NM	118	158	160	1989	1991
COUPE B3 (89; 8B3)	2.0 20 V quattro	NM	118	158	160	1989	1991
COUPE B3 (89; 8B3)	2.2	KV	100	134	136	1988	1991
COUPE B3 (89; 8B3)	2.2 quattro	KV	100	134	136	1988	1991
COUPE B3 (89; 8B3)	2.3	NG	98	131	133	1990	1996
COUPE B3 (89; 8B3)	2.3	NG	100	134	136	1988	1994
COUPE B3 (89; 8B3)	2.3 20V	7A	123	165	167	1990	1991
COUPE B3 (89; 8B3)	2.3 20V	7A	125	168	170	1989	1991
COUPE B3 (89; 8B3)	2.3 20V quattro	7A	123	165	167	1990	1996
COUPE B3 (89; 8B3)	2.3 20V quattro	7A	125	168	170	1988	1991
COUPE B3 (89; 8B3)	2.3 quattro	NG	98	131	133	1990	1996
COUPE B3 (89; 8B3)	2.3 quattro	NG	100	134	136	1988	1992
COUPE B3 (89; 8B3)	2.6	ABC	110	147	149	1992	1996
COUPE B3 (89; 8B3)	2.6 quattro	ABC	110	147	149	1992	1996
COUPE B3 (89; 8B3)	2.8	AAH	128	172	174	1991	1996
COUPE B3 (89; 8B3)	2.8 quattro	AAH	128	172	174	1991	1996
COUPE B3 (89; 8B3)	S2 quattro	3B	162	217	220	1990	1992
COUPE B3 (89; 8B3)	S2 quattro	ABY	169	227	230	1992	1996
QUATTRO (85)	2.1 20V Turbo	KW	225	302	306	1984	1987
QUATTRO (85)	2.1 Turbo	GV; WR	147	197	200	1980	1987
QUATTRO (85)	2.2 20V Turbo	RR	162	217	220	1989	1991
QUATTRO (85)	2.2 Turbo	MB	147	197	200	1987	1989
SUPER 90	1.8	8921; 21	66	88	90	1966	1971
TT (8N3)	1.8 T	AJQ; APP; AUQ; AWF	132	177	179	1998	2006
TT (8N3)	1.8 T	AUM	110	147	149	2002	2006
TT (8N3)	1.8 T	BVP	120	161	163	2005	2006
TT (8N3)	1.8 T	BVR	140	188	190	2005	2006
TT (8N3)	1.8 T quattro	AJQ; ARY; AUQ; ATC	132	177	179	1998	2006
TT (8N3)	1.8 T quattro	APX; BAM; BEA	165	221	224	1998	2006
TT (8N3)	1.8 T quattro	BFV	180	241	245	2005	2006
TT (8N3)	1.8 T quattro	BVR	140	188	190	2005	2006
TT Roadster (8N9)	1.8 T	AJQ; APP; AUQ; AWF	132	177	179	1999	2006
TT Roadster (8N9)	1.8 T	AUM	110	147	149	2001	2006
TT Roadster (8N9)	1.8 T	BVP	120	161	163	2005	2006
TT Roadster (8N9)	1.8 T	BVR	140	188	190	2005	2006
TT Roadster (8N9)	1.8 T quattro	AJQ; ARY; AUQ	132	177	179	2000	2006
TT Roadster (8N9)	1.8 T quattro	APX; BAM; BEA	165	221	224	1999	2006
TT Roadster (8N9)	1.8 T quattro	BVR	140	188	190	2005	2006

BARKAS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
B 1000 Autobus (KB)	1.0	353-1 B1000	34	46	46	1976	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



BARKAS								
Serie	Model	Engine	Kw	HP	CV	Start	Finish	
B 1000 Autobus (KB)	1.3	4 VO7.2 7.5 GRF	43	58	58	1976	1991	
B 1000 Autobus (KO)	1.0	H362-21	31	42	42	1967	1991	
B 1000 Furgoneta (KM)	1.0	353-1 B1000	34	46	46	1976	1991	
B 1000 Furgoneta (KM)	1.3	4 VO7.2 7.5 GRF	43	58	58	1976	1991	

BERTONE								
Serie	Model	Engine	Kw	HP	CV	Start	Finish	
FREECLIMBER	2.0	BMW M20 B20	95	127	129	1990	1993	
FREECLIMBER	2.0 Cat	BMW M20 B20 Kat	95	127	129	1990	1993	
FREECLIMBER	2.7	BMW M20 B27	95	127	129	1989	1993	

BMC								
Serie	Model	Engine	Kw	HP	CV	Start	Finish	
MEGASTAR Autobus	CRi		82	110	111	2004	2010	
MEGASTAR Autobus	CRi		96	129	130	2004	2010	
MEGASTAR Caja-Chasis	CRi		82	110	111	2004	2010	
MEGASTAR Caja-Chasis	CRi		96	129	130	2004	2010	
MEGASTAR Furgoneta	CRi		82	110	111	2004	2010	
MEGASTAR Furgoneta	CRi		96	129	130	2004	2010	

BMW								
Serie	Model	Engine	Kw	HP	CV	Start	Finish	
3 (E21)	318 i	M10 B18 (184VA)	77	103	105	1979	1982	
3 (E21)	320 i	M10 B20	92	123	125	1975	1982	
3 (E21)	320 6	M20 B20 (206VA)	90	121	122	1977	1982	
3 (E21)	323 i	M20 B23 (236EA)	105	141	143	1978	1982	
3 (E30)	318 i	M10 B18 (184EA); M1	77	103	105	1982	1987	
3 (E30)	318 i	M10 B18 (184KA)	75	101	102	1984	1988	
3 (E30)	320 i	M20 B20 (206EB)	92	123	125	1982	1991	
3 (E30)	320 i	M20 B20 (206KA)	95	127	129	1986	1991	
3 (E30)	323 i	M20 B23 (236EB)	102	137	139	1982	1983	
3 (E30)	323 i	M20 B23 (236EC); M2	110	147	149	1983	1986	
3 (E30)	325 e 2.7	M20 B27 (276KA); M2	90	121	122	1983	1988	
3 (E30)	325 e 2.7	M20 B27 (276KB)	95	127	129	1985	1987	
3 (E30)	325 i	M20 B25 (256E1); M2	126	169	171	1983	1989	
3 (E30)	325 i	M20 B25 (256E1); M2	125	168	170	1986	1991	I20 B25 (256K1)
3 (E30)	325 i X	M20 B25 (256E1); M2	125	168	170	1986	1991	I20 B25 (256K1)
3 (E30)	325 i X	M20 B25 (256E1); M2	126	169	171	1986	1987	I20 B25 (256K1)
3 Descapotable (E30)	320 i	M20 B20 (206KA)	95	127	129	1986	1993	
3 Descapotable (E30)	325 i	M20 B25 (256E1); M2	126	169	171	1985	1987	
3 Descapotable (E30)	325 i	M20 B25 (256E2); M2	125	168	170	1987	1993	
3 Touring (E30)	320 i	M20 B20 (206KA)	95	127	129	1988	1991	
3 Touring (E30)	325 i	M20 B25 (256K1)	125	168	170	1987	1993	
3 Touring (E30)	325 i X	M20 B25 (256K1)	125	168	170	1988	1993	
5 (E12)	520 6	M20 B20 (206VA)	90	121	122	1977	1981	
5 (E28)	518 i	M10 B18 (184EB)	75	101	102	1981	1987	
5 (E28)	518 i	M10 B18 (184EB)	77	103	105	1981	1987	
5 (E28)	520 i	M20 B20 (206EA); M2	92	123	125	1981	1987	I20 B20 (206EZ)
5 (E28)	520 i	M20 B20 (206KA)	95	127	129	1985	1987	
5 (E28)	520 i	M20 B20 (206KA)	110	147	149	1986	1987	
5 (E28)	525 e	M20 B27 (276EA)	92	123	125	1983	1987	
5 (E28)	525 e	M20 B27 (276EB); M2	95	127	129	1985	1987	
5 (E28)	525 e	M20 B27 (276KA); M2	90	121	122	1981	1987	
5 (E34)	520 i	M20 B20 (206KA)	95	127	129	1987	1990	
5 (E34)	525 i	M20 B25 (256K1)	125	168	170	1988	1990	
Z1 Roadster	2.5	M20 B25 (256K1)	125	168	170	1988	1991	

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



CHRYSLER

Serie	Model	Engine	Kw	HP	CV	Start	Finish
GRAND VOYAGER III VAN (G	2.5 TD	ENC	85	114	115	1995	2001
PT CRUISER (PT)	2.4	EDV	169	227	230	2004	2010
PT CRUISER (PT)	GT 2.4	EDV	164	220	223	2003	2010
PT CRUISER Descapotable	2.4 GT	EDV	164	220	223	2004	2008
VOYAGER - GRAND VOYAGE 2.5 TD		09B	87	117	118	1992	1995
VOYAGER - GRAND VOYAGE 2.5 TD		425 CLIRS X; ENC	85	114	115	1995	2001
VOYAGER - GRAND VOYAGE 2.5 TDic AWD		ENC	85	114	115	1995	2001
VOYAGER II (ES)	2.5 TD	09B; M00	87	117	118	1992	1995
VOYAGER II (ES)	2.5 TD	VM HR 425 CLIEE	85	114	115	1992	1995
VOYAGER III VAN (GS)	2.5 TD (GSHY52	ENC	85	114	115	1995	2001
VOYAGER IV (RG; RS)	2.5 CRD	EDK	88	118	120	2005	2008
VOYAGER IV (RG; RS)	2.5 CRD	ENJ	105	141	143	2000	2008
VOYAGER IV (RG; RS)	2.8 CRD	ENR	110	147	149	2004	2008

CITROEN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SM	2.7	C114-1	118	158	160	1970	1972
SM	2.7 Injection	C114-03	129	173	175	1972	1974
SM	2.9 Automatique	C114-1130	134	180	182	1973	1974

FORD

Serie	Model	Engine	Kw	HP	CV	Start	Finish
COUGAR (EC)	2.0 16V	EDBA; EDBB; EDBC;	96	129	130	1998	2001
ESCORT CLASSIC (AAL; ABL	1.6 16V	L1E; L1K	66	88	90	1998	2000
ESCORT CLASSIC Turnier (A	1.6 16V	L1E; L1K	66	88	90	1999	2000
ESCORT V (AAL; ABL)	1.6 i 16V	L1E	66	88	90	1992	1995
ESCORT V (AAL; ABL)	1.6 i 16V	L1H	65	87	88	1994	1995
ESCORT V (AAL; ABL)	1.8 16V XR3i	RDA	77	103	105	1992	1995
ESCORT V (AAL; ABL)	1.8 16V XR3i	RQB	96	129	130	1992	1995
ESCORT V (AAL; ABL)	1.8 XR3i 16V 4x4	RDA	77	103	105	1993	1995
ESCORT V (AAL; ABL)	1.8 XR3i 16V 4x4	RQB	96	129	130	1993	1995
ESCORT V Descapotable (ALL	1.6 16V XR3i	L1E	66	88	90	1992	1995
ESCORT V Descapotable (ALL	1.6 i 16V	L1H	65	87	88	1994	1995
ESCORT V Descapotable (ALL	1.8 16V XR3i	RDA	77	103	105	1992	1995
ESCORT V Descapotable (ALL	1.8 16V XR3i	RQB	96	129	130	1992	1995
ESCORT V Sedan (AFL)	1.6 i 16V	L1E; L1K	66	88	90	1993	1995
ESCORT V Sedan (AFL)	1.6 i 16V	L1H	65	87	88	1994	1995
ESCORT V Sedan (AFL)	1.8 i 16V	RDA	77	103	105	1993	1995
ESCORT V Turnier (ANL)	1.6 i 16V	L1E	66	88	90	1992	1995
ESCORT V Turnier (ANL)	1.6 i 16V	L1H	65	87	88	1994	1995
ESCORT V Turnier (ANL)	1.8 16V	RDA	77	103	105	1992	1995
ESCORT V Turnier (ANL)	1.8 i 16V	RQB	96	129	130	1993	1995
ESCORT VI (GAL; AAL; ABL)	1.6 16V	L1E; L1K	66	88	90	1995	1998
ESCORT VI (GAL; AAL; ABL)	1.6 16V 4x4	L1E	66	88	90	1995	1998
ESCORT VI (GAL; AAL; ABL)	1.6 i 16V	L1H	65	87	88	1995	1995
ESCORT VI (GAL; AAL; ABL)	1.8 16V	RDA	77	103	105	1995	1995
ESCORT VI (GAL; AAL; ABL)	1.8 16V (EDA; E	RKC	85	114	115	1995	1998
ESCORT VI Descapotable (AL	1.6 16V XR3i	L1E; L1K	66	88	90	1995	1999
ESCORT VI Descapotable (AL	1.6 16V XR3i	L1H	65	87	88	1995	1996
ESCORT VI Descapotable (AL	1.8 16V XR3i	RDA	77	103	105	1995	1998
ESCORT VI Descapotable (AL	1.8 16V XR3i	RKC	85	114	115	1995	1998
ESCORT VI Descapotable (AL	1.8 16V XR3i	RQB	96	129	130	1995	2000
ESCORT VI Sedan (GAL; AFL)	1.6 i 16V	L1E; L1K	66	88	90	1995	1999
ESCORT VI Sedan (GAL; AFL)	1.6 i 16V	L1H	65	87	88	1995	1995
ESCORT VI Sedan (GAL; AFL)	1.8 16V	RDA	77	103	105	1995	1995
ESCORT VI Sedan (GAL; AFL)	1.8 16V	RKC	85	114	115	1995	1999
ESCORT VI Turnier (GAL; ANL	1.6 16V	L1E; L1K	66	88	90	1995	1999
ESCORT VI Turnier (GAL; ANL	1.6 i 16V	L1H	65	87	88	1995	1995

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



FORD

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ESCORT VI Turnier (GAL; ANL)	1.8 16V	RDA	77	103	105	1995	1995
ESCORT VI Turnier (GAL; ANL)	1.8 16V	RKC	85	114	115	1995	1999
FIESTA III (GFJ)	1.6 i 16V	L1G	65	87	88	1994	1995
FIESTA III (GFJ)	1.6 Turbo (FBJT)	LHA	96	129	130	1990	1992
FIESTA III (GFJ)	1.8 16V	RDB	77	103	105	1992	1995
FIESTA III (GFJ)	1.8 XR2i 16V	RQC	96	129	130	1992	1995
FIESTA IV (JA ; JB)	1.6 16V Sport	L1T; L1V	76	102	103	2000	2002
FIESTA V (JH ; JD)	1.3	A9JA; A9JB	51	68	69	2001	2008
FIESTA V (JH ; JD)	1.3	BAJA	44	59	60	2001	2008
FIESTA V (JH ; JD)	1.6 16V	FYJA; FYJB	74	99	101	2001	2008
FIESTA V Van	1.3	A9JA; A9JB	51	68	69	2003	2005
FIESTA V Van	1.3	BAJA	44	59	60	2002	2008
FOCUS I (DAW; DBW)	1.6 16V	FYDA; FYDC; FYDB;	74	99	101	1998	2004
FOCUS I (DAW; DBW)	1.6 16V Flexifuel	FYDH	75	101	102	2002	2004
FOCUS I (DAW; DBW)	1.8 16V	EYDC; EYDB; EYDD;	85	114	115	1998	2004 EYDL
FOCUS I (DAW; DBW)	1.8 16V BiFuel	EYDD; EYDC; EYDI	85	114	115	2002	2004
FOCUS I (DAW; DBW)	2.0 16V	EDDC; EDDB; EDDD;	96	129	130	1998	2004
FOCUS I (DAW; DBW)	RS	HMDA	158	212	215	2002	2004
FOCUS I (DAW; DBW)	ST170	ALDA	127	170	173	2002	2004
FOCUS I Furgoneta-Station wa	1.6	FYDA; FYDC; FYDB;	74	99	101	1999	2005
FOCUS I Sedan (DFW)	1.6 16V	FYDA; FYDC; FYDB;	74	99	101	1999	2004
FOCUS I Sedan (DFW)	1.8 16V	EYDC; EYDB; EYDD;	85	114	115	1999	2004 EYDL
FOCUS I Sedan (DFW)	2.0 16V	EDDC; EDDB; EDDD;	96	129	130	1999	2004
FOCUS I Turnier (DNW)	1.6 16V	FYDA; FYDC; FYDB;	74	99	101	1999	2004
FOCUS I Turnier (DNW)	1.8 16V	EYDC; EYDB; EYDD;	85	114	115	1999	2004 EYDL
FOCUS I Turnier (DNW)	2.0 16V	EDDC; EDDB; EDDD;	96	129	130	1999	2004
FOCUS I Turnier (DNW)	ST170	ALDA	127	170	173	2002	2004
FUSION (JU)	1.6	FYJA; FYJB; FYJC	74	99	101	2002	2009
GALAXY I (WGR)	2.0 i	NSE; ZVSA	85	114	115	1995	2006
GALAXY I (WGR)	2.3 16V	E5SB	103	138	140	2001	2006
GALAXY I (WGR)	2.3 16V	Y5B; E5SA	107	143	145	1997	2006
GALAXY MK I VAN (WGR)	2.0	NSE; ZVSA	85	114	115	1996	2006
GALAXY MK I VAN (WGR)	2.3	E5SA	107	143	145	2000	2002
GALAXY MK I VAN (WGR)	2.3	E5SB	103	138	140	2002	2006
KA (RB)	1.3 i	J4D; J4K; J4M; J4N; J	44	59	60	1996	2008
KA (RB)	1.3 i ROCAM	A9A; A9B	51	68	69	2002	2008
KA (RB)	1.6 i	CDB; CDC	70	94	95	2001	2008
KA Van (RB)	1.3 i	J4D; J4K; J4M; J4N; J	44	59	60	2002	2005
MAVERICK	2.0 16V	YF	91	122	124	2001	
MAVERICK	2.0 16V FWD	YF	91	122	124	2001	
MONDEO I (GBP)	1.6 i 16V	L1F	66	88	90	1993	1996
MONDEO I (GBP)	1.6 i 16V	L1J	65	87	88	1994	1996
MONDEO I (GBP)	1.8 i 16V	RKA	85	114	115	1993	1996
MONDEO I (GBP)	1.8 i 16V	RKB	82	110	111	1994	1996
MONDEO I (GBP)	1.8 i 16V 4x4	RKA	85	114	115	1993	1996
MONDEO I (GBP)	2.0 i 16V	NGA	100	134	136	1993	1996
MONDEO I (GBP)	2.0 i 16V 4x4	NGA	97	130	132	1994	1996
MONDEO I (GBP)	2.0 i 16V 4x4	NGA	100	134	136	1993	1996
MONDEO I Sedan (GBP)	1.6 i 16V	L1F	66	88	90	1993	1996
MONDEO I Sedan (GBP)	1.6 i 16V	L1J	65	87	88	1994	1996
MONDEO I Sedan (GBP)	1.8 4x4	RKA	85	114	115	1993	1996
MONDEO I Sedan (GBP)	1.8 i 16V	RKA	85	114	115	1993	1996
MONDEO I Sedan (GBP)	1.8 i 16V	RKB	82	110	111	1994	1996
MONDEO I Sedan (GBP)	2.0 i 16V	NGA	100	134	136	1993	1996
MONDEO I Sedan (GBP)	2.0 i 16V 4x4	NGA	97	130	132	1994	1996
MONDEO I Sedan (GBP)	2.0 i 16V 4x4	NGA	100	134	136	1993	1996
MONDEO I Turnier (BNP)	1.6 i 16V	L1F	66	88	90	1993	1996
MONDEO I Turnier (BNP)	1.6 i 16V	L1J	65	87	88	1994	1996

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



FORD							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MONDEO I Turnier (BNP)	1.8 i 16V	RKA	85	114	115	1993	1996
MONDEO I Turnier (BNP)	1.8 i 16V	RKB	82	110	111	1994	1996
MONDEO I Turnier (BNP)	1.8 i 16V 4x4	RKA	85	114	115	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V	NGA	97	130	132	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V	NGA	100	134	136	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V 4x4	NGA	97	130	132	1994	1996
MONDEO I Turnier (BNP)	2.0 i 16V 4x4	NGA	100	134	136	1993	1996
MONDEO II (BAP)	1.6 i	L1J	66	88	90	1996	2000
MONDEO II (BAP)	1.6 i 16V	L1L; L1N; L1Q	70	94	95	1998	2000
MONDEO II (BAP)	1.8 i	RKF; RKJ; RKB; RKH	85	114	115	1996	2000
MONDEO II (BAP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
MONDEO II Sedan (BFP)	1.6 i	L1J	66	88	90	1996	2000
MONDEO II Sedan (BFP)	1.6 i 16V	L1L; L1N; L1Q	70	94	95	1998	2000
MONDEO II Sedan (BFP)	1.8 i	RKF; RKJ; RKB; RKH	85	114	115	1996	2000
MONDEO II Sedan (BFP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
MONDEO II Turnier (BNP)	1.6 i	L1J	66	88	90	1996	2000
MONDEO II Turnier (BNP)	1.6 i 16V	L1L; L1N; L1Q	70	94	95	1998	2000
MONDEO II Turnier (BNP)	1.8 i	RKA; RKF; RKJ; RKB	85	114	115	1996	2000
MONDEO II Turnier (BNP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
ORION III (GAL)	1.6 i 16V	L1E	66	88	90	1992	1993
ORION III (GAL)	1.8 i 16V	RDA	77	103	105	1992	1993
ORION III (GAL)	1.8 i 16V	RQB	96	129	130	1992	1993
PUMA (EC)	1.6 16V	L1W	76	102	103	2000	2002
PUMA (EC)	1.7 16V	MHA; MHB	92	123	125	1997	2002
PUMA (EC)	Racing ST 160	MHA	114	153	155	1999	2002
SCORPIO II (GFR; GGR)	2.0 i	NSD	85	114	115	1994	1998
SCORPIO II (GFR; GGR)	2.0 i 16V	N3A	100	134	136	1994	1998
SCORPIO II (GFR; GGR)	2.3 i 16V	Y5A	108	145	147	1996	1998
SCORPIO II Turnier (GMR; GG 2.0 i		NSD	85	114	115	1994	1998
SCORPIO II Turnier (GMR; GG 2.0 i 16V		N3A	100	134	136	1994	1998
SCORPIO II Turnier (GMR; GG 2.3 i 16V		Y5A	108	145	147	1996	1998
STREET KA (RL2)	1.6	CDRA; CDRB	70	94	95	2003	2005
TOURNEO CONNECT	1.8 16V	EYPA; EYPC; EYPD;	85	114	115	2002	2013
TRANSIT Autobus (E)	2.0 (EBL; EBS; E	NSF; NSG; NSH	84	113	114	1994	2000
TRANSIT Autobus (E)	2.0 CNG	NSH	84	113	114	1994	2000
TRANSIT Autobus (FD ; FB	2.3 16V RWD (F_	E5FA; E5FC	107	143	145	2000	2006
TRANSIT Caja-Chasis (E)	2.0 (EME L S; EN	NSF; NSG	84	113	114	1994	2000
TRANSIT Caja-Chasis (FM ; f	2.3 16V (F_A_; F_	E5FA; E5FC	107	143	145	2001	2006
TRANSIT CONNECT (P65 ; P7	1.8 16V	EYPA; EYPC; EYPD	85	114	115	2002	2013
TRANSIT Furgoneta (E)	2.0 (EAL; EAS)	NSF; NSG; NSH	84	113	114	1994	2000
TRANSIT Furgoneta (FA)	2.3	E5FC	105	141	143	2001	2006
TRANSIT Furgoneta (FA)	2.3 16V RWD (F/	E5FA; E5FC	107	143	145	2001	2006
TRANSIT Furgoneta (FA)	2.3 BiFuel	E5FC	105	141	143	2001	2006
TRANSIT TOURNEO Autobus	2.0	NSF; NSG; NSH	84	113	114	1994	2000

FORD USA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MUSTANG Convertible (C)	3.8		112	150	152	1993	1999
MUSTANG Coupe (C)	3.8	994	112	150	152	1993	1999
TAURUS (P5)	3.0	99USFI	108	145	147	1995	1999
TAURUS (P5)	3.0 24V	99ssFI	149	200	202	1996	1999
TAURUS Wagon (P5)	3.0	99USFI	108	145	147	1996	1999
TAURUS Wagon (P5)	3.0 24V	99ssFI	149	200	202	1995	1999
WINDSTAR (A3)	3.0 V6	99U30	108	145	147	1995	2000
WINDSTAR (A3)	3.0 V6	99U30	109	146	148	1995	1999
WINDSTAR (A3)	3.8	994	127	170	173	2000	2004
WINDSTAR (A3)	3.8 V6	994	149	200	202	1995	1998

JAGUAR

Serie	Model	Engine	Kw	HP	CV	Start	Finish
S-TYPE II (X200)	2.5 V6	JB(AJV6)	147	197	200	2002	2007
S-TYPE II (X200)	3.0 V6	FB(AJV6); FG(AJV6)	175	235	238	1999	2007
X-TYPE I (X400)	2.1 V6	YB(AJ-V6)	115	154	156	2002	2009
X-TYPE I (X400)	2.5 V6 A las 4 ruc	XB (AJ-V6)	144	193	196	2001	2009
X-TYPE I (X400)	3.0 V6 A las 4 ruc	WB(AJV6)	169	227	230	2001	2008
X-TYPE I Station Wagon (X40C 2.1 V6		YB(AJ-V6)	115	154	156	2003	2009
X-TYPE I Station Wagon (X40C 2.5		XB (AJ-V6)	144	193	196	2004	2009
X-TYPE I Station Wagon (X40C 3.0		WB(AJV6)	169	227	230	2004	2009
XF I (X250)	3.0	FG(AJV6)	175	235	238	2008	2015
XJ (X350; X358)	3.0	VB(AJV6); VG(AJV6)	175	235	238	2003	2009

JEEP

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CHEROKEE (KJ)	2.5 CRD 4x4	R 425 DOHC; ENJ	105	141	143	2001	2008
CHEROKEE (KJ)	2.8 CRD 4x4	ENR	110	147	149	2002	2008
CHEROKEE (KJ)	2.8 CRD 4x4	ENR	120	161	163	2004	2008
CHEROKEE (KJ)	3.7 4x4	EKG	150	201	204	2003	2008
CHEROKEE (KJ)	3.7 4x4	EKG	155	208	211	2001	2008
CHEROKEE (KJ)	3.7 4x4	EKG	157	210	213	2001	2007
CHEROKEE (KJ)	3.7 Laredo	EKG	150	201	204	2001	2004
CHEROKEE (KK)	3.7 V6 4x4	EKG	151	202	205	2008	
CHEROKEE (XJ)	2.5	EPE	89	119	121	1995	2001
CHEROKEE (XJ)	2.5 TD 4x4	ENC	85	114	115	1988	2001
CHEROKEE (XJ)	2.5 Tdi 4x4	ENC	85	114	115	1996	2001
COMMANDER (XK; XH)	3.7 V6 4x4	EKG	157	210	213	2005	2010
GRAND CHEROKEE I (ZJ; ZG 2.5 TD 4x4 (Z)		ENC	85	114	115	1995	1999
GRAND CHEROKEE I (ZJ; ZG 2.5 TD Laredo		ENC	85	114	115	1996	1998
GRAND CHEROKEE III (WH; \ 3.7 V6 4x4		EKG	157	210	213	2004	2010

LAND ROVER

Serie	Model	Engine	Kw	HP	CV	Start	Finish
DISCOVERY III (L319)	4.0 V6 4x4	406PN(COLOGNE V€	160	214	217	2004	2009

LDV

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAXUS Autobus	2.5 D	VM39C	88	118	120	2005	2009
MAXUS Autobus	2.5 D	VM39C; VM40C	70	94	95	2005	2008
MAXUS Caja-Chasis	2.5 D	BS580VM; VMR425	88	118	120	2005	2009
MAXUS Caja-Chasis	2.5 D	BS582VM	99	133	135	2006	2009
MAXUS Caja-Chasis	2.5 D	VM39C; VMR425	70	94	95	2005	2008
MAXUS Furgoneta	2.5 D	BS580VM	88	118	120	2005	2009
MAXUS Furgoneta	2.5 D	BS582VM	99	133	135	2006	2009
MAXUS Furgoneta	2.5 D	VM39C; VM40C	70	94	95	2005	2008

LTI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
TX	2.5 TD	R 425 DOHC	75	101	102	2006	

MAZDA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
2 (DY)	1.6	FYJA	74	99	101	2003	2007
2 (DY)	1.6	FYJA	74	99	101	2003	2007
CX-9 (TB)	3.5	CYC4	193	259	262	2006	2007
CX-9 (TB)	3.5 AWD	CYC4	193	259	262	2007	
CX-9 (TB)	3.7	CAY1; CAY5; CAY6	204	273	277	2007	
CX-9 (TB)	3.7 AWD (TB10A CA; CAY1; CAY5; CA		204	273	277	2007	
TRIBUTE (EP)	2.0 (EPEW)	YF	91	122	124	2000	2008

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



MAZDA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TRIBUTE (EP)	2.0 4WD (EPEW)	YF	91	122	124	2000	2008

MERCEDES-BENZ							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Coupe (C124)	200 CE (124.041)	M 102.963	87	117	118	1990	1992
124 Coupe (C124)	200 CE (124.041)	M 102.963	90	121	122	1990	1992
124 Coupe (C124)	230 CE (124.043)	M 102.982	97	130	132	1987	1992
124 Coupe (C124)	230 CE (124.043)	M 102.982	100	134	136	1987	1992
124 Coupe (C124)	230 CE Cat (124.	M 102.982	97	130	132	1989	1992
124 Coupe (C124)	300 CE	M 103.983	138	185	188	1987	1989
124 Coupe (C124)	300 CE (124.050)	M 103.983	132	177	179	1987	1993
124 Sedan (W124)	200	M 102.922	77	103	105	1986	1992
124 Sedan (W124)	200 (124.020)	M 102.922	75	101	102	1986	1990
124 Sedan (W124)	200 (124.020)	M 102.922	80	107	109	1985	1990
124 Sedan (W124)	200 E (124.021)	M 102.963	87	117	118	1988	1993
124 Sedan (W124)	200 E (124.021)	M 102.963	90	121	122	1988	1989
124 Sedan (W124)	230 E (124.023)	M 102.982	97	130	132	1984	1992
124 Sedan (W124)	230 E (124.023)	M 102.982	100	134	136	1985	1993
124 Sedan (W124)	230 E Cat (124.0	M 102.982	97	130	132	1989	1993
124 Sedan (W124)	260 E (124.026)	M 103.940	118	158	160	1985	1992
124 Sedan (W124)	260 E (124.026)	M 103.940	122	164	166	1985	1989
124 Sedan (W124)	260 E 4-matic (12	M 103.940	122	164	166	1986	1989
124 Sedan (W124)	260 E 4-matic (12	M 103.943	118	158	160	1986	1992
124 Sedan (W124)	300 E	M 103.980	138	185	188	1985	1985
124 Sedan (W124)	300 E	M 103.983	138	185	188	1985	1992
124 Sedan (W124)	300 E (124.030)	M 103.983	132	177	179	1985	1992
124 Sedan (W124)	300 E 4-matic	M 103.983	138	185	188	1986	1992
124 Sedan (W124)	300 E 4-matic (12	M 103.985	132	177	179	1986	1993
124 T-Model (S124)	200 T (124.080)	M 102.922	77	103	105	1986	1990
124 T-Model (S124)	200 T (124.080)	M 102.922	80	107	109	1985	1989
124 T-Model (S124)	200 TE	M 102.963	90	121	122	1988	1989
124 T-Model (S124)	200 TE (124.081)	M 102.963	87	117	118	1988	1992
124 T-Model (S124)	230 TE (124.083)	M 102.982	97	130	132	1985	1992
124 T-Model (S124)	230 TE (124.083)	M 102.982	100	134	136	1985	1992
124 T-Model (S124)	230 TE Cat (124.	M 102.982	97	130	132	1989	1992
124 T-Model (S124)	260 TE FGST.	M 103.940	118	158	160	1989	1992
124 T-Model (S124)	260 TE FGST.	M 103.940	122	164	166	1985	1989
124 T-Model (S124)	300 TE (124.090)	M 103.983	132	177	179	1986	1992
124 T-Model (S124)	300 TE (124.090)	M 103.983	138	185	188	1986	1989
124 T-Model (S124)	300 TE 4-matic (M 103.983	138	185	188	1986	1989
124 T-Model (S124)	300 TE 4-matic (M 103.985	132	177	179	1986	1993
190 (W201)	2.0 (201.023)	M 102.924	75	101	102	1986	1990
190 (W201)	2.0 (201.023)	M 102.924	77	103	105	1983	1990
190 (W201)	E 1.8 (201.018)	M 102.910	80	107	109	1990	1993
190 (W201)	E 2.0	M 102.962	87	117	118	1985	1993
190 (W201)	E 2.0 (201.024)	M 102.962	85	114	115	1985	1986
190 (W201)	E 2.0 (201.024)	M 102.962; M 102.96	83	111	113	1985	1986
190 (W201)	E 2.0 (201.024)	M 102.962; M 102.96	90	121	122	1982	1993
190 (W201)	E 2.3	M 102.985	97	130	132	1986	1991
190 (W201)	E 2.3 (201.028)	M 102.985	100	134	136	1986	1993
190 (W201)	E 2.6	M 103.942	122	164	166	1986	1989
190 (W201)	E 2.6 (201.029)	M 103.942	118	158	160	1986	1993
CLASE E (W124)	E 300 4-matic (12	M 103.985	132	177	179	1993	1995
CLASE E T-Model (S124)	E 300 T 4-matic (M 103.985	132	177	179	1993	1996
CLASE S (W126)	260 SE (126.020)	M 103.941	118	158	160	1985	1991
CLASE S (W126)	260 SE (126.020)	M 103.941	122	164	166	1985	1991
CLASE S (W126)	300 SE; SEL (12	M 103.981	132	177	179	1986	1991
CLASE S (W126)	300 SE; SEL (12	M 103.981	138	185	188	1985	1989

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SL (R107)	300 SL (107.041)	M 103.982	132	177	179	1985	1989
SL (R107)	300 SL (107.041)	M 103.982	138	185	188	1985	1989
SL (R129)	300 SL (129.060)	M 103.984	140	188	190	1989	1993

MORGAN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FOUR FOUR	1.8 i	ZH18P	92	123	125	1993	2005
PLUS FOUR	1.8 i	RQB	96	129	130	1993	1999
ROADSTER Descapotable	3.0 V6	MEBA	165	221	224	2004	

NSU

Serie	Model	Engine	Kw	HP	CV	Start	Finish
RO 80	1.0	KKM	85	114	115	1967	1977

OPEL

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FRONTERA A (U92)	2.5 TDS	25TD	85	114	115	1996	1998
FRONTERA A Sport (U92)	2.5 TDS	25TDS (VM41B); 25TI	85	114	115	1996	1998

PLYMOUTH

Serie	Model	Engine	Kw	HP	CV	Start	Finish
VOYAGER - GRAND VOYAGE	2.5 TD	ENC	85	114	115	1995	2001

PORSCHE

Serie	Model	Engine	Kw	HP	CV	Start	Finish
924	2.0	XJ; XK	92	123	125	1975	1989
924	2.0 Carrera GT	M 31.50	154	206	209	1980	1986
924	2.0 Turbo	M 31.01	125	168	170	1978	1980
924	2.0 Turbo	M 31.03	130	174	177	1980	1986

SEAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ALHAMBRA (7V8; 7V9)	1.8 T 20V	AWC; AJH	110	147	149	1997	2010
ALHAMBRA (7V8; 7V9)	2.0 i	ADY; ATM	85	114	115	1996	2010
ALHAMBRA VAN (7V8; 7V9)	2.0	ADY; ATM	85	114	115	1996	2010
ALTEA (5P1)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2010
ALTEA (5P1)	1.6 LPG	CHGA	75	101	102	2009	2013
ALTEA (5P1)	1.6 Multifuel	CMXA	75	101	102	2010	2011
ALTEA XL (5P5; 5P8)	1.6	BGU; BSE; BSF; CCS	75	101	102	2006	2010
ALTEA XL (5P5; 5P8)	1.6 LPG	CHGA	75	101	102	2009	2013
ALTEA XL (5P5; 5P8)	1.6 Multifuel	BSE; BSF; CCSA; CM	75	101	102	2006	2010
CORDOBA (6K1; 6K2)	1.6 i	1F	55	74	75	1994	1999
CORDOBA (6K1; 6K2)	1.6 i	AFT; AEH; AKL; APF;	74	99	101	1996	2002
CORDOBA (6K1; 6K2)	1.8 i	ABS; ADZ; ACC	66	88	90	1993	2002
CORDOBA (6K1; 6K2)	1.8 i 16V	ADL	95	127	129	1993	1996
CORDOBA (6K1; 6K2)	1.8 T 20V Cupra	AQX; AYP	115	154	156	2000	2002
CORDOBA (6K1; 6K2)	2.0 i	2E; AGG	85	114	115	1993	1999
CORDOBA (6K1; 6K2)	2.0 i 16V	ABF	110	147	149	1996	1999
CORDOBA (6L2)	2.0	AZL; BBX	85	114	115	2002	2009
CORDOBA Vario (6K5)	1.6 i	1F	55	74	75	1997	1999
CORDOBA Vario (6K5)	1.6 i	AFT; AEH; AKL; APF;	74	99	101	1996	2002
EXEO (3R2)	1.6	ALZ	75	101	102	2009	2010
EXEO ST (3R5)	1.6	ALZ	75	101	102	2009	2010
IBIZA I (21A)	1.2	021 A 1000	44	59	60	1984	1993
IBIZA I (21A)	1.2	021 A 1000	46	62	63	1984	1993
IBIZA I (21A)	1.2 i	021 C.1000	52	70	71	1989	1993

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



SEAT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
IBIZA I (21A)	1.5	021 A 2000	63	84	86	1984	1993
IBIZA I (21A)	1.5	1500A	64	86	87	1986	1993
IBIZA I (21A)	1.5 i	021 B.2000	74	99	101	1986	1993
IBIZA I (21A)	1.5 i	021 D.2000	65	87	88	1986	1993
IBIZA I (21A)	1.5 i Cat	021 C.2000	66	88	90	1986	1993
IBIZA I (21A)	1.7	021 A.3000	72	97	98	1991	1993
IBIZA II (6K1)	1.4 i	ABD; AEX; AKV; APQ	44	59	60	1993	2002
IBIZA II (6K1)	1.6 i	1F	55	74	75	1994	1999
IBIZA II (6K1)	1.6 i	AFT; AEH; AKL; APF; 74	99	99	101	1996	2002
IBIZA II (6K1)	1.8 i	ABS; ADZ; ACC	66	88	90	1993	1999
IBIZA II (6K1)	1.8 i 16V	ADL	95	127	129	1993	1996
IBIZA II (6K1)	1.8 T 20V Cupra	AQX; AYP	115	154	156	2000	2002
IBIZA II (6K1)	1.8 T 20V Cupra	AYP	132	177	179	2000	2002
IBIZA II (6K1)	2.0 i	2E; AGG	85	114	115	1993	1999
IBIZA II (6K1)	2.0 i 16V	ABF	110	147	149	1996	1999
IBIZA III (6L1)	1.8 T Cupra R	BBU; BLZ	132	177	179	2004	2008
IBIZA III (6L1)	1.8 T FR	BJX; BKV	110	147	149	2003	2008
IBIZA III (6L1)	2.0	AZL; BBX	85	114	115	2002	2009
INCA (6K9)	1.6 i	1F	55	74	75	1995	1998
INCA (6K9)	1.6 i	AEE; ALM	55	74	75	1997	2000
LEON (1M1)	1.6	AEH; AKL	74	99	101	1999	2006
LEON (1M1)	1.6	BFQ	75	101	102	2005	2006
LEON (1M1)	1.8 20V	AGN; APG	92	123	125	1999	2006
LEON (1M1)	1.8 20V T	APP; AUQ	132	177	179	1999	2006
LEON (1M1)	1.8 20V T 4	ARY; AJQ	132	177	179	1999	2006
LEON (1M1)	1.8 T Cupra R	AMK	154	206	209	2002	2006
LEON (1M1)	1.8 T Cupra R	BAM	165	221	224	2003	2006
LEON (1P1)	1.6	BSE; BSF; CCSA	75	101	102	2005	2012
LEON (1P1)	1.6 LPG	CHGA	75	101	102	2009	2012
MALAGA (23A)	1.2	021 A 1000	44	59	60	1985	1993
MALAGA (23A)	1.2	021 A 1000	47	63	64	1984	1993
MALAGA (23A)	1.2 i	021 C.1000	52	70	71	1989	1993
MALAGA (23A)	1.5	021 A 2000	63	84	86	1985	1993
MALAGA (23A)	1.5 i	021 B.2000	74	99	101	1987	1993
MALAGA (23A)	1.5 i Cat	021 A 2000; 021 C.20	66	88	90	1986	1993
RONDA (22A)	1.2	021 A 1000	44	59	60	1984	1986
RONDA (22A)	1.5	021 A 2000	63	84	86	1984	1986
TOLEDO I (1L2)	1.6 i	1F	52	70	71	1991	1993
TOLEDO I (1L2)	1.6 i	1F	55	74	75	1993	1999
TOLEDO I (1L2)	1.6 i	AFT	74	99	101	1996	1999
TOLEDO I (1L2)	1.6 i	EZ; ABN	54	72	73	1991	1999
TOLEDO I (1L2)	1.8 16V	KR	98	131	133	1991	1999
TOLEDO I (1L2)	1.8 16V	PL	92	123	125	1991	1999
TOLEDO I (1L2)	1.8 i	ABS; ADZ; ACC	66	88	90	1993	1996
TOLEDO I (1L2)	1.8 i	RP	65	87	88	1991	1996
TOLEDO I (1L2)	2.0 i	2E; AGG	85	114	115	1991	1999
TOLEDO I (1L2)	2.0 i 16V	ABF	110	147	149	1993	1999
TOLEDO II (1M2)	1.6	AEH; AKL	74	99	101	1998	2004
TOLEDO II (1M2)	1.8 20V	AGN; APG	92	123	125	1998	2004
TOLEDO II (1M2)	1.8 20VT	APP; AUQ; ARY	132	177	179	2000	2004
TOLEDO III (5P2)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2009

SKODA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FABIA I (6Y2)	2.0	AZL	85	114	115	1999	2008
FABIA I Combi (6Y5)	2.0	AZL	85	114	115	2000	2007
FABIA I Sedan (6Y3)	2.0	AZL	85	114	115	1999	2007
OCTAVIA I (1U2)	1.6	AEH; AKL	74	99	101	1997	2007

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



SKODA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
OCTAVIA I (1U2)	1.6	AVU; BFQ	75	101	102	2000	2010
OCTAVIA I (1U2)	1.8	AGN	92	123	125	1996	2000
OCTAVIA I (1U2)	1.8 T	AGU; ARZ; ARX; AUM	110	147	149	1997	2010
OCTAVIA I (1U2)	1.8 T 4x4	ARX	110	147	149	2001	2006
OCTAVIA I (1U2)	2.0	AQY; APK; AZH; AEG	85	114	115	1999	2007
OCTAVIA I (1U2)	RS 1.8 T	AUQ	132	177	179	2001	2006
OCTAVIA I Combi (1U5)	1.6	AEH; AKL	74	99	101	1998	2007
OCTAVIA I Combi (1U5)	1.6	AVU; BFQ	75	101	102	2000	2010
OCTAVIA I Combi (1U5)	1.8 20V	AGN	92	123	125	1998	2000
OCTAVIA I Combi (1U5)	1.8 T	AGU; ARZ; ARX; AUM	110	147	149	1998	2010
OCTAVIA I Combi (1U5)	1.8 T 4x4	ARX	110	147	149	2001	2006
OCTAVIA I Combi (1U5)	2.0	AQY; APK; AZH; AEG	85	114	115	1999	2007
OCTAVIA I Combi (1U5)	2.0 4x4	AZH; AZJ	85	114	115	2000	2004
OCTAVIA I Combi (1U5)	RS 1.8 T	AUQ	132	177	179	2002	2006
OCTAVIA II (1Z3)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
OCTAVIA II (1Z3)	1.6 LPG	BSE; CHGA	75	101	102	2009	2012
OCTAVIA II (1Z3)	1.6 MultiFuel	CCSA; CMXA	75	101	102	2008	2013
OCTAVIA II Combi (1Z5)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
OCTAVIA II Combi (1Z5)	1.6 LPG	CHGA	75	101	102	2009	2012
OCTAVIA II Combi (1Z5)	1.6 MultiFuel	CCSA; CMXA	75	101	102	2008	2013
SUPERB I (3U4)	2.0	AZM	85	114	115	2001	2008

TRABANT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
1.1	1.1	4VO5;9 7;5GRF	30	40	41	1990	1991
1.1 Tramp	1.1	4VO5;9 7;5GRF	30	40	41	1990	1991
1.1 Universal	1.1	4VO5;9 7;5GRF	30	40	41	1990	1991

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
BORA I (1J2)	1.6	AEH; AKL; APF	74	99	101	1998	2005
BORA I (1J2)	1.6	AVU; BFQ	75	101	102	2000	2005
BORA I (1J2)	1.8	AGN; BAF	92	123	125	1998	2005
BORA I (1J2)	1.8 4motion	AGN	92	123	125	1999	2005
BORA I (1J2)	1.8 T	AGU; ARX; AUM; AW	110	147	149	2000	2005
BORA I (1J2)	1.8 T	AUQ; AWP	132	177	179	2002	2005
BORA I (1J2)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2013
BORA I (1J2)	2.0 4motion	AZH; AZJ	85	114	115	2000	2005
BORA Variant (1J6)	1.6	AEH; AKL; APF	74	99	101	1999	2005
BORA Variant (1J6)	1.6	AVU; BFQ	75	101	102	2000	2005
BORA Variant (1J6)	1.8 4motion	AGN	92	123	125	1999	2005
BORA Variant (1J6)	1.8 T	AGU; ARX; AUM; AW	110	147	149	2000	2005
BORA Variant (1J6)	1.8 T	AUQ; AWP	132	177	179	2002	2005
BORA Variant (1J6)	2.0	AQY; APK; AZG; AZJ	85	114	115	1999	2005
BORA Variant (1J6)	2.0 4motion	AZH; AZJ	85	114	115	2000	2005
CADDY I (14)	1.5	JB	51	68	69	1982	1983
CADDY I (14)	1.6	EW	55	74	75	1983	1992
CADDY I (14)	1.8	JH	70	94	95	1985	1992
CADDY II Furgoneta-monovolu 75 1.6		1F	55	74	75	1995	1997
CADDY II Furgoneta-monovolu 75 1.6		AEE	55	74	75	1995	2000
CADDY II Monospace (9K9B) 1.6		1F	55	74	75	1995	1997
CADDY II Monospace (9K9B) 1.6		AEE	55	74	75	1997	2000
CADDY III Furgoneta-monovolu 1.6		BGU; BSE; BSF	75	101	102	2004	2015
CADDY III Furgoneta-monovolu 1.6 BiFuel		CHGA	75	101	102	2011	2015
CADDY III Furgoneta-monovolu 2.0 EcoFuel		BSX	80	107	109	2006	2015
CADDY III Monospace (2KB; 2 1.6		BGU; BSE; BSF	75	101	102	2004	2015
CADDY III Monospace (2KB; 2 1.6 BiFuel		CHGA	75	101	102	2011	2015

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CADDY III Monospace (2KB; 2	2.0 EcoFuel	BSX	80	107	109	2006	2015
CORRADO (53I)	1.8 16V	KR	100	134	136	1989	1992
CORRADO (53I)	1.8 G60	PG	118	158	160	1988	1993
CORRADO (53I)	2.0 i	2E; ADY	85	114	115	1993	1995
CORRADO (53I)	2.0 i 16V	9A	100	134	136	1991	1995
DERBY (86)	0.9	HA	29	39	39	1977	1981
DERBY (86)	1.1	HB	37	50	50	1977	1981
DERBY (86)	1.1	HD	38	51	52	1977	1981
DERBY (86)	1.3	HH	44	59	60	1977	1981
DERBY (86C; 80)	1.0	GL	29	39	39	1981	1984
DERBY (86C; 80)	1.1	HB	37	50	50	1981	1983
DERBY (86C; 80)	1.3	GK	55	74	75	1982	1984
DERBY (86C; 80)	1.3	HH	44	59	60	1981	1983
DERBY (86C; 80)	1.3	HK	40	54	54	1983	1984
GOLF I (17)	1.1	FJ	38	51	52	1976	1980
GOLF I (17)	1.1	GG; FA	37	50	50	1974	1983
GOLF I (17)	1.3	GF	44	59	60	1979	1983
GOLF I (17)	1.5	FH	51	68	69	1974	1975
GOLF I (17)	1.5	JB	51	68	69	1977	1983
GOLF I (17)	1.6	EM; FN; FP	55	74	75	1975	1984
GOLF I (17)	1.6	EW; HN	55	74	75	1983	1984
GOLF I (17)	1.6 GTI	EG	81	109	110	1976	1982
GOLF I (17)	1.8 GTI	DX; JJ	82	110	111	1982	1983
GOLF I Cabriolet (155)	1.5	JB	51	68	69	1979	1983
GOLF I Cabriolet (155)	1.6	EG	81	109	110	1979	1982
GOLF I Cabriolet (155)	1.6	EM	55	74	75	1979	1983
GOLF I Cabriolet (155)	1.6	EW; HN	55	74	75	1983	1992
GOLF I Cabriolet (155)	1.6	RE	53	71	72	1986	1990
GOLF I Cabriolet (155)	1.8	2H	72	97	98	1989	1993
GOLF I Cabriolet (155)	1.8	DX	82	110	111	1983	1992
GOLF I Cabriolet (155)	1.8	DX; EV; KT; PB	82	110	111	1982	1989
GOLF I Cabriolet (155)	1.8	EX	66	88	90	1983	1992
GOLF I Cabriolet (155)	1.8	JH	70	94	95	1983	1993
GOLF II (19E; 1G1)	1.0	GN	33	44	45	1983	1985
GOLF II (19E; 1G1)	1.0	HZ	37	50	50	1985	1991
GOLF II (19E; 1G1)	1.3	MH; HK	40	54	54	1983	1987
GOLF II (19E; 1G1)	1.3 Cat	MH; NZ; 2G	40	54	54	1986	1992
GOLF II (19E; 1G1)	1.6	EZ; ABN; HM	55	74	75	1983	1992
GOLF II (19E; 1G1)	1.6	PN	51	68	69	1986	1992
GOLF II (19E; 1G1)	1.6	RF	53	71	72	1986	1991
GOLF II (19E; 1G1)	1.8	GX; HV; GU	66	88	90	1984	1991
GOLF II (19E; 1G1)	1.8	RH	62	83	84	1986	1990
GOLF II (19E; 1G1)	1.8 GTI	DX; EV; GZ; PB	82	110	111	1983	1991
GOLF II (19E; 1G1)	1.8 GTI	HT; RV	77	103	105	1985	1985
GOLF II (19E; 1G1)	1.8 GTI	RD	79	106	107	1985	1987
GOLF II (19E; 1G1)	1.8 GTI 16V	KR	102	137	139	1986	1990
GOLF II (19E; 1G1)	1.8 GTI 16V	PL	95	127	129	1986	1991
GOLF II (19E; 1G1)	1.8 GTI Cat	PF	79	106	107	1987	1991
GOLF II (19E; 1G1)	1.8 GTI G60	PG	118	158	160	1990	1991
GOLF II (19E; 1G1)	1.8 GTI G60 Synchr	1H; PG	118	158	160	1988	1991
GOLF II (19E; 1G1)	1.8 i Cat	GX; RP	66	88	90	1987	1991
GOLF II (19E; 1G1)	1.8 i Cat Syncro	GX; RP	66	88	90	1987	1991
GOLF II (19E; 1G1)	1.8 Syncro	1P	72	97	98	1988	1991
GOLF II (19E; 1G1)	1.8 Syncro	GX; GU	66	88	90	1986	1991
GOLF II (19E; 1G1)	1.8 Syncro	RH	62	83	84	1986	1988
GOLF II Van (19E; 1G1)	1.8 i	RP	66	88	90	1987	1991
GOLF III (1H1)	1.4	ABD; AEX	40	54	54	1991	1997
GOLF III (1H1)	1.4	ABD; AEX	44	59	60	1991	1997

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GOLF III (1H1)	1.6	AEK; AFT; AKS	74	99	101	1995	1997
GOLF III (1H1)	1.8	AAM	55	74	75	1991	1997
GOLF III (1H1)	1.8	ACC; ABS; ADZ; ADD	66	88	90	1991	1997
GOLF III (1H1)	1.8 Syncro (1HX1)	ABS; ADZ	66	88	90	1993	1997
GOLF III (1H1)	2.0	2E; ADY; AGG; AKR;	85	114	115	1991	1997
GOLF III (1H1)	2.0 GTI 16V	ABF	110	147	149	1992	1997
GOLF III (1H1)	2.0 Syncro (1HX1)	AGG	85	114	115	1995	1997
GOLF III Cabriolet (1E7)	1.6	AEK; AFT; AKS	74	99	101	1994	1998
GOLF III Cabriolet (1E7)	1.8	AAM; ANN	55	74	75	1993	1998
GOLF III Cabriolet (1E7)	1.8	ABS; ADZ; ANP	66	88	90	1993	1998
GOLF III Cabriolet (1E7)	2.0	2E; ADY; AGG; AKR;	85	114	115	1993	1998
GOLF III Van (1H1)	1.4	ABD; AEX	44	59	60	1991	1996
GOLF III Van (1H1)	1.8	ABS; ADZ	66	88	90	1991	1997
GOLF III Van (1H1)	2.0 GTI	ABF	110	147	149	1991	1997
GOLF III Variant (1H5)	1.6	AEK; AFT; AKS	74	99	101	1994	1999
GOLF III Variant (1H5)	1.8	AAM; ANN	55	74	75	1993	1999
GOLF III Variant (1H5)	1.8	ABS; ADZ; ANP	66	88	90	1993	1999
GOLF III Variant (1H5)	1.8 Syncro	ADZ	66	88	90	1994	1999
GOLF III Variant (1H5)	2.0	2E; ADY; AGG; AKR	85	114	115	1993	1999
GOLF III Variant (1H5)	2.0 Syncro	AGG	85	114	115	1995	1999
GOLF IV (1J1)	1.6	AEH; AKL; APF	74	99	101	1997	2004
GOLF IV (1J1)	1.6	AVU; BFQ	75	101	102	2000	2005
GOLF IV (1J1)	1.8	AGN	92	123	125	1997	2005
GOLF IV (1J1)	1.8 4motion	AGN	92	123	125	1998	2005
GOLF IV (1J1)	1.8 T	AGU; AUM; ARZ; AW	110	147	149	1997	2005
GOLF IV (1J1)	1.8 T GTI	AUQ; AWP; BEK	132	177	179	2001	2005
GOLF IV (1J1)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2004
GOLF IV (1J1)	2.0 4motion	AZH; AZJ	85	114	115	2000	2005
GOLF IV (1J1)	2.0 BiFuel	BEH	85	114	115	2002	2003
GOLF IV Cabriolet (1E7)	1.6	AFT; AKS	74	99	101	1998	2002
GOLF IV Cabriolet (1E7)	1.8	AAM; ANN	55	74	75	1998	2002
GOLF IV Cabriolet (1E7)	1.8	ADZ; ANP	66	88	90	1998	2002
GOLF IV Cabriolet (1E7)	2.0	AGG; AKR; AWF; AW	85	114	115	1998	2002
GOLF IV Variant (1J5)	1.6	AEH; AKL; APF	74	99	101	1999	2002
GOLF IV Variant (1J5)	1.6	AVU; BFQ	75	101	102	2000	2006
GOLF IV Variant (1J5)	1.8 4motion	AGN	92	123	125	1999	2006
GOLF IV Variant (1J5)	1.8 T	AGU; AUM; ARZ	110	147	149	2000	2006
GOLF IV Variant (1J5)	2.0	AQY; APK; AZJ	85	114	115	1999	2006
GOLF IV Variant (1J5)	2.0 4motion	AZH; AZJ	85	114	115	2000	2006
GOLF IV Variant (1J5)	2.0 Bi-Fuel	BEH	85	114	115	2002	2006
GOLF PLUS V (5M1; 521)	1.6	BSE; BSF; CCSA; CV	75	101	102	2005	2013
GOLF PLUS V (5M1; 521)	1.6 BiFuel	CHGA	75	101	102	2009	2013
GOLF PLUS V (5M1; 521)	1.6 MultiFuel	CCSA; CMXA	75	101	102	2007	2013
GOLF V (1K1)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2008
GOLF V (1K1)	1.6 MultiFuel	CCSA	75	101	102	2007	2008
GOLF V (1K1)	2.0	BEV; BHY	85	114	115	2005	2008
GOLF V Variant (1K5)	1.6	BSE; BSF; CCSA	75	101	102	2007	2009
GOLF Van III Variant (1H5)	1.8	AAM	55	74	75	1993	1999
GOLF Van III Variant (1H5)	1.8	ABS; ADZ	66	88	90	1993	1999
GOLF VI (5K1)	1.6	BSE; BSF; CCSA; CV	75	101	102	2008	2012
GOLF VI (5K1)	1.6 BiFuel	CHGA	75	101	102	2009	2012
GOLF VI (5K1)	1.6 MultiFuel	CCSA; CMXA	75	101	102	2008	2012
GOLF VI Variant (AJ5)	1.6	BSE; BSF; CCSA	75	101	102	2009	2013
GOLF VI Variant (AJ5)	1.6 MultiFuel	CCSA; CMXA	75	101	102	2010	2013
ILTIS (183)	1.7	YX; WL	55	74	75	1979	1988
JETTA I (16)	1.1	GG	37	50	50	1979	1984
JETTA I (16)	1.3	GF	44	59	60	1979	1984
JETTA I (16)	1.5	JB	51	68	69	1978	1984

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
JETTA I (16)	1.6	EW	55	74	75	1982	1983
JETTA I (16)	1.6	FR	63	84	86	1978	1984
JETTA I (16)	1.6 GLI	EG	81	109	110	1978	1982
JETTA I (16)	1.8	DX; EV; JJ	82	110	111	1982	1984
JETTA II (19E; 1G2; 165)	1.3	MH; HK	40	54	54	1984	1987
JETTA II (19E; 1G2; 165)	1.3 Cat	MH; NZ; 2G	40	54	54	1987	1991
JETTA II (19E; 1G2; 165)	1.6	EZ; ABN; HM	55	74	75	1984	1992
JETTA II (19E; 1G2; 165)	1.6	PN	51	68	69	1986	1991
JETTA II (19E; 1G2; 165)	1.6	RF	53	71	72	1986	1991
JETTA II (19E; 1G2; 165)	1.8	EV; GZ; PB	82	110	111	1984	1991
JETTA II (19E; 1G2; 165)	1.8	GX; HV; GU	66	88	90	1984	1991
JETTA II (19E; 1G2; 165)	1.8	RD	79	106	107	1985	1987
JETTA II (19E; 1G2; 165)	1.8	RH	62	83	84	1986	1990
JETTA II (19E; 1G2; 165)	1.8 16V	KR	102	137	139	1987	1989
JETTA II (19E; 1G2; 165)	1.8 16V	PL	95	127	129	1986	1991
JETTA II (19E; 1G2; 165)	1.8 Cat	GX; RP	66	88	90	1987	1991
JETTA II (19E; 1G2; 165)	1.8 Cat	PF	79	106	107	1987	1991
JETTA II (19E; 1G2; 165)	1.8 Syncro	1P	72	97	98	1988	1991
JETTA II (19E; 1G2; 165)	1.8 Syncro	GX; GU; RP	66	88	90	1987	1988
JETTA III (1K2)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2010
JETTA IV (162; 163; AV3; AV2)	2.0	CBPA; CKJA	85	114	115	2010	2017
K 70 (48)	1.6	DA	66	88	90	1970	1974
K 70 (48)	1.6	DB	55	74	75	1970	1971
K 70 (48)	1.8	DC	74	99	101	1973	1974
KAEFER	1600 i (Mexico)	ACD	34	46	46	1992	2003
LT 28-35 I Autobus (281-363)	2.0	CH	55	74	75	1975	1983
LT 28-35 I Caja-Chasis (281-363)	2.0	CH	55	74	75	1975	1983
LT 28-35 I Furgoneta (281-363)	2.0	CH	55	74	75	1975	1983
LT 40-55 I Caja-Chasis (293-9C)	2.0	CH	55	74	75	1975	1983
LT 40-55 I Furgoneta (291-512)	2.0	CH	55	74	75	1975	1983
MULTIVAN T5 (7HM; 7HN; 7H)	2.0	AXA	85	114	115	2003	2015
NEW BEETLE (9C1; 1C1)	1.6	AWH	74	99	101	1999	2000
NEW BEETLE (9C1; 1C1)	1.6	AYD; BFS	75	101	102	2000	2010
NEW BEETLE (9C1; 1C1)	1.8 T	AGU; APH; AVC; AWI	110	147	149	1999	2010
NEW BEETLE (9C1; 1C1)	1.8 T	AWP; BNU	132	177	179	2001	2005
NEW BEETLE (9C1; 1C1)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2010
NEW BEETLE Descapotable (1.6)	1.6	BFS	75	101	102	2003	2010
NEW BEETLE Descapotable (1.8 T)	1.8 T	AWU; AWV; BKF	110	147	149	2003	2010
NEW BEETLE Descapotable (2.0)	2.0	AZJ; BDC; BGD; BEV	85	114	115	2002	2010
PASSAT B1 (32)	1.3	FY	40	54	54	1973	1980
PASSAT B1 (32)	1.3	FZ	44	59	60	1978	1980
PASSAT B1 (32)	1.3	ZA	40	54	54	1973	1978
PASSAT B1 (32)	1.3	ZF	44	59	60	1973	1978
PASSAT B1 (32)	1.5	YJ; ZB	55	74	75	1973	1975
PASSAT B1 (32)	1.5	ZC	63	84	86	1973	1975
PASSAT B1 (32)	1.6	YP	63	84	86	1975	1980
PASSAT B1 Variant (33)	1.3	FY	40	54	54	1973	1980
PASSAT B1 Variant (33)	1.3	ZA	40	54	54	1973	1978
PASSAT B1 Variant (33)	1.3	ZF	44	59	60	1973	1978
PASSAT B1 Variant (33)	1.5	YJ; ZB	55	74	75	1973	1975
PASSAT B1 Variant (33)	1.5	ZC	63	84	86	1973	1975
PASSAT B1 Variant (33)	1.6	YN	55	74	75	1976	1980
PASSAT B1 Variant (33)	1.6	YP	63	84	86	1975	1980
PASSAT B1 Variant (33)	1.6 i	YS	81	109	110	1978	1980
PASSAT B2 (32B)	1.3	EP; EU	44	59	60	1980	1986
PASSAT B2 (32B)	1.3	FY	40	54	54	1980	1983
PASSAT B2 (32B)	1.3	FZ	44	59	60	1980	1986
PASSAT B2 (32B)	1.6	DT	55	74	75	1980	1988

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PASSAT B2 (32B)	1.6	PP; DTA	51	68	69	1986	1988
PASSAT B2 (32B)	1.6	RL	53	71	72	1986	1988
PASSAT B2 (32B)	1.6	WV; YN; WY	55	74	75	1979	1988
PASSAT B2 (32B)	1.6	YP	63	84	86	1981	1983
PASSAT B2 (32B)	1.8	DS; JN; JV	66	88	90	1983	1988
PASSAT B2 (32B)	1.8	DZ	82	110	111	1983	1988
PASSAT B2 (32B)	1.8	RM	64	86	87	1986	1988
PASSAT B2 (32B)	1.9	WN	85	114	115	1981	1983
PASSAT B2 (32B)	2.0	JS; HP	85	114	115	1983	1988
PASSAT B2 (32B)	2.2	KV	100	134	136	1985	1988
PASSAT B2 (32B)	2.2	KX	85	114	115	1985	1988
PASSAT B2 Sedan (32B)	1.6	DT; JU	55	74	75	1984	1988
PASSAT B2 Sedan (32B)	1.6	PP; DTA	51	68	69	1986	1988
PASSAT B2 Sedan (32B)	1.6	RL	53	71	72	1985	1988
PASSAT B2 Sedan (32B)	1.8	DS; JN	66	88	90	1985	1988
PASSAT B2 Sedan (32B)	1.8	RM	64	86	87	1986	1988
PASSAT B2 Sedan (32B)	2.2	KX	85	114	115	1985	1988
PASSAT B2 Variant (33B)	1.3	EP; EU	44	59	60	1980	1986
PASSAT B2 Variant (33B)	1.3	FY	40	54	54	1980	1983
PASSAT B2 Variant (33B)	1.3	FZ	44	59	60	1980	1986
PASSAT B2 Variant (33B)	1.6	DT; JU	55	74	75	1983	1988
PASSAT B2 Variant (33B)	1.6	PP; DTA	51	68	69	1986	1988
PASSAT B2 Variant (33B)	1.6	RL	53	71	72	1986	1988
PASSAT B2 Variant (33B)	1.6	WV; YN; WY	55	74	75	1980	1983
PASSAT B2 Variant (33B)	1.6	YP	63	84	86	1981	1983
PASSAT B2 Variant (33B)	1.8	DS; JN; JV	66	88	90	1983	1988
PASSAT B2 Variant (33B)	1.8	DZ	82	110	111	1983	1988
PASSAT B2 Variant (33B)	1.8	RM	64	86	87	1986	1988
PASSAT B2 Variant (33B)	1.8 Syncro	DS; JN	66	88	90	1986	1988
PASSAT B2 Variant (33B)	1.9	WN	85	114	115	1981	1983
PASSAT B2 Variant (33B)	2.0	JS; HP	85	114	115	1983	1988
PASSAT B2 Variant (33B)	2.0 Syncro	JS; HP	85	114	115	1984	1988
PASSAT B2 Variant (33B)	2.2	KV	100	134	136	1985	1988
PASSAT B2 Variant (33B)	2.2	KX	85	114	115	1985	1988
PASSAT B2 Variant (33B)	2.2 Syncro	JT; KX	88	118	120	1985	1988
PASSAT B3-B4 (315; 3A5)	2.0	2E	85	114	115	1991	1995
PASSAT B3-B4 (315; 3A5)	2.0 Syncro	2E	85	114	115	1989	1993
PASSAT B3-B4 (3A2; 35I)	1.6	AEK; AFT	74	99	101	1994	1996
PASSAT B3-B4 (3A2; 35I)	1.6	EZ; 1F; ABN	55	74	75	1988	1992
PASSAT B3-B4 (3A2; 35I)	1.6	RF	53	71	72	1988	1989
PASSAT B3-B4 (3A2; 35I)	1.8	AAM	55	74	75	1990	1996
PASSAT B3-B4 (3A2; 35I)	1.8	ABS; ADZ; RP	66	88	90	1988	1996
PASSAT B3-B4 (3A2; 35I)	1.8	PB	82	110	111	1988	1992
PASSAT B3-B4 (3A2; 35I)	1.8	PF	79	106	107	1988	1993
PASSAT B3-B4 (3A2; 35I)	1.8 16V	KR	100	134	136	1988	1989
PASSAT B3-B4 (3A2; 35I)	1.8 G60 Syncro	PG	118	158	160	1988	1996
PASSAT B3-B4 (3A2; 35I)	2.0	2E; ADY; AGG; ABA	85	114	115	1990	1996
PASSAT B3-B4 (3A2; 35I)	2.0	AEP	79	106	107	1995	1996
PASSAT B3-B4 (3A2; 35I)	2.0 16V	9A	100	134	136	1988	1993
PASSAT B3-B4 (3A2; 35I)	2.0 16V	ABF	110	147	149	1994	1996
PASSAT B3-B4 (3A2; 35I)	2.0 Syncro	2E; ADY; AGG	85	114	115	1990	1996
PASSAT B3-B4 Variant (3A5; 3 1.6		AEK; AFT	74	99	101	1994	1995
PASSAT B3-B4 Variant (3A5; 3 1.6		EZ; 1F; ABN	55	74	75	1988	1991
PASSAT B3-B4 Variant (3A5; 3 1.6		RF	53	71	72	1988	1989
PASSAT B3-B4 Variant (3A5; 3 1.8		AAM	55	74	75	1990	1997
PASSAT B3-B4 Variant (3A5; 3 1.8		ABS; ADZ; RP	66	88	90	1988	1997
PASSAT B3-B4 Variant (3A5; 3 1.8		PB	82	110	111	1988	1992
PASSAT B3-B4 Variant (3A5; 3 1.8		PF	79	106	107	1988	1990

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PASSAT B3-B4 Variant (3A5; 1.8 16V		KR	100	134	136	1988	1989
PASSAT B3-B4 Variant (3A5; 1.8 G60 Syncro		PG	118	158	160	1988	1997
PASSAT B3-B4 Variant (3A5; 2.0		2E; ADY; AGG	85	114	115	1990	1997
PASSAT B3-B4 Variant (3A5; 2.0		2E; ADY; AGG	85	114	115	1993	1996
PASSAT B3-B4 Variant (3A5; 2.0		AEP	79	106	107	1995	1996
PASSAT B3-B4 Variant (3A5; 2.0 16V		9A	100	134	136	1988	1993
PASSAT B3-B4 Variant (3A5; 2.0 16V		ABF	110	147	149	1994	1997
PASSAT B3-B4 Variant (3A5; 2.0 Syncro		2E; ADY; AGG	85	114	115	1990	1996
PASSAT B5 (3B2)	1.6	AHL; ADP; ANA; ARM	74	99	101	1996	2000
PASSAT B5 (3B2)	1.8	ADR; APT; ARG	92	123	125	1996	2000
PASSAT B5 (3B2)	1.8 Syncro 4moti	ADR; APT; ARG	92	123	125	1996	2000
PASSAT B5 (3B2)	2.0	ASU; AUZ	88	118	120	2000	2000
PASSAT B5 (3B2)	2.0 4motion	ASU	88	118	120	2000	2000
PASSAT B5 Variant (3B5)	1.6	AHL; ADP; ANA; ARM	74	99	101	1997	2000
PASSAT B5 Variant (3B5)	1.8	ADR; APT; ARG	92	123	125	1997	2000
PASSAT B5 Variant (3B5)	1.8 Syncro 4moti	ADR; APT; ARG	92	123	125	1997	2000
PASSAT B5 Variant (3B5)	2.0	ASU; AUZ	88	118	120	2000	2000
PASSAT B5 Variant (3B5)	2.0 4motion	ASU; AUZ	88	118	120	2000	2000
PASSAT B5.5 (3B3)	1.6	ALZ	75	101	102	2000	2005
PASSAT B5.5 (3B3)	2.0	ALT	96	129	130	2001	2005
PASSAT B5.5 (3B3)	2.0	AZM	85	114	115	2000	2005
PASSAT B5.5 (3B3)	2.0 4motion	AZM	85	114	115	2000	2005
PASSAT B5.5 Variant (3B6)	1.6	ALZ	75	101	102	2000	2005
PASSAT B5.5 Variant (3B6)	2.0	ALT	96	129	130	2001	2005
PASSAT B5.5 Variant (3B6)	2.0	AZM	85	114	115	2000	2005
PASSAT B5.5 Variant (3B6)	2.0 4motion	AZM	85	114	115	2000	2005
PASSAT B6 (3C2)	1.6	BSE; BSF	75	101	102	2005	2010
PASSAT B6 Variant (3C5)	1.6	BSE; BSF	75	101	102	2005	2010
POLO (86)	0.9	HA	29	39	39	1975	1981
POLO (86)	1.1	HB	37	50	50	1975	1981
POLO (86)	1.1	HC	44	59	60	1975	1981
POLO (86)	1.3	HH	44	59	60	1976	1981
POLO CLASSIC (86C; 80)	1.0	AAK; ACM; AAU; HZ	33	44	45	1985	1994
POLO CLASSIC (86C; 80)	1.0	GL	29	39	39	1985	1986
POLO CLASSIC (86C; 80)	1.3	MH; HK	40	54	54	1985	1987
POLO CLASSIC (86C; 80)	1.3 Cat	MH; NZ	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.0	GL	29	39	39	1982	1986
POLO Coupe (86C; 80)	1.0	HZ	33	44	45	1985	1992
POLO Coupe (86C; 80)	1.0 Cat	AAK; ACM; AAU	33	44	45	1989	1994
POLO Coupe (86C; 80)	1.1	HB	37	50	50	1981	1983
POLO Coupe (86C; 80)	1.3	3F	57	76	77	1991	1994
POLO Coupe (86C; 80)	1.3	GK	55	74	75	1982	1989
POLO Coupe (86C; 80)	1.3	HH	44	59	60	1981	1983
POLO Coupe (86C; 80)	1.3	MH; HK	40	54	54	1983	1987
POLO Coupe (86C; 80)	1.3 Cat	3F	55	74	75	1989	1994
POLO Coupe (86C; 80)	1.3 Cat	MH; NZ; 2G; AAV	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.3 G40	PY	85	114	115	1987	1990
POLO II (86C; 80)	1.0	GL	29	39	39	1981	1986
POLO II (86C; 80)	1.0	HZ	33	44	45	1985	1992
POLO II (86C; 80)	1.0 Cat	AAK; ACM; AAU	33	44	45	1989	1994
POLO II (86C; 80)	1.1	HB	37	50	50	1981	1989
POLO II (86C; 80)	1.3	GK	55	74	75	1982	1989
POLO II (86C; 80)	1.3	HH	44	59	60	1981	1983
POLO II (86C; 80)	1.3	HW	37	50	50	1983	1985
POLO II (86C; 80)	1.3	MH; HK	40	54	54	1983	1988
POLO II (86C; 80)	1.3 Cat	3F	55	74	75	1989	1991
POLO II (86C; 80)	1.3 Cat	MH; NZ; 2G; AAV	40	54	54	1987	1994
POLO III CLASSIC (6V2)	100 1.6	AFT; AEH; AKL; APF; 74	99	101	101	1995	2001

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
POLO III CLASSIC (6V2)	75 1.6	1F	55	74	75	1995	1997
POLO III CLASSIC (6V2)	90 1.8	ABS; ADZ; ADD	66	88	90	1997	2001
POLO IV (9N ; 9A)	1.8 GTI	BJX	110	147	149	2005	2009
POLO IV (9N ; 9A)	1.8 GTi Cup Editi	BBU	132	177	179	2006	2009
POLO Variant (6V5)	1.6	AFT; AEH; AKL; APF; 74	99	101	101	1997	2001
POLO Variant (6V5)	1.8	ADZ	66	88	90	1997	2001
SANTANA (32B)	1.3	FZ	44	59	60	1981	1983
SANTANA (32B)	1.6	DT	55	74	75	1981	1984
SANTANA (32B)	1.6	WV	55	74	75	1981	1984
SANTANA (32B)	1.6	YP	63	84	86	1981	1982
SANTANA (32B)	1.8	DS	66	88	90	1983	1984
SANTANA (32B)	1.9	WN	85	114	115	1981	1983
SANTANA (32B)	2.0	JS; HP	85	114	115	1983	1984
SCIROCCO (53)	1.1	FA	37	50	50	1974	1979
SCIROCCO (53)	1.3	GF	44	59	60	1979	1980
SCIROCCO (53)	1.5	FD	63	84	86	1974	1977
SCIROCCO (53)	1.5	FH	51	68	69	1974	1975
SCIROCCO (53)	1.5	JB	51	68	69	1977	1980
SCIROCCO (53)	1.5	YJ; ZB; FC	55	74	75	1974	1975
SCIROCCO (53)	1.6	EG	81	109	110	1976	1980
SCIROCCO (53)	1.6	FN; FP	55	74	75	1975	1979
SCIROCCO (53)	1.6	FR	63	84	86	1975	1980
SCIROCCO (53B)	1.3	GF	44	59	60	1980	1983
SCIROCCO (53B)	1.3	HK	40	54	54	1983	1984
SCIROCCO (53B)	1.5	JB	51	68	69	1980	1983
SCIROCCO (53B)	1.6	EG	81	109	110	1980	1982
SCIROCCO (53B)	1.6	EW	55	74	75	1983	1989
SCIROCCO (53B)	1.6	FR	63	84	86	1980	1984
SCIROCCO (53B)	1.6	RE	53	71	72	1986	1990
SCIROCCO (53B)	1.8	DX; EV; JJ; PB	82	110	111	1982	1989
SCIROCCO (53B)	1.8	EX	66	88	90	1983	1992
SCIROCCO (53B)	1.8	JH	70	94	95	1985	1992
SCIROCCO (53B)	1.8 16V	KR	102	137	139	1985	1989
SCIROCCO (53B)	1.8 16V	PL	95	127	129	1986	1992
SHARAN (7M8; 7M9; 7M6)	1.8 T 20V	AJH; AWC	110	147	149	1997	2010
SHARAN (7M8; 7M9; 7M6)	2.0	ADY; ATM	85	114	115	1995	2010
SHARAN (7M8; 7M9; 7M6)	2.0 LPG	ATM	85	114	115	2006	2010
SHARAN VAN (7M)	2.0 (7M8; 7M9)	ADY; ATM	85	114	115	1996	2002
TOURAN (1T1; 1T2)	1.6	BGU; BSE; BSF	75	101	102	2003	2010
TOURAN (1T1; 1T2)	2.0 EcoFuel	BSX	80	107	109	2006	2009
TOURAN VAN (1T1; 1T2)	2.0 EcoFuel	BSX	80	107	109	2006	2006
TRANSPORTER T3 Autobus (: 1.6		CT; CZ	37	50	50	1979	1982
TRANSPORTER T3 Autobus (: 1.9		DF	44	59	60	1982	1992
TRANSPORTER T3 Autobus (: 1.9		DG	57	76	77	1982	1992
TRANSPORTER T3 Autobus (: 1.9		DH	61	82	83	1983	1985
TRANSPORTER T3 Autobus (: 1.9		GW	66	88	90	1983	1985
TRANSPORTER T3 Autobus (: 1.9 Syncro		DG	57	76	77	1985	1992
TRANSPORTER T3 Autobus (: 2.1		DJ	82	110	111	1984	1992
TRANSPORTER T3 Autobus (: 2.1		MV	70	94	95	1985	1992
TRANSPORTER T3 Autobus (: 2.1		SR	64	86	87	1986	1992
TRANSPORTER T3 Autobus (: 2.1 Cat		MV	70	94	95	1989	1992
TRANSPORTER T3 Autobus (: 2.1 i		ss	68	91	92	1989	1992
TRANSPORTER T3 Autobus (: 2.1 Syncro		DJ	82	110	111	1986	1992
TRANSPORTER T3 Autobus (: 2.1 Syncro		MV	70	94	95	1985	1992
TRANSPORTER T3 Autobus (: 2.1 Syncro		SR	64	86	87	1986	1992
TRANSPORTER T3 Caja-Cha: 1.9		DF	44	59	60	1982	1992
TRANSPORTER T3 Caja-Cha: 1.9		DG	57	76	77	1982	1992
TRANSPORTER T3 Caja-Cha: 1.9		DH	61	82	83	1984	1989

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TRANSPORTER T3 Caja-Cha	1.9 Syncro	DG	57	76	77	1984	1992
TRANSPORTER T3 Caja-Cha	2.1	DJ	82	110	111	1986	1992
TRANSPORTER T3 Caja-Cha	2.1	MV	70	94	95	1985	1992
TRANSPORTER T3 Caja-Cha	2.1 i	ss	68	91	92	1989	1992
TRANSPORTER T3 Caja-Cha	2.1 Syncro	DJ	82	110	111	1986	1992
TRANSPORTER T3 Caja-Cha	2.1 Syncro	MV	70	94	95	1985	1992
TRANSPORTER T3 Furgoneta	1.6	CT; CZ	37	50	50	1979	1982
TRANSPORTER T3 Furgoneta	1.9	DF	44	59	60	1982	1992
TRANSPORTER T3 Furgoneta	1.9	DG	57	76	77	1982	1992
TRANSPORTER T3 Furgoneta	1.9	DH	61	82	83	1984	1989
TRANSPORTER T3 Furgoneta	1.9	GW	66	88	90	1983	1989
TRANSPORTER T3 Furgoneta	1.9 Syncro	DG	57	76	77	1984	1992
TRANSPORTER T3 Furgoneta	2.1	DJ	82	110	111	1986	1992
TRANSPORTER T3 Furgoneta	2.1	MV	70	94	95	1985	1992
TRANSPORTER T3 Furgoneta	2.1 i	ss	68	91	92	1989	1992
TRANSPORTER T3 Furgoneta	2.1 Syncro	DJ	82	110	111	1986	1992
TRANSPORTER T3 Furgoneta	2.1 Syncro	MV	70	94	95	1985	1992
TRANSPORTER T4 Autobus (1.8	PD	49	66	67	1990	1992
TRANSPORTER T4 Autobus (2.0	AAC	62	83	84	1990	2003
TRANSPORTER T4 Caja-Cha	2.0	AAC	62	83	84	1990	2003
TRANSPORTER T4 Furgoneta	2.0	AAC	62	83	84	1990	2003
TRANSPORTER T5 Autobus (2.0	AXA	85	114	115	2003	2015
TRANSPORTER T5 Caja-Cha	2.0	AXA	85	114	115	2003	2013
TRANSPORTER T5 Furgoneta	2.0	AXA	85	114	115	2003	2015
TRANSPORTER T5 Furgoneta	2.0 BiFuel	AXA	85	114	115	2007	2015
VENTO (1H2)	1.4	ABD; AEX	40	54	54	1991	1998
VENTO (1H2)	1.4	ABD; AEX	44	59	60	1991	1998
VENTO (1H2)	1.6	AEK; AFT; AKS	74	99	101	1994	1998
VENTO (1H2)	1.8	AAM	55	74	75	1991	1998
VENTO (1H2)	1.8	ACC; ABS; ADZ; ADD	66	88	90	1991	1998
VENTO (1H2)	2.0	2E; ADY; AGG; AKR;	85	114	115	1991	1998

WARTBURG							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
353	1.3	4VO7;2 7;5GRF	43	58	58	1988	1991
353 Tourist	1.3	4VO7;2 7;5GRF	43	58	58	1989	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493

