

# ML 68356 Millard Oil Filter

Catalog Europe, 09/04/2025



## DIMENSIONS

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

## PRESENTATION

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



For updated information visit <http://mlrd.es/ML-68356>

## CROSS REFERENCES

<b>BALDWIN</b>	B7409	<b>KNECHT/MAHLE</b>	OC282
<b>CATERPILLAR</b>	3I-1206	<b>LUBERFINER</b>	LFP8642
<b>CLARK</b>	4076282	<b>MACK</b>	20845764
<b>DONALDSON</b>	P550425	<b>ONAN</b>	1220777
<b>FAW</b>	1017010-53D	<b>RENAULT TRUCKS</b>	50 01 846 647
<b>FODEN TRUCKS</b>	Y03426604	<b>RENAULT TRUCKS</b>	74 21 561 284
<b>HENGST</b>	H200WN01	<b>RENAULT TRUCKS</b>	74 23 114 217
<b>HITACHI</b>	4371313	<b>VOLVO</b>	21707132
<b>HITACHI</b>	4380540	<b>VOLVO</b>	471392-1
<b>HITACHI</b>	4429727	<b>VOLVO</b>	477556-5
<b>ISUZU</b>	1132401630	<b>WIX FILTERS</b>	WL10106
<b>ISUZU</b>	2906548300		

## APPLICATIONS (EUROPE)

### OPTARE

Serie	Model	Engine	Kw	HP	CV	Start	Finish
OLYMPUS	OLYMPUS	D9B260	191	256	260	2006	
OLYMPUS	OLYMPUS	D9B310	228	306	310	2006	

### PLAXTON

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ELITE	ELITE	DH12E420	309	414	420	2009	

### RENAULT TRUCKS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
C	380P	DT111-122HH; DXi 11 279	374	379	2013		
C	380P; 380PK	DT111-122HH; DXi 11 279	374	379	2013		
C	380P; 380PK; 380TK	DT111-122HH; DXi 11 279	374	379	2013		
C	380T	DT111-122HH; DXi 11 280	375	380	2013		
C	380T; 380TK	DT111-122HH; DXi 11 279	374	379	2013		

**RENAULT TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
C	430P	DTI11-122HI; DXi 11	316	424	429	2013	
C	430P; 430PK	DTI11-122HI; DXi 11	316	424	429	2013	
C	430P; 430PK; 430TK	DTI11-122HI; DXi 11	316	424	429	2013	
C	430T	DTI11-122HI; DXi 11	316	424	429	2013	
C	430T; 430TK	DTI11-122HI; DXi 11	316	424	429	2013	
C	440P	DTI13-122HK; DXi 13	323	433	439	2013	
C	440P; 440PK	DTI13-122HK; DXi 13	323	433	439	2013	
C	440T; 440TK	DTI13-122HK; DXi 13	323	433	439	2013	
C	460P	DTI11-122HJ; DXi 11	338	453	459	2013	
C	460P; 460PK	DTI11-122HJ; DXi 11	338	453	459	2013	
C	460P; 460PK; 460TK	DTI11-122HJ; DXi 11	338	453	459	2013	
C	460T; 460TK	DTI11-122HJ; DXi 11	338	453	459	2013	
C	480P	DTI13-122HL; DXi 13	353	473	480	2013	
C	480P; 480PK	DTI13-122HL; DXi 13	353	473	480	2013	
C	480T; 480TK	DTI13-122HL; DXi 13	353	473	480	2013	
C	520P	DTI13-122HM; DXi 13	382	512	519	2013	
C	520P; 520PK	DTI13-122HM; DXi 13	382	512	519	2013	
C	520T; 520TK	DTI13-122HM; DXi 13	382	512	519	2013	
D	18 P 380	DTI11-122HH	279	374	379	2013	
D	18 P 430	DTI11-122HI	316	424	429	2013	
D	18 T 380	DTI11-122HH	279	374	379	2013	
D	18 T 430	DTI11-122HI	316	424	429	2013	
K	380P MEDIUM; 3	DTI11-122HH; DXi 11	279	374	379	2013	
K	380P MEDIUM; 3	DTI11-122HH; DXi 11	279	374	379	2013	
K	380T MEDIUM; 3	DTI11-122HH; DXi 11	279	374	379	2013	
K	430P MEDIUM; 4	DTI11-122HI; DXi 11	316	424	429	2013	
K	430P MEDIUM; 4	DTI11-122HI; DXi 11	316	424	429	2013	
K	430T MEDIUM; 4	DTI11-122HI; DXi 11	316	424	429	2013	
K	440P MEDIUM; 4	DTI13-122HK; DXi 13	323	433	439	2013	
K	440P MEDIUM; 4	DTI13-122HK; DXi 13	323	433	439	2013	
K	440T MEDIUM; 4	DTI13-122HK; DXi 13	323	433	439	2013	
K	460P MEDIUM; 4	DTI11-122HJ; DXi 11	338	453	459	2013	
K	460P MEDIUM; 4	DTI11-122HJ; DXi 11	338	453	459	2013	
K	460T MEDIUM; 4	DTI11-122HJ; DXi 11	338	453	459	2013	
K	480P MEDIUM; 4	DTI13-122HL; DXi 13	353	473	480	2013	
K	480P MEDIUM; 4	DTI13-122HL; DXi 13	353	473	480	2013	
K	480T MEDIUM; 4	DTI13-122HL; DXi 13	353	473	480	2013	
K	520P MEDIUM; 5	DTI13-122HM	382	512	519	2013	
K	520P MEDIUM; 5	DTI13-122HM; DXi 13	382	512	519	2013	
K	520P MEDIUM; 5	DTI13-122HM; DXi 13	382	512	519	2013	
K	520T MEDIUM; 5	DTI13-122HM	382	512	519	2013	
K	520T MEDIUM; 5	DTI13-122HM; DXi 13	382	512	519	2013	
KERAX	370.18	DXi 11	272	365	370	2005	
KERAX	370.26	DXi 11	272	365	370	2005	
KERAX	370.32	DXi 11	272	365	370	2005	
KERAX	410.18	DXi 11	302	405	410	2005	
KERAX	410.26	DXi 11	302	405	410	2005	
KERAX	410.32	DXi 11	302	405	410	2005	
KERAX	450.18	DXi 11	331	444	450	2005	
KERAX	450.26	DXi 11	331	444	450	2005	
KERAX	450.32	DXi 11	331	444	450	2005	
KERAX	460.32	DXi 13	339	454	461	2006	
KERAX	500.32	DXi 13	368	493	500	2006	
MAGNUM	DXi 12 440.18	DXi 12	324	434	440	2004	2006
MAGNUM	DXi 12 440.18 T	DXi 12	324	434	440	2004	2006
MAGNUM	DXi 12 440.24	DXi 12	324	434	440	2004	2006
MAGNUM	DXi 12 440.26	DXi 12	324	434	440	2004	2006
MAGNUM	DXi 12 440.26 T	DXi 12	324	434	440	2004	2006

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



<b>RENAULT TRUCKS</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAGNUM	DXi 12 480.18	DXi 12	353	473	480	2004	2006
MAGNUM	DXi 12 480.18 T	DXi 12	353	473	480	2004	2006
MAGNUM	DXi 12 480.24	DXi 12	353	473	480	2004	2006
MAGNUM	DXi 12 480.26	DXi 12	353	473	480	2004	2006
MAGNUM	DXi 12 480.26 T	DXi 12	353	473	480	2004	2006
MAGNUM	DXi 13 440.19	DXi 13	323	433	439	2009	
MAGNUM	DXi 13 460.18 T	DXi 13	339	454	461	2006	
MAGNUM	DXi 13 460.24	DXi 13	339	454	461	2006	
MAGNUM	DXi 13 460.25	DXi 13	339	454	461	2006	
MAGNUM	DXi 13 460.26	DXi 13	339	454	461	2006	
MAGNUM	DXi 13 460.26 T	DXi 13	339	454	461	2006	
MAGNUM	DXi 13 480.19	DXi 13	353	473	480	2009	
MAGNUM	DXi 13 480.26	DXi 13	353	473	480	2009	
MAGNUM	DXi 13 500.18 T	DXi 13	368	493	500	2006	
MAGNUM	DXi 13 500.24	DXi 13	368	493	500	2006	
MAGNUM	DXi 13 500.25	DXi 13	368	493	500	2006	
MAGNUM	DXi 13 500.26	DXi 13	368	493	500	2006	
MAGNUM	DXi 13 500.26 T	DXi 13	368	493	500	2006	
MAGNUM	DXi 13 520.18	DXi 13	382	512	519	2009	
MAGNUM	DXi 13 520.19	DXi 13	382	512	519	2009	
MAGNUM	DXi 13 520.24	DXi 13	382	512	519	2009	
MAGNUM	DXi 13 520.25	DXi 13	382	512	519	2009	
MAGNUM	DXi 13 520.26	DXi 13	382	512	519	2009	
PREMIUM	Distribution 420.1	dCi 11C	303	406	412	2000	
PREMIUM	Distribution 420.1	dCi 11C	303	406	412	2000	
PREMIUM	Route 420.18	dCi 11C	303	406	412	2000	
PREMIUM	Route 420.18T	dCi 11 B 43; dCi 11C	303	406	412	2000	
PREMIUM	Route 420.24	dCi 11C	303	406	412	2000	
PREMIUM	Route 420.25	dCi 11C	303	406	412	2000	
PREMIUM	Route 420.26	dCi 11C	303	406	412	2000	
PREMIUM 2	Distribution 370.1	DXi 11	272	365	370	2005	
PREMIUM 2	Distribution 370.1	DXi 11	272	365	370	2005	
PREMIUM 2	Distribution 370.2	DXi 11	272	365	370	2005	
PREMIUM 2	Distribution 380.1	DXi 11	280	375	380	2006	
PREMIUM 2	Distribution 380.1	DXi 11	280	375	380	2006	
PREMIUM 2	Distribution 380.2	DXi 11	280	375	380	2006	
PREMIUM 2	Distribution 410.1	DXi 11	302	405	410	2005	
PREMIUM 2	Distribution 410.1	DXi 11	302	405	410	2005	
PREMIUM 2	Distribution 410.2	DXi 11	302	405	410	2005	
PREMIUM 2	Distribution 430.1	DXi 11	316	424	429	2006	
PREMIUM 2	Distribution 430.1	DXi 11	316	424	429	2006	
PREMIUM 2	Distribution 430.2	DXi 11	316	424	429	2006	
PREMIUM 2	Distribution 450.1	DXi 11	331	444	450	2005	
PREMIUM 2	Distribution 460.1	DXi 11	339	454	461	2006	
PREMIUM 2	Lander 380.19	DXi 11	280	375	380	2006	
PREMIUM 2	Lander 380.26	DXi 11	280	375	380	2006	
PREMIUM 2	Lander 380.32	DXi 11	280	375	380	2006	
PREMIUM 2	Lander 430.18	DXi 11	316	424	429	2006	
PREMIUM 2	Lander 430.26	DXi 11	316	424	429	2006	
PREMIUM 2	Lander 430.32	DXi 11	316	424	429	2006	
PREMIUM 2	Lander 440.18	DXi 11	324	434	440	2005	
PREMIUM 2	Lander 440.19	DXi 11	324	434	440	2005	
PREMIUM 2	Lander 440.26	DXi 11	324	434	440	2005	
PREMIUM 2	Lander 440.32	DXi 11	324	434	440	2005	
PREMIUM 2	Lander 460.18	DXi 11	339	454	461	2006	
PREMIUM 2	Lander 460.26	DXi 11	339	454	461	2006	
PREMIUM 2	Lander 460.32	DXi 11	339	454	461	2006	
PREMIUM 2	Route 330.18 T	DXi 11	243	326	330	2005	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



**RENAULT TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
PREMIUM 2	Route 380.18	DXi 11	280	375	380	2006	
PREMIUM 2	Route 380.19	DXi 11	280	375	380	2006	
PREMIUM 2	Route 380.26	DXi 11	280	375	380	2006	
PREMIUM 2	Route 410.18	DXi 11	302	405	410	2005	
PREMIUM 2	Route 410.18 D	DXi 11	302	405	410	2005	
PREMIUM 2	Route 410.24	DXi 11	302	405	410	2005	
PREMIUM 2	Route 410.25	DXi 11	302	405	410	2005	
PREMIUM 2	Route 410.26	DXi 11	302	405	410	2005	
PREMIUM 2	Route 430.18	DXi 11	316	424	429	2006	
PREMIUM 2	Route 430.19	DXi 11	316	424	429	2006	
PREMIUM 2	Route 430.26	DXi 11	316	424	429	2006	
PREMIUM 2	Route 450.18	DXi 11	331	444	450	2005	
PREMIUM 2	Route 450.18 D	DXi 11	331	444	450	2005	
PREMIUM 2	Route 450.24	DXi 11	331	444	450	2005	
PREMIUM 2	Route 450.25	DXi 11	331	444	450	2005	
PREMIUM 2	Route 450.26	DXi 11	331	444	450	2005	
PREMIUM 2	Route 460.18	DXi 11	339	454	461	2006	
PREMIUM 2	Route 460.26	DXi 11	339	454	461	2006	
T	380P LOW	DTI11-122HH; DXi 11	280	375	380	2013	
T	380P; 380P LOW	DTI11-122HH; DXi 11	280	375	380	2013	
T	380T LOW; 380T	DTI11-122HH; DXi 11	280	375	380	2013	
T	380T PUS	DTI11-122HH; DXi 11	280	375	380	2013	
T	380T; 380T LOW	DTI11-122HH; DXi 11	280	375	380	2013	
T	430P LOW	DTI11-122HI; DXi 11	316	424	429	2013	
T	430P; 430P LOW	DTI11-122HI; DXi 11	316	424	429	2013	
T	430T PUS	DTI11-122HI; DXi 11	316	424	429	2013	
T	430T TAG; 430T	DTI11-122HI	316	424	429	2013	
T	430T; 430T LOW	DTI11-122HI; DXi 11	316	424	429	2013	
T	440P LOW	DTI13-122HK; DXi 13	323	433	439	2013	
T	440P; 440P LOW	DTI13-122HK; DXi 13	323	433	439	2013	
T	440T LOW; 440T	DTI13-122HK; DXi 13	323	433	439	2013	
T	440T PUS	DTI13-122HK; DXi 13	323	433	439	2013	
T	440T; 440T LOW	DTI13-122HK; DXi 13	323	433	439	2013	
T	460P LOW	DTI11-122HJ; DXi 11	338	453	459	2013	
T	460P; 460P LOW	DTI11-122HJ; DXi 11	338	453	459	2013	
T	460T LOW; 460T	DTI11-122HJ; DXi 11	338	453	459	2013	
T	460T PUS	DTI11-122HJ; DXi 11	338	453	459	2013	
T	460T; 460T LOW	DTI11-122HJ; DXi 11	338	453	459	2013	
T	480P LOW	DTI13-122HL; DXi 13	353	473	480	2013	
T	480P; 480P LOW	DTI13-122HL; DXi 13	353	473	480	2013	
T	480T LOW; 480T	DTI13-122HL; DXi 13	353	473	480	2013	
T	480T PUS	DTI13-122HL; DXi 13	353	473	480	2013	
T	480T; 480T LOW	DTI13-122HL; DXi 13	353	473	480	2013	
T	520P LOW	DTI13-122HM; DXi 13	382	512	519	2013	
T	520P; 520P LOW	DTI13-122HM; DXi 13	382	512	519	2013	
T	520T LOW; 520T	DTI13-122HM; DXi 13	382	512	519	2013	
T	520T PUS	DTI13-122HM; DXi 13	382	512	519	2013	
T	520T; 520T LOW	DTI13-122HM; DXi 13	382	512	519	2013	

**VOLVO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
7700	7700	D7C215	159	213	216	1998	
7700	7700	D7C250	184	247	250	1998	
7700	7700	D7C275	202	271	274	1998	
7700	7700	D7C290	213	286	289	1998	
7700	7700	D7C310	228	306	310	1998	
7700	7700	D9B260	191	256	260	2006	
7700	7700	D9B310	228	306	310	2006	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
7700	7700	D9B360	265	355	360	2006	
7700	7700	G9A260	191	256	260	2006	
7700	7700	G9A300	223	299	303	2006	
8300	8300	D9A340; D9B340	250	335	340	2006	
8300	8300	D9B260	191	256	260	2006	
8300	8300	D9B310	228	306	310	2006	
8300	8300	D9B360	265	355	360	2006	
8300	8300	D9B380	280	375	380	2006	
8500	8500		250	335	340	1999	
8500	8500	D12D340	250	335	340	1999	
8500	8500	D9B360	265	355	360	1999	
8500	8500	DH12D340	250	335	340	1999	
8500	8500	DH12D380	280	375	380	1999	
8500	8500	DH12D420	309	414	420	1997	
8700	8700	DH12D340; DH12E34	250	335	340	1999	
8700	8700	DH12D380; DH12E38	280	375	380	1999	
8700	8700	DH12D420	309	414	420	1997	
9300	9300	D9A340; D9B340	250	335	340	2006	
9300	9300	D9B260	191	256	260	2006	
9300	9300	D9B310	228	306	310	2006	
9300	9300	D9B360	265	355	360	2006	
9300	9300	D9B380	280	375	380	2006	
9400	9400	D9A340; D9B340	250	335	340	2006	
9400	9400	D9B260	191	256	260	2006	
9400	9400	D9B310	228	306	310	2006	
9400	9400	D9B360	265	355	360	2006	
9400	9400	D9B380	280	375	380	2006	
9700	9700	D11K430	316	424	429	2016	
9700	9700	D11K460	339	454	461	2016	
9700	9700	D13C420	309	414	420	2009	
9700	9700	D13C460	338	453	459	2009	
9700	9700	D13C500	368	493	500	2009	
9700	9700	DH12D340; DH12E34	250	335	340	2001	
9700	9700	DH12D340; DH12E34	250	335	340	2001	
9700	9700	DH12D380; DH12E38	280	375	380	2001	
9700	9700	DH12D380; DH12E38	280	375	380	2001	
9700	9700	DH12D420; DH12E42	309	414	420	2001	
9700	9700	DH12D420; DH12E42	309	414	420	2001	
9700	9700	DH12E460	338	453	459	2007	
9900	9900	D11K430	316	424	429	2016	
9900	9900	D11K460	339	454	461	2016	
9900	9900	D13C420	309	414	420	2009	
9900	9900	D13C460	338	453	459	2009	
9900	9900	DH12D420; DH12E42	309	414	420	2001	
9900	9900	DH12E460	338	453	459	2007	
A	A40D	D12A420; D12C420; I	309	414	420	2003	2012
B10	B10	DH10A360	265	355	360	1996	2001
B10	B10	THD 100 DA; THD 10	133	178	181	1978	2003
B10	B10	THD 100 DC	178	239	242	1994	
B10	B10	THD 100 DD	203	272	276	1985	2003
B10	B10	THD 101 GB	165	221	224	1985	2003
B10	B10	THD 101 GC	178	239	242	1990	2001
B10	B10	THD 101 GD	201	269	273	1985	2003
B10	B10	THD 101 GD	201	269	273	1990	2001
B10	B10	THD 101 KC	228	306	310	1985	2003
B10	B10	THD 102 KA	262	351	356	1978	2003
B10	B10	THD 103 KB; THD 10	210	282	285	1988	2003
B10	B10	THD 103 KB; THD 10:	210	282	285	1992	2001

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



**VOLVO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
B10	B10	THD 103 KD; THD 10	250	335	340	1988	2003
B10	B10	THD 103 KD; THD 10	250	335	340	1990	2001
B10	B10	THD 103 KF; THD 10	180	241	245	1985	2003
B10	B10	THD 103 KF; THD 10	180	241	245	1992	2001
B11	B11R	D11A430; D11K430	316	424	429	2013	
B11	B11R	D11C330	243	326	330	2011	
B11	B11R	D11C370; D11K380	272	365	370	2011	
B11	B11R	D11C370; D11K380; I	272	365	370	2011	
B11	B11R	D11C410	302	405	410	2011	
B11	B11R	D11K430	316	424	429	2013	
B11	B11R	D11K460	339	454	461	2013	
B12	B12		305	409	414	1991	2006
B12	B12	D12A420	309	414	420	1992	
B12	B12	D12C420; D12D420; I	309	414	420	2006	
B12	B12	D12D380; DH12E380	280	375	380	2006	
B12	B12	DH12D340	250	335	340	2010	
B12	B12	DH12D340; DH12E34	250	335	340	2006	
B12	B12	DH12E340	250	335	340	2006	
B12	B12	DH12E380	280	375	380	2006	
B12	B12	DH12E460	338	453	459	2006	
B12	B12	TD 122 FH	262	351	356	1992	
B12	B12	TD 122 FL; TD 123 E	291	390	395	1992	
B12	B12	TD 123 EC	224	300	304	1991	2006
B13	B13	D13C420	309	414	420	2009	
B13	B13	D13C460	338	453	459	2009	
B13	B13	D13C500	368	493	500	2009	
B6	B6R; B6LE	D6A180; TD 63 E	132	177	179	1991	
B6	B6R; B6LE	D6A210; TD 63 ES	154	206	209	1991	
B9	B9	D9B260	191	256	260	2005	
B9	B9	D9B310	228	306	310	2005	
B9	B9	D9B340	250	335	340	2010	
B9	B9	D9B360	265	355	360	2005	
B9	B9	D9B380	279	374	379	2010	
B9	B9	G9A260	191	256	260	2005	
B9	B9	G9A300	223	299	303	2005	
F12	F 12 360	TD 122 FH; TD 122 F	262	351	356	1990	1994
F12	F 12 360	TD 122 FH; TD 122 F	262	351	356	1990	1994
F12	F 12 360	TD 122 FH; TD 122 F	262	351	356	1991	1994
F12	F 12 380	TD 122 FK	284	381	386	1987	1995
F12	F 12 390	TD 122 FA	287	385	390	1987	1995
F12	F 12 400	TD 122 FL; TD 122 F	291	390	395	1987	1995
F12	F 12 400	TD 122 FL; TD 122 F	291	390	395	1990	1994
F12	F 12 400; F 12 41	TD 122 FL; TD 123 E	291	390	395	1988	1994
F12	F 12 400; F 12 41	TD 122 FL; TD 123 E	291	390	395	1990	1994
F12	F 12 410	TD 123 ES	298	399	405	1987	1995
F16	F 16 470	TD 162 F	342	458	465	1987	1995
F16	F 16 470	TD 162 F; TD 162 FJ	342	458	465	1988	1989
F16	F 16 485	TD 162 F; TD 162 FJ	357	479	485	1990	1992
F16	F 16 485	TD 162 FL; TD 162 F	357	479	485	1987	1995
F16	F 16 500	TD 163 ES	368	493	500	1987	1995
F16	F 16 500	TD 163 ES	368	493	500	1992	1994
FE II	FE 320-18 CNG	G9K320	239	320	325	2016	
FE II	FE 320-26 CNG	G9K320	239	320	325	2016	
FH	400	D13A400; D13B400	294	394	399	2005	
FH	420	D13C420	309	414	420	2009	
FH	440	D13A440; D13B440	324	434	440	2005	
FH	440	D13A440; D13B440; I	324	434	440	2005	
FH	460	D13C460	338	453	459	2009	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646





VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FH	480	D13A480	353	473	480	2005	
FH	500	D13B500; D13C500	368	493	500	2005	
FH	500	D13B500; D13C500	368	493	500	2007	
FH	500	D13C500	368	493	500	2005	
FH	500	D13C500	368	493	500	2009	
FH	520	D13A520	382	512	519	2005	
FH	540	D13C540	397	532	539	2009	
FH II	380	D13C380	280	375	380	2012	
FH II	420	D13C420; D13K420	309	414	420	2012	
FH II	420	D13C420; D13K420	309	414	420	2012	
FH II	420	D13K420	309	414	420	2012	
FH II	420	D13K420	309	414	420	2012	
FH II	460	D13C460; D13K460	338	453	459	2012	
FH II	460	D13C460; D13K460	338	453	459	2012	
FH II	460	D13K460	338	453	459	2012	
FH II	460	D13K460	338	453	459	2012	
FH II	500	D13C500; D13K500	368	493	500	2012	
FH II	500	D13C500; D13K500	368	493	500	2012	
FH II	500	D13K500	368	493	500	2012	
FH II	500	D13K500	368	493	500	2012	
FH II	500	D13K500	368	493	500	2012	
FH II	540	D13C540; D13K540	397	532	539	2012	
FH II	540	D13C540; D13K540	397	532	539	2012	
FH II	540	D13K540	397	532	539	2012	
FH II	540	D13K540	397	532	539	2012	
FH12	FH 12 340	D12A340; D12C340; I 250	335	340	340	1993	
FH12	FH 12 340	D12A340; D12C340; I 250	335	340	340	1995	
FH12	FH 12 380	D12A380; D12C380; I 279	374	379	379	1993	
FH12	FH 12 380	D12A380; D12C380; I 279	374	379	379	1993	2005
FH12	FH 12 380	D12A380; D12C380; I 279	374	379	379	1995	
FH12	FH 12 390	D12F390	287	385	390	2001	2005
FH12	FH 12 420	D12A420; D12C420; I 309	414	420	420	1993	
FH12	FH 12 420	D12A420; D12C420; I 309	414	420	420	1993	2005
FH12	FH 12 420	D12A420; D12C420; I 309	414	420	420	1995	
FH12	FH 12 430	D12F430	316	424	429	2001	2005
FH12	FH 12 460	D12C460; D12D460	338	453	459	1998	
FH12	FH 12 460	D12C460; D12D460	338	453	459	1998	2005
FH12	FH 12 500	D12D500	368	493	500	1998	2005
FH12	FH 12 500	D12D500	368	493	500	2001	
FH12	FH 12 500	D12D500	368	493	500	2001	2005
FH16	FH 16 470	D16A470	346	464	470	1993	1999
FH16	FH 16 470	D16A470	346	464	470	1993	2002
FH16	FH 16 520	D16A520; D16B520	382	512	519	1993	2002
FH16	FH 16 520	D16A520; D16B520	382	512	519	1995	
FH16	FH 16 540	D16E540; D16G540	396	531	538	2009	
FH16	FH 16 540	D16E540; D16G540	397	532	539	2005	
FH16	FH 16 540	D16G540	396	531	538	2009	
FH16	FH 16 540; FH 16 540	D16C550; D16E540	396	531	538	2003	
FH16	FH 16 540; FH 16 540	D16C550; D16E540; I 396	396	531	538	2003	
FH16	FH 16 540; FH 16 540	D16C550; D16G540	396	531	538	2007	
FH16	FH 16 550	D16C550	396	531	538	2003	
FH16	FH 16 550	D16C550	396	531	538	2005	
FH16	FH 16 550	D16C550	404	542	549	2005	
FH16	FH 16 550	D16C550	405	543	550	2003	
FH16	FH 16 580	D16E580	426	571	579	2005	
FH16	FH 16 580	D16E580	426	571	579	2006	
FH16	FH 16 580	D16E580	426	571	579	2009	
FH16	FH 16 600	D16G600	441	591	599	2006	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FH16	FH 16 600	D16G600	441	591	599	2008	
FH16	FH 16 600	D16G600	441	591	599	2009	
FH16	FH 16 610	D16C610	449	602	610	2003	
FH16	FH 16 610	D16C610	449	602	610	2005	
FH16	FH 16 610	D16C610	449	602	610	2007	
FH16	FH 16 660	D16E660	485	650	659	2005	
FH16	FH 16 660	D16E660	485	650	659	2006	
FH16	FH 16 660	D16E660	485	650	659	2007	
FH16	FH 16 660	D16E660	485	650	659	2009	
FH16	FH 16 700	D16G700	515	690	700	2009	
FH16	FH 16 750	D16G750	551	739	749	2012	
FH16 II	FH 16 540; FH 16 550	D16G540; D16K550	396	531	538	2012	
FH16 II	FH 16 550	D16K550	396	531	538	2014	
FH16 II	FH 16 550	D16K550	405	543	550	2014	
FH16 II	FH 16 600	D16G600	441	591	599	2012	
FH16 II	FH 16 600	D16G600	441	591	599	2012	
FH16 II	FH 16 650	D16K650	479	642	651	2014	
FH16 II	FH 16 700	D16G700	515	690	700	2012	
FH16 II	FH 16 700	D16G700	515	690	700	2012	
FH16 II	FH 16 750	D16G750	551	739	749	2012	
FH16 II	FH 16 750	D16G750; D16K750	551	739	749	2012	
FH16 II	FH 16 750	D16K750	550	737	747	2014	
FH16 II	FH 16 750	D16K750	551	739	749	2014	
FL	FL 180-10	D6B; D6B 180	132	177	179	2000	
FL	FL 180-11	D6B; D6B 180	132	177	179	2000	
FL	FL 180-12	D6B; D6B 180	132	177	179	2000	
FL	FL 180-13	D6B; D6B 180	132	177	179	2000	
FL	FL 180-14	D6B; D6B 180	132	177	179	2000	
FL	FL 180-15	D6B; D6B 180	132	177	179	2000	
FL	FL 180-16	D6B 180	132	177	179	2000	2006
FL	FL 180-16	D6B; D6B 180	132	177	179	2000	
FL	FL 180-17	D6B 180	132	177	179	2000	2006
FL	FL 180-17	D6B; D6B 180	132	177	179	2000	
FL	FL 180-18	D6B 180	132	177	179	2000	2006
FL	FL 180-18	D6B; D6B 180	132	177	179	2000	
FL	FL 180-19	D6B 180	132	177	179	2000	2006
FL	FL 180-21	D6B 180	132	177	179	2000	2006
FL	FL 180-26	D6B 180	132	177	179	2000	2006
FL	FL 180-7;5	D6B; D6B 180	132	177	179	2000	
FL	FL 180-8	D6B; D6B 180	132	177	179	2000	
FL	FL 180-9	D6B; D6B 180	132	177	179	2000	
FL	FL 220-10	D6B; D6B 220	162	217	220	2000	
FL	FL 220-11	D6B; D6B 220	162	217	220	2000	
FL	FL 220-12	D6B; D6B 220	162	217	220	2000	
FL	FL 220-13	D6B; D6B 220	162	217	220	2000	
FL	FL 220-14	D6B; D6B 220	162	217	220	2000	
FL	FL 220-15	D6B; D6B 220	162	217	220	2000	
FL	FL 220-16	D6B 220	162	217	220	2000	2006
FL	FL 220-16	D6B; D6B 220	162	217	220	2000	
FL	FL 220-17	D6B 220	162	217	220	2000	2006
FL	FL 220-17	D6B; D6B 220	162	217	220	2000	
FL	FL 220-18	D6B 220	162	217	220	2000	2006
FL	FL 220-18	D6B; D6B 220	162	217	220	2000	
FL	FL 220-19	D6B 220	162	217	220	2000	2006
FL	FL 220-21	D6B 220	162	217	220	2000	2006
FL	FL 220-26	D6B 220	162	217	220	2000	2006
FL	FL 220-7;5	D6B; D6B 220	162	217	220	2000	
FL	FL 220-8	D6B; D6B 220	162	217	220	2000	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646





**ML 68356** Millard Oil Filter

VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FL	FL 220-9	D6B; D6B 220	162	217	220	2000	
FL	FL 250-10	D6B; D6B 250	184	247	250	2000	
FL	FL 250-11	D6B; D6B 250	184	247	250	2000	
FL	FL 250-12	D6B; D6B 250	184	247	250	2000	
FL	FL 250-13	D6B; D6B 250	184	247	250	2000	
FL	FL 250-14	D6B; D6B 250	184	247	250	2000	
FL	FL 250-15	D6B; D6B 250	184	247	250	2000	
FL	FL 250-16	D6B 250	185	248	251	2000	2006
FL	FL 250-16	D6B; D6B 250	184	247	250	2000	
FL	FL 250-17	D6B 250	185	248	251	2000	2006
FL	FL 250-17	D6B; D6B 250	184	247	250	2000	
FL	FL 250-18	D6B 250	185	248	251	2000	2006
FL	FL 250-18	D6B; D6B 250	184	247	250	2000	
FL	FL 250-19	D6B 250	185	248	251	2000	2006
FL	FL 250-21	D6B 250	185	248	251	2000	2006
FL	FL 250-26	D6B 250	185	248	251	2000	2006
FL	FL 250-7;5	D6B; D6B 250	184	247	250	2000	
FL	FL 250-8	D6B; D6B 250	184	247	250	2000	
FL	FL 250-9	D6B; D6B 250	184	247	250	2000	
FL10	FL 10H 320	D10A320	235	315	319	1995	1998
FL10	FL 10H 360	D10A360	265	355	360	1995	1998
FL10	FL 10 280	TD 101 G	202	271	274	1985	1990
FL10	FL 10 285	TD 101 G	202	271	274	1985	1996
FL10	FL 10 285	TD 103 E; TD 102 FH	209	280	284	1985	1996
FL10	FL 10 310	TD 101 F; TD 101 FC	228	306	310	1985	1998
FL10	FL 10 310	TD 102 FF	229	307	311	1985	1996
FL10	FL 10 310	TD 102 FM	229	307	311	1985	1996
FL10	FL 10 320	D10A320	235	315	319	1995	1998
FL10	FL 10 320	TD 103 ES	235	315	319	1992	1996
FL10	FL 10 350		257	345	349	1995	1998
FL10	FL 10 360	D10A360	265	355	360	1995	1998
FL10	FL 10 360	D10A360	265	355	360	1995	1998
FL12	FL 12H 380	D12A380	279	374	379	1995	1998
FL12	FL 12H 420	D12A420	309	414	420	1995	1998
FL12	FL 12 340	D12A340	250	335	340	1995	1998
FL12	FL 12 380	D12A380	279	374	379	1995	1998
FL12	FL 12 420	D12A420	309	414	420	1995	1998
FL6	FL 608	D6A210; TD 63 ES	154	206	209	1993	1999
FL6	FL 608	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 608	D6A230	169	227	230	1995	2000
FL6	FL 608	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 608	TD 61 GS; TD 61 GB;	132	177	179	1985	2000 180
FL6	FL 609	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 609	D6A230	169	227	230	1995	2000
FL6	FL 609	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 609	TD 61 GS; TD 61 GB;	132	177	179	1985	2000 180
FL6	FL 610	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 610	D6A230	169	227	230	1995	2000
FL6	FL 610	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 610	TD 61 GS; TD 61 GB;	132	177	179	1985	2000 180
FL6	FL 611	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 611	D6A230	169	227	230	1995	2000
FL6	FL 611	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 611	TD 61 GS; TD 61 GB;	132	177	179	1985	2000 180
FL6	FL 612	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 612	D6A230	169	227	230	1995	1999
FL6	FL 612	D6A230	169	227	230	1995	2000
FL6	FL 612	D6A250	184	247	250	1995	1999

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FL6	FL 612	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 612	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 613	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 613	D6A230	169	227	230	1995	2000
FL6	FL 613	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 613	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 614	D6A180	132	177	179	1995	2000
FL6	FL 614	D6A210	154	206	209	1995	2000
FL6	FL 614	D6A230	169	227	230	1995	2000
FL6	FL 614	D6A250	184	247	250	1995	2000
FL6	FL 615	D6A180; TD 63 E	132	177	179	1991	2000
FL6	FL 615	D6A210	154	206	209	1993	2000
FL6	FL 615	D6A210; TD 63 ES	154	206	209	1991	2000
FL6	FL 615	D6A230	169	227	230	1995	2000
FL6	FL 615	D6A230	169	227	230	1995	2000
FL6	FL 615	D6A250	184	247	250	1995	2000
FL6	FL 615	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 615	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 616	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 616	D6A230	169	227	230	1995	2000
FL6	FL 616	D6A250	184	247	250	1995	2000
FL6	FL 616	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 616	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 617	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 617	D6A230	169	227	230	1995	2000
FL6	FL 617	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 617	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 618	D6A180; TD 63 E	132	177	179	1991	2000
FL6	FL 618	D6A210; TD 63 ES	154	206	209	1991	2000
FL6	FL 618	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 618	D6A230	169	227	230	1995	2000
FL6	FL 618	D6A230	169	227	230	1995	2000
FL6	FL 618	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 618	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 619	D6A210; TD 63 ES	154	206	209	1993	2000
FL6	FL 619	D6A230	169	227	230	1995	2000
FL6	FL 619	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 619	TD 61 GS; TD 61 GB; 132	177	179	179	1985	2000
FL6	FL 621	D6A180; D6B 180	132	177	179	1995	2000
FL6	FL 621	D6A210	154	206	209	1995	2000
FL6	FL 621	D6A230	169	227	230	1995	2000
FL6	FL 621	D6A250; D6B 250	184	247	250	1995	2000
FL6	FL 626	D6A180; D6B 180	132	177	179	1995	2000
FL6	FL 626	D6A210	154	206	209	1995	2000
FL6	FL 626	D6A230	169	227	230	1995	2000
FL6	FL 626	D6A250; D6B 250	184	247	250	1995	2000
FL7	FL 7 230	TD 71 F; TD 71 FQ; T	169	227	230	1985	1998
FL7	FL 7 230	TD 71 F; TD 71 FQ; T	169	227	230	1985	1999
FL7	FL 7 245	TD 71 FS; TD 71 FSC	180	241	245	1985	1994
FL7	FL 7 260	D7B260; D7A260	191	256	260	1993	1999
FL7	FL 7 260	TD 73 ES; D7B260	191	256	260	1991	1998
FL7	FL 7 260	TD 73 ES; D7B260; D	191	256	260	1991	1999
FL7	FL 7 285	D7A285	210	282	285	1993	1999
FL7	FL 7 290	D7A285	210	282	285	1993	1998
FM	FM 300	D9A300; D9B300	220	295	299	2005	
FM	FM 300	D9A300; D9B300	221	296	300	2005	
FM	FM 300	D9B300	220	295	299	2005	
FM	FM 300	D9B300	221	296	300	2005	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FM	FM 330	D11C330	243	326	330	2005	
FM	FM 340	D9A340; D9B340	250	335	340	2005	
FM	FM 340	D9B340	250	335	340	2005	
FM	FM 360	D13A360; D13B360	264	354	359	2005	
FM	FM 360	D13A360; D13B360	264	354	359	2005	
FM	FM 370	D11C370	272	365	370	2005	
FM	FM 370	D11C370; D11A370	272	365	370	2005	
FM	FM 380	D13C380	280	375	380	2005	
FM	FM 380	D9B380	279	374	379	2005	
FM	FM 380	D9B380	280	375	380	2005	
FM	FM 390	D11B390	287	385	390	2005	
FM	FM 390	D11B390	287	385	390	2008	
FM	FM 400	D13A400; D13B400	294	394	399	2005	
FM	FM 410	D11C410	302	405	410	2005	
FM	FM 420	D13C420	309	414	420	2005	
FM	FM 430	D11A430	317	425	431	2005	
FM	FM 430	D11B430	316	424	429	2005	
FM	FM 440	D13A440; D13B440	324	434	440	2005	
FM	FM 450		332	445	451	2005	
FM	FM 450	D11C450	332	445	451	2005	
FM	FM 460	D13C460	338	453	459	2005	
FM	FM 480	D13A480	353	473	480	2005	
FM	FM 500	D13B500; D13C500	368	493	500	2005	
FM	FM 500	D13C500	368	493	500	2005	
FM II	FM 330	D11C330; D11K330	243	326	330	2013	
FM II	FM 330	D11K330	243	326	330	2013	
FM II	FM 370	D11C370; D11K370	272	365	370	2013	
FM II	FM 370	D11K370	272	365	370	2013	
FM II	FM 380	D13C380	280	375	380	2013	
FM II	FM 410	D11C410; D11K410	302	405	410	2013	
FM II	FM 410	D11K410	302	405	410	2013	
FM II	FM 420	D13C420; D13K420	309	414	420	2013	
FM II	FM 420	D13C420; D13K420; I 309	309	414	420	2012	
FM II	FM 420	D13C420; D13K420; I 309	309	414	420	2015	
FM II	FM 420	D13K420	309	414	420	2013	
FM II	FM 450	D11C450; D11K450	332	445	451	2013	
FM II	FM 450	D11K450	332	445	451	2013	
FM II	FM 460	D13C460; D13K460	338	453	459	2013	
FM II	FM 460	D13C460; D13K460; I 338	338	453	459	2012	
FM II	FM 460	D13C460; D13K460; I 338	338	453	459	2016	
FM II	FM 460	D13K460	338	453	459	2013	
FM II	FM 500	D13C500; D13K500	368	493	500	2013	
FM II	FM 500	D13C500; D13K500; I 368	368	493	500	2012	
FM II	FM 500	D13C500; D13K500; I 368	368	493	500	2016	
FM II	FM 500	D13K500	368	493	500	2013	
FM10	FM 10 320	D10A320; D10B320	235	315	319	1999	2001
FM10	FM 10 320	D10B320	235	315	319	1999	2001
FM10	FM 10 360	D10B360	265	355	360	1999	2001
FM12	FM 12H 340	D12C340; D12D340	250	335	340	1998	2005
FM12	FM 12H 380	D12C380; D12D380	279	374	379	1998	2005
FM12	FM 12H 420	D12C420; D12D420	309	414	420	1998	2005
FM12	FM 12 340	D12C340; D12D340	250	335	340	1998	2005
FM12	FM 12 340	D12C340; D12D340	250	335	340	1998	2008
FM12	FM 12 380	D12C380; D12D380	279	374	379	1998	2005
FM12	FM 12 380	D12C380; D12D380	279	374	379	1998	2008
FM12	FM 12 420	D12C420; D12D420	309	414	420	1998	2005
FM12	FM 12 420	D12C420; D12D420	309	414	420	1998	2008
FM12	FM 12 460	D12C460	338	453	459	1998	2005

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FM12	FM 12 460	D12C460; D12D460	338	453	459	1998	2008
FM7	FM 7 250	D7C250	184	247	250	1998	2001
FM7	FM 7 290	D7C290	213	286	289	1998	2001
FM9	FM 9 260	D9A260	191	256	260	2001	2005
FM9	FM 9 300	D9A300	221	296	300	2001	2005
FM9	FM 9 300	D9B300	220	295	299	2001	2005
FM9	FM 9 340	D9A340	250	335	340	2001	2005
FM9	FM 9 380	D9A380	279	374	379	2001	2005
FMX	330	D11C330	243	326	330	2010	
FMX	330	D11C330; D11A330	243	326	330	2010	
FMX	370	D11C370	272	365	370	2010	
FMX	370	D11C370; D11A370	272	365	370	2010	
FMX	380	D13C380	280	375	380	2010	
FMX	400	D13A400; D13B400	294	394	399	2010	
FMX	410	D11C410	302	405	410	2010	
FMX	420	D13C420	309	414	420	2010	
FMX	430	D11A430	317	425	431	2010	
FMX	440	D13A440	324	434	440	2010	
FMX	450	D11C450	332	445	451	2010	
FMX	460	D13C460	338	453	459	2010	
FMX	480	D13A480	353	473	480	2010	
FMX	500	D13C500	368	493	500	2010	
FMX II	330	D11C330; D11K330	243	326	330	2012	
FMX II	330	D11C330; D11K330	243	326	330	2013	
FMX II	330	D11C330; D11K330	243	326	330	2016	
FMX II	330	D11C330; D11K330; I 243	243	326	330	2012	
FMX II	330	D11C330; D11K330; I 243	243	326	330	2013	
FMX II	330	D11C330; D11K330; I 243	243	326	330	2016	
FMX II	370	D11C370; D11K370	272	365	370	2013	
FMX II	370	D11C370; D11K370	272	365	370	2016	
FMX II	410	D11C410; D11K410	302	405	410	2013	
FMX II	410	D11C410; D11K410	302	405	410	2016	
FMX II	420	D13C420; D13K420; I 309	309	414	420	2012	
FMX II	420	D13C420; D13K420; I 309	309	414	420	2013	
FMX II	420	D13C420; D13K420; I 309	309	414	420	2014	
FMX II	420	D13C420; D13K420; I 309	309	414	420	2016	
FMX II	420	D13K420	309	414	420	2013	
FMX II	420	D13K420	309	414	420	2016	
FMX II	450	D11C450; D11K450	332	445	451	2013	
FMX II	450	D11C450; D11K450	332	445	451	2016	
FMX II	450	D11K450	332	445	451	2016	
FMX II	460		338	453	459	2016	
FMX II	460	D13C460; D13K460; I 338	338	453	459	2013	
FMX II	460	D13C460; D13K460; I 338	338	453	459	2016	
FMX II	460	D13K460	338	453	459	2013	
FMX II	460	D13K460	338	453	459	2016	
FMX II	500		368	493	500	2016	
FMX II	500	D13C500; D13K500; I 368	368	493	500	2013	
FMX II	500	D13C500; D13K500; I 368	368	493	500	2016	
FMX II	500	D13K500	368	493	500	2013	
FMX II	500	D13K500	368	493	500	2016	
FMX II	540		397	532	539	2016	
FMX II	540	D13C540; D13K540	397	532	539	2013	
FMX II	540	D13C540; D13K540; I 397	397	532	539	2010	
FMX II	540	D13C540; D13K540; I 397	397	532	539	2013	
FMX II	540	D13C540; D13K540; I 397	397	532	539	2016	
FMX II	540	D13K540	397	532	539	2016	
FS7	FS 718 230	D7B230	169	227	230	1994	1996

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646



**ML 68356** Millard Oil Filter

**VOLVO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FS7	FS 718 260	D7B260	191	256	260	1994	1996
NH12	NH 12 340	D12C340	250	335	340	1999	
NH12	NH 12 380	D12C380	279	374	379	1999	
NH12	NH 12 420	D12A420; D12C420	309	414	420	1997	
NH12	NH 12 420	D12C420	309	414	420	1999	
NH12	NH 12 460	D12C460	338	453	459	1997	

**DIMENSIONS**

H (Height):	263 mm
OD (Outer Diameter):	110 mm
Th (Thread):	1 3/8"-16
Drain (Drain):	NO
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	103 mm / 92 mm

**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	16.7 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201647
ITF14:	75055148201646

