

# ML 88227 Millard Oil Filter



For updated information visit <http://mlrd.es/ML-88227>

## DIMENSIONS

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 62 mm

## PROPERTIES

ANTIDRAIN BACK VALVE

## PRESENTATION

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056

## CROSS REFERENCES

AGCO	1447048V1	ALLIS-CHALMERS	72370000
AGCO	525515D1	ALLIS-CHALMERS	74513411
AGCO	700050276	AMERICANMOTORS(FORD)	8990499
AGCO	72257916	AMERICANMOTORS(FORD)	936406
AGCO	72257935	ANTONIO CARRARO	44524001
AGCO	74910810	ASTON MARTIN	950010110
ALFA ROMEO	116760603000	BALDWIN	B2
ALFA ROMEO	370640000	CASE IH	1409070036
ALFA ROMEO	451700000	CASE IH	1959757C1
ALLIS-CHALMERS	0230578-1	CASE IH	2654407
ALLIS-CHALMERS	0232421-1	CASE IH	3 118 119 R 1
ALLIS-CHALMERS	0234900-8	CASE IH	388 227
ALLIS-CHALMERS	0251381-0	CASE IH	388 227 R 91
ALLIS-CHALMERS	0451341-1	CASE IH	405416136
ALLIS-CHALMERS	132578	CASE IH	45416136
ALLIS-CHALMERS	2089505	CASE IH	47043539
ALLIS-CHALMERS	230578	CASE IH	6008772M91
ALLIS-CHALMERS	232421	CASE IH	84408226
ALLIS-CHALMERS	232578	CASE IH	918 266 R 91
ALLIS-CHALMERS	234900	CASE IH	918 266 R 93
ALLIS-CHALMERS	2349001	CASE IH	920 203
ALLIS-CHALMERS	251381	CASE IH	925 229 C 91
ALLIS-CHALMERS	4027979	CASE IH	998 439 R 91
ALLIS-CHALMERS	4052572	CASE IH	A-146696
ALLIS-CHALMERS	4511629-0	CASE IH	A-58758
ALLIS-CHALMERS	451341	CASE IH	G-45306
ALLIS-CHALMERS	6451162-9	CATERPILLAR	069-4229E
ALLIS-CHALMERS	7209396-3	CATERPILLAR	081-2684



**CROSS REFERENCES (CONTINUES FROM PREVIOUS PAGE)**

<b>CATERPILLAR</b>	265-40242	<b>FIAT</b>	1901602
<b>CATERPILLAR</b>	265-4410	<b>FIAT</b>	2654392
<b>CATERPILLAR</b>	31-3658	<b>FIAT</b>	4121392
<b>CATERPILLAR</b>	32-9060	<b>FIAT</b>	4135600
<b>CATERPILLAR</b>	36-4464	<b>FIAT</b>	4506839
<b>CATERPILLAR</b>	3I-1605	<b>FIAT</b>	4523873
<b>CATERPILLAR</b>	773673	<b>FIAT</b>	4602186
<b>CATERPILLAR</b>	9Y-4449	<b>FIAT</b>	4607360
<b>CATERPILLAR</b>	9Y-4458	<b>FIAT</b>	4630787
<b>CATERPILLAR</b>	MCF7W2327	<b>FIAT</b>	4730587
<b>CHRYSLER</b>	1228022	<b>FIAT</b>	592602
<b>CHRYSLER</b>	1739619	<b>FIAT</b>	62775369
<b>CHRYSLER</b>	1851658	<b>FIAT</b>	71736171
<b>CHRYSLER</b>	2205517	<b>FIAT</b>	74027979
<b>CHRYSLER</b>	2471400	<b>FIAT</b>	74511629
<b>CHRYSLER</b>	2532744	<b>FORD</b>	1565 204
<b>CHRYSLER</b>	2951957	<b>FORD</b>	1794 446
<b>CHRYSLER</b>	5042621	<b>FORD</b>	1827 183
<b>CHRYSLER</b>	75061411	<b>FORD</b>	1957 597
<b>CHRYSLER</b>	75065702	<b>FORD</b>	3707 442
<b>CHRYSLER</b>	990937	<b>FORD</b>	5000 513
<b>CITROËN</b>	5457 752 5	<b>FORD</b>	5000 862
<b>CITROËN</b>	5457 752 S	<b>FORD</b>	5001 124
<b>CITROËN</b>	MLS 000-186	<b>FORD</b>	5004 775
<b>CLAAS</b>	00 0147 222 0	<b>FORD</b>	5004 776
<b>CLAAS</b>	00 0147 225 0	<b>FORD</b>	5016 960
<b>CLAAS</b>	0147 222 0	<b>FORD</b>	5019 424
<b>CLAAS</b>	0147 225 0	<b>FORD</b>	5019 425
<b>CLAAS</b>	0572 119 0	<b>FORD</b>	74 HM 6714 BA
<b>CLAAS</b>	0752 052 0	<b>FORD</b>	A 720 X 6714 CA
<b>CLAAS</b>	1137 275 0	<b>FORD</b>	A 740 X 6714 AA
<b>CLAAS</b>	CT 77 01 029 280	<b>FORD</b>	BCNN 6714 B
<b>DAF</b>	494133	<b>FORD</b>	C 3 AE 6714 A
<b>DAF</b>	498401	<b>FORD</b>	D 2 NN 6714 C
<b>DAIHATSU</b>	15600-41010	<b>FORD</b>	D 8 NN 6714 LA
<b>DAIHATSU</b>	15600-87320	<b>FORD</b>	E 8 NN 6714 BA
<b>DAIHATSU</b>	15601-44010-000	<b>FORD</b>	EFL 93
<b>DAIHATSU</b>	15601-44011	<b>FORD</b>	F87E 6714 AA
<b>DAIHATSU</b>	99142-51183-400	<b>GENERAL MOTORS</b>	5575840
<b>DEMAG</b>	515 027 00	<b>GENERAL MOTORS</b>	5579970
<b>DEUTZ-FAHR</b>	1227 2453	<b>GENERAL MOTORS</b>	6439681
<b>DEUTZ-FAHR</b>	2.4419.340.0/10	<b>GENERAL MOTORS</b>	7984292
<b>FAHR</b>	1-2101-340-128.00	<b>GENERAL MOTORS</b>	7984717
<b>FAUN</b>	4134-473	<b>GENERAL MOTORS</b>	7984844
<b>FENDT</b>	F 238 202 310 010	<b>GROVE</b>	9-437-990019
<b>FIAT</b>	1354823	<b>GROVE</b>	9414100922
<b>FIAT</b>	1354828	<b>GUELDNER</b>	000 983 0607

**DIMENSIONS**

<b>H (Height):</b>	140 mm
<b>OD (Outer Diameter):</b>	96 mm
<b>Th (Thread):</b>	3/4"-16
<b>Drain (Drain):</b>	NO
<b>Wrench (Uninstall tool):</b>	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



**CROSS REFERENCES (CONTINUES FROM PREVIOUS PAGE)**

<b>HANOMAG HENSCHOLD</b>	114 932 108	<b>MASSEY FERGUSON</b>	2 654 403
<b>HENGST</b>	H17W05	<b>MASSEY FERGUSON</b>	2 654 405
<b>HINO</b>	1560A-41010	<b>MASSEY FERGUSON</b>	2 862 642
<b>HÜRLIMANN</b>	2.4419.150.1	<b>MASSEY FERGUSON</b>	244427M1
<b>ISEKI</b>	Y2654407	<b>MASSEY FERGUSON</b>	4223058M1
<b>ISUZU</b>	8-94463-715-0	<b>MASSEY FERGUSON</b>	881 304
<b>IVECO</b>	190 1602	<b>MASSEY FERGUSON</b>	881446M91
<b>IVECO</b>	190 7567	<b>MASSEY FERGUSON</b>	D45110081
<b>IVECO</b>	190 9102	<b>MCCORMICK</b>	701898A
<b>IVECO</b>	193 0328	<b>MERCEDES-BENZ</b>	002 184 40 01
<b>IVECO</b>	460 2186	<b>MERCEDES-BENZ</b>	A 002 184 40 01
<b>IVECO</b>	931 57071	<b>MERLO</b>	P00016
<b>JCB</b>	02/100073A	<b>MTU</b>	002 092 19 01
<b>JCB</b>	02/100284	<b>MWM</b>	6.0541.18.0002
<b>JCB</b>	02/100284A	<b>MWM</b>	6.0541.78.8.0002
<b>JCB</b>	2/100073	<b>NISSAN</b>	10162-68S01
<b>JCB</b>	32/902301	<b>NISSAN</b>	15208-65010
<b>JCB</b>	32/910700A	<b>NISSAN</b>	15208-65014
<b>JCB</b>	32/920002	<b>NISSAN</b>	15208-65016
<b>JOHN DEERE</b>	AE28914	<b>NISSAN</b>	15208-7F400
<b>KAMAZ</b>	W 940/47	<b>NISSAN</b>	15208-9X800
<b>KIOTI</b>	E7312-32431	<b>NISSAN</b>	15208-G9903
<b>KNECHT/MAHLE</b>	OC 51	<b>NISSAN</b>	15208-U3401
<b>KOMATSU</b>	203-01-K1360	<b>NISSAN</b>	15208-W3401
<b>KOMATSU</b>	20501K1470	<b>NISSAN</b>	15208-W3403
<b>KOMATSU</b>	618-051-5130	<b>NISSAN</b>	15208-Y9701
<b>KRAMER</b>	000 080 15 92	<b>NISSAN</b>	A5208-W3401
<b>KUBOTA</b>	15208-Y9701	<b>NISSAN</b>	A5208-W3403
<b>KUBOTA</b>	70000-32090	<b>OPEL</b>	93156575
<b>LAMBORGHINI</b>	0.0411.553.0/01	<b>OPEL</b>	VOF14
<b>LAMBORGHINI</b>	2.4419.150.1	<b>PERKINS</b>	2254347
<b>LANDINI</b>	3652517 M91	<b>PERKINS</b>	26 540 215
<b>LANDINI</b>	6676229 A1	<b>PERKINS</b>	26 540 347
<b>LINDNER</b>	62654407	<b>PERKINS</b>	2654441
<b>LUBER-FINER</b>	PH8A	<b>PERKINS</b>	3 000 323
<b>MASSEY FERGUSON</b>	1 447 031	<b>PEUGEOT</b>	MLS000186
<b>MASSEY FERGUSON</b>	1031337M91	<b>PURFLUX</b>	LS553C
<b>MASSEY FERGUSON</b>	1034065M91	<b>REFORM</b>	PE 02654412
<b>MASSEY FERGUSON</b>	1034065M92	<b>RENAULT</b>	1228022
<b>MASSEY FERGUSON</b>	1446675M91	<b>RENAULT</b>	3563591
<b>MASSEY FERGUSON</b>	1447031M	<b>RENAULT</b>	5042621
<b>MASSEY FERGUSON</b>	1447031M1	<b>RENAULT</b>	6160448
<b>MASSEY FERGUSON</b>	1447031M2	<b>RENAULT</b>	7701002280
<b>MASSEY FERGUSON</b>	1447048M2	<b>RENAULT</b>	7701415051
<b>MASSEY FERGUSON</b>	1447982M1	<b>RENAULT TRUCKS</b>	00 03 141 914
<b>MASSEY FERGUSON</b>	1621224M1	<b>RENAULT TRUCKS</b>	00 03 563 603
<b>MASSEY FERGUSON</b>	1900365M91	<b>RENAULT TRUCKS</b>	00 05 151 017

**DIMENSIONS**

<b>H (Height):</b>	140 mm
<b>OD (Outer Diameter):</b>	96 mm
<b>Th (Thread):</b>	3/4"-16
<b>Drain (Drain):</b>	NO
<b>Wrench (Uninstall tool):</b>	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



**CROSS REFERENCES (CONTINUES FROM PREVIOUS PAGE)**

<b>RENAULT TRUCKS</b>	00 24 151 018	<b>TEREX</b>	5568656314
<b>RENAULT TRUCKS</b>	00 75 065 702	<b>TOYOTA</b>	15600-41010
<b>RENAULT TRUCKS</b>	50 00 044 059	<b>TOYOTA</b>	15601-44010
<b>RENAULT TRUCKS</b>	50 00 044 487	<b>TOYOTA</b>	15601-44010-83
<b>RENAULT TRUCKS</b>	50 00 044 959	<b>TOYOTA</b>	15601-44011
<b>RENAULT TRUCKS</b>	77 01 022 800	<b>TOYOTA</b>	90915TD004
<b>ROSTSELMASH</b>	RSM 1941OMH	<b>VAG</b>	061 115 561
<b>ROVER</b>	AEU 2218EVA	<b>VAG</b>	068 115 561 B
<b>ROVER</b>	ERR 1168	<b>VAG</b>	068 115 561 C
<b>ROVER</b>	ERR 3340	<b>VAG</b>	068 115 561 F
<b>ROVER</b>	GFE116	<b>VAG</b>	681 155 613
<b>ROVER</b>	GFE168	<b>VAUXHALL</b>	7984655
<b>ROVER</b>	GFE181	<b>VAUXHALL</b>	VOF14
<b>ROVER</b>	GFE187	<b>VOLVO</b>	1257492
<b>SAME</b>	2.4419.340.0	<b>VOLVO</b>	1328162-1
<b>SAME</b>	2.4419.340.0/10	<b>VOLVO</b>	3976603
<b>SCHLÜTER</b>	S-AK 702	<b>VOLVO</b>	39766035
<b>STEYR</b>	1409070036	<b>VOLVO</b>	4804651
<b>STEYR</b>	406.07.57	<b>VOLVO</b>	731094
<b>STEYR MOTORS</b>	1409070036	<b>VOLVO</b>	7413694
<b>SUNBEAM</b>	522 1313	<b>VOLVO</b>	835779-0
<b>TALBOT</b>	00 012 280 22	<b>WAUKESHA</b>	111346
<b>TALBOT</b>	00 052 212 72	<b>WAUKESHA</b>	164830
<b>TALBOT</b>	00 750 650 49	<b>WAUKESHA</b>	P357440
<b>TALBOT</b>	00 750 657 02	<b>WIX</b>	51515
<b>TALBOT</b>	5 042 621	<b>WIX FILTERS</b>	51515
<b>TALBOT</b>	5 221 272	<b>YANMAR</b>	194464-48310
<b>TALBOT</b>	75 061 411	<b>ZETOR</b>	50425903
<b>TEREX</b>	2654407		

**APPLICATIONS (EUROPE)**

<b>AC</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
428 Descapotable	7.0 (PC)	L33	257	345	349	1965	1974
428 Fastback	7.0 (PA)	L33	257	345	349	1967	1974
ME	3000 (RA)	LO6	103	138	140	1979	1986

<b>ALFA ROMEO</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
164 (164 )	2.5 TD (164.A1A)	VM 84 A	84	113	114	1987	1992
2300 (102 )	2.3	AR 90214	104	139	141	1974	1980
2300 (102 )	2.3 TI	AR 90212	109	146	148	1976	1980
6 (119 )	2.5 TD (119AA)	VM-HR 588 HT	77	103	105	1981	1986
75 (162 )	2.0 TD (162.BD)	VM 80 A	70	94	95	1985	1992
75 (162 )	2.4 TD (162B5)	VM 81 A	82	110	111	1989	1992
90 (162 )	2.4 TD (162.B5)	VM 81 A	81	109	110	1984	1987
ALFETTA (116 )	2.0 TD (116.BA)	VM4HTJ2	60	80	82	1979	1983
ALFETTA (116 )	2.4 TD (116.B3)	VM4HT 2.4	70	94	95	1983	1984

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



**ALFA ROMEO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
GIULIA (105 )	1.8 D	4.108	38	51	52	1976	1978
GIULIETTA (116 )	2.0 TD (116A2)	VM 4 HT	61	82	83	1983	1985

**ARO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
10	1.6 TD	JX	51	68	69	1988	1999
10	1.6 TD	RA	59	79	80	1989	1992

**ASTON MARTIN**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LAGONDA I	5.3	40HCA; 40HEL	250	335	340	1976	1997
LAGONDA I Shooting Brake	5.3	40HCA; 40HES	228	306	310	1976	1997
V8 Vantage	5.3	40HCA	250	335	340	1969	1989
V8 Vantage	5.3	40HE	376	504	511	1969	1989
V8 Volante	5.3	40HCA	250	335	340	1978	1989
V8 Volante	5.3	40HCD	276	370	375	1978	1989
V8 Volante	5.3 V8	40HCA	235	315	319	1980	1986
VIRAGE Vantage	5.3	40HTA; 40HTE	246	330	334	1988	1992
ZAGATO Vantage	5.3	40HCD	322	432	438	1986	1989
ZAGATO Volante	5.3	40HCA	228	306	310	1986	1989

**AUDI**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C2 Avant (435; 436)	2.0 D	CN	51	68	69	1978	1983
100 C2 Sedan (431; 433; 434)	2.0 D	CN	51	68	69	1978	1982
100 C3 Avant (445; 446)	2.0 D	CN	51	68	69	1983	1990
100 C3 Avant (445; 446)	2.5 TDI	1T	88	118	120	1990	1990
100 C3 Sedan (443; 444)	2.0 D	CN	51	68	69	1982	1988
100 C3 Sedan (443; 444)	2.5 TDI	1T	88	118	120	1990	1990
100 C4 Avant (4A5)	2.5 TDI	AAT; ABP	85	114	115	1990	1994
100 C4 Sedan (4A2)	2.5 TDI	AAT; ABP	85	114	115	1990	1994
80 B2 Sedan (811; 813; 814; 8	1.6 D	CR; JK	40	54	54	1980	1986
80 B2 Sedan (811; 813; 814; 8	1.6 TD	CY	51	68	69	1981	1986
80 B3 Sedan (893; 894; 8A2)	1.6 D	JK	40	54	54	1987	1989
80 B3 Sedan (893; 894; 8A2)	1.6 TD	RA; SB	59	79	80	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.9 D	1Y	50	67	68	1989	1991
80 B4 Avant (8C5)	1.9 TD	AAZ	55	74	75	1991	1994
80 B4 Sedan (8C2)	1.9 TD	AAZ	55	74	75	1991	1994
90 B3 (893; 894; 8A2)	1.6 TD	RA; SB	59	79	80	1987	1991
A4 B5 (8D2)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T	AJL	132	177	179	1997	2000
A4 B5 (8D2)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T quattro	AJL	132	177	179	1997	2000
A4 B5 (8D2)	1.9 TDI	1Z; AHU; AHH	66	88	90	1995	2000
A4 B5 (8D2)	1.9 TDI	AFF	55	74	75	1995	2000
A4 B5 (8D2)	1.9 TDI	AFN; AVG	81	109	110	1995	2000
A4 B5 (8D2)	1.9 TDI quattro	AFN; AVG	81	109	110	1996	2000
A4 B5 Avant (8D5)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T	AJL	132	177	179	1997	2001
A4 B5 Avant (8D5)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T quattro	AJL	132	177	179	1997	2001
A4 B5 Avant (8D5)	1.9 Hybrid	AHU	66	88	90	1998	2000
A4 B5 Avant (8D5)	1.9 TDI	1Z; AHU; AHH	66	88	90	1996	2001
A4 B5 Avant (8D5)	1.9 TDI	AFN; AVG	81	109	110	1996	2001
A4 B5 Avant (8D5)	1.9 TDI quattro	AFN; AVG	81	109	110	1996	2001
A4 B6 (8E2)	1.8 T	AVJ	110	147	149	2000	2002
A4 B6 (8E2)	1.8 T	BEX	140	188	190	2002	2004

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



<b>AUDI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
A4 B6 (8E2)	1.8 T	BFB	120	161	163	2002	2004
A4 B6 (8E2)	1.8 T quattro	AVJ	110	147	149	2000	2002
A4 B6 (8E2)	1.8 T quattro	BEX	140	188	190	2002	2004
A4 B6 (8E2)	1.8 T quattro	BFB	120	161	163	2002	2004
A4 B6 Avant (8E5)	1.8 T	AVJ	110	147	149	2001	2002
A4 B6 Avant (8E5)	1.8 T	BEX	140	188	190	2002	2004
A4 B6 Avant (8E5)	1.8 T	BFB	120	161	163	2002	2004
A4 B6 Avant (8E5)	1.8 T quattro	AVJ	110	147	149	2001	2002
A4 B6 Avant (8E5)	1.8 T quattro	BEX	140	188	190	2002	2004
A4 B6 Avant (8E5)	1.8 T quattro	BFB	120	161	163	2002	2004
A4 B6 Descapotable (8H7)	1.8 T	BFB	120	161	163	2002	2005
A4 B6 Descapotable (8H7)	1.8 T quattro	BFB	120	161	163	2003	2005
A4 B7 (8EC)	1.8 T	BFB	120	161	163	2004	2008
A4 B7 (8EC)	1.8 T quattro	BFB	120	161	163	2004	2008
A4 B7 Avant (8ED)	1.8 T	BFB	120	161	163	2004	2008
A4 B7 Avant (8ED)	1.8 T quattro	BFB	120	161	163	2004	2008
A4 B7 Descapotable (8HE)	1.8 T	BFB	120	161	163	2006	2009
A6 C4 (4A2)	1.9 TDI	1Z; AHU	66	88	90	1994	1997
A6 C4 Avant (4A5)	1.9 TDI	1Z; AHU	66	88	90	1994	1997
A6 C5 (4B2)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2)	1.9 TDI	AFN; AVG	81	109	110	1997	2000
A6 C5 Avant (4B5)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5)	1.9 TDI	AFN; AVG	81	109	110	1998	2001
CABRIOLET B3 (8G7)	1.9 TDI	1Z; AHU	66	88	90	1995	2000

<b>BEDFORD</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
BLITZ	2.1 D	21D	44	59	60	1981	1987
BLITZ	2.3 D	23D	46	62	63	1973	1987

<b>BELARUS</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
Series 1000	1025.3		81	109	110	2004	
Series 1000	1025.4		81	109	110	2008	

<b>BMC</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
LEVEND	100	BD30	74	99	101	2003	2013
LEVEND	3.0 GDM	BD30	74	99	101	2003	2013
LEVEND	3.0 GDM	BD30	74	99	101	2003	2013
LEVEND	3.0 MDA		80	107	109	2003	2013
LEVEND	3.0 MDC; 3.0 MD	BD30	74	99	101	2003	2013
LEVEND	3.0 MDV; MDH	BD30	74	99	101	2003	2013
LEVEND	XL; XLC	BD30	74	99	101	2003	2013

<b>CARBODIES</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FL2	2.5 D	25V	49	66	67	1985	1989
FX FAIRWAY	2.7 TD	TD27	63	84	86	1987	1996
FX4	2.5 D	25V	50	67	68	1985	1989
FX4S	2.5 D	25V	49	66	67	1986	1989

<b>CASE IH</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CS	48; 48A	903-27	35	47	48	1996	

**CASE IH**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CS	52	903-27T	38	51	52	2001	2004
CS	52	903-27T	38	51	52	2001	2004
CS	58; 58A	903-27T	43	58	58	1998	
CS	63	903-27T	46	62	63	2001	2004
CS	63	903-27T	46	62	63	2001	2004
JX-SERIES	JX 95		69	92	94	2007	2008

**DAEWOO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LUBLIN II Autobus	2.4 TD	4CT90-1	64	86	87	1997	1999
LUBLIN II Furgoneta	2.4 TD	4CT90-1	64	86	87	1997	1999

**EBRO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
F-Serie	260	4.108	36	48	49	1974	1985
F-Serie	275	4.108	42	56	57	1976	1984
F-Serie	350	4.165	48	64	65	1976	1985
L-Serie	35	4.165	47	63	64	1982	1985
L-Serie	45	4.236	55	74	75	1982	1985

**FENDT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Farmer	105 S	D 225-4	44	59	60	1972	
Farmer	105 S	D 226-4	44	59	60	1975	
Farmer	106 S	D 225-4	48	64	65	1972	
Farmer	106 S	D 226-4	48	64	65	1975	
Farmer	106 SA	D 225-4	48	64	65	1972	
Farmer	108 SA	D 226-4	48	64	65	1975	
Farmer	3 S	D 208-4	35	47	48	1966	1972
Farmer	305 LS	D 226 B-4	52	70	71	1987	1993
Farmer	305 LS	D 227-4	45	60	61	1980	
Farmer	305 LSA	D 226 B-4	52	70	71	1987	1993
Farmer	305 LSA	D 227-4	45	60	61	1980	
Farmer	306 LS	D 226 B-4	55	74	75	1987	1993
Farmer	306 LSA	D 226 B-4	55	74	75	1987	1993
Farmer	307 LS; 307 LSE	TD 226 B-3	52	70	71	1985	
Farmer	307 LSA	TD 226 B-3	52	70	71	1985	
Farmer	308 LS; 308 LSE	TD 226 B-4	60	80	82	1990	
Farmer	309 LS	TD 226 B-4	65	87	88	1981	1991
Farmer	310 LSA	D 226 B-4	74	99	101	1990	
Farmer	310 LSA	TD 226-4	68	91	92	1985	
Farmer	310 LSE	D 226 B-4	74	99	101	1990	
Farmer	311 LSA	D 226 B-6	81	109	110	1991	
Farmer	311 LSE	D 226 B-6	81	109	110	1991	
Farmer	312 LSA	D 226 B-6	85	114	115	1991	
Farmer	4 S	D 208-4	40	54	54	1970	
Farmer	5 S	D 208-4	48	64	65	1970	
Farmer	5S	D 225-4	48	64	65	1970	1972
Favorit	10 S	D 225-6	59	79	80	1970	
Favorit	11 S	D 225-6	59	79	80	1970	
Favorit	12 SA	D 226-6	81	109	110	1970	
Favorit	3 S	D 208-4	40	54	54	1963	
Favorit	4 S	D 225-6	59	79	80	1970	
Favorit	509 CA	TD 226 B-4	70	94	95	1994	1999
Favorit	510 CA	TD 226 B-4	77	103	105	1993	1999
Favorit	512 CA	TD 226 B-6	92	123	125	1993	1999
Favorit	514 CA	TD 226 B-6	103	138	140	1993	1999

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



<b>FENDT</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
Favorit	515 CA	TD 226 B-6	110	147	149	1993	1999
Favorit	600 LS	D 227-6	63	84	86	1976	
Favorit	610 LS	D 226-6	66	88	90	1984	
Favorit	610 LS	D 227-6	70	94	95	1979	1984
Favorit	610 LSA	D 226-6	66	88	90	1984	
Favorit	610 S	D 225-6	63	84	86	1972	1976
Favorit	611 S	D 226-6	77	103	105	1972	1976
Favorit	611 SA	D 226-6	77	103	105	1972	1976
Favorit	611 SL	D 226-6	77	103	105	1976	1978
Favorit	611 SL	D 226-6	77	103	105	1976	1978
Favorit	612 SL	D 226-6	88	118	120	1976	1984
Favorit	614 SA	D 226-6	99	133	135	1974	1976
Favorit	614 SL	D 226-6	99	133	135	1976	1977
GT	255 GT	F 3L 912	37	50	50	1976	
GT	275 GT	F 4L 912	51	68	69	1976	

<b>FERRARI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
208-308 Coupe	208 Turbo	F 106 D	162	217	220	1982	1989
208-308 Coupe	308 GTB	F 106 AB	188	252	255	1975	1980
208-308 Coupe	308 GTB Qv (XV	F 105 A	177	237	240	1982	1985
208-308 Coupe	308 GTS	F 106 AB	188	252	255	1977	1980
208-308 Coupe	308 GTS Qv (XV)	F 105 A	177	237	240	1982	1985
328 GTB	3.2	F 105 CB	199	267	270	1985	1989
328 GTS	3.2	F 105 CB	199	267	270	1985	1989
365 GT 2+2	4.4	245 C	235	315	319	1967	1971
365 GTB-4 DAYTONA	4.4	251	259	347	352	1969	1974
365 GTS-4 DAYTONA	4.4	251	259	347	352	1971	1974
400 i	4.8	F 101..	232	311	315	1979	1985
412 i	4.9	F 101 E..	250	335	340	1985	1988
512 BB	4.9	F 102 B	250	335	340	1976	1981
512 BB	i 4.9	F 110 A	237	318	322	1981	1984
DINO GT (206-246)	206 GT	236 B	132	177	179	1969	1969
DINO GT (206-246)	246 GT	236 L	143	192	194	1969	1973
DINO GT4 (208-308)	208	F 106 C	125	168	170	1975	1980
DINO GT4 (208-308)	308	F 106 AL	188	252	255	1974	1980
DINO GTS (206-246)	246 GTS	236 L	143	192	194	1972	1973
MONDIAL	3.2 Quattrovalvol	F 105 CB	199	267	270	1985	1988
MONDIAL	8	F 106 B	158	212	215	1980	1983
MONDIAL	8 Quattrovalvole	F 105 A	177	237	240	1982	1987
MONDIAL Descapotable	3.2 Quattrovalvol	F 105 CB	199	267	270	1985	1988
MONDIAL Descapotable	8 Quattrovalvole	F 105 A	177	237	240	1984	1987

<b>FIAT</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
1000	1000	8065.02.007	74	99	101	1972	1976
1000	1000S	8065.04.200	81	109	110	1976	1979
1000	1180	8065.04.200	84	113	114	1979	1984
1000	1180	8065.04.200	84	113	114	1979	1984
1000	1280	8065.24.300	90	121	122	1979	1984
1000	1280	8065.24.300	90	121	122	1979	1984
1000	1380	8065.24.000	99	133	135	1979	1984
1000	1380	8065.24.000	99	133	135	1979	1984
130 (130 )	2.9		103	138	140	1969	1971
130 (130 )	2.9		117	157	159	1970	1971
130 (130 )	3.2 (B)	130 B.000	121	162	164	1971	1978
130 Coupe (130 )	3.2 (BC)	130 B.000	121	162	164	1971	1978

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056





**FIAT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
500 Serie	566	8035.04.265	37	50	50	1982	1986
500 Serie	566	8035.04.265	37	50	50	1982	1986
600 Serie	666	8045.02	50	67	68	1982	1986
600 Serie	666	8045.02	50	67	68	1982	1986
800	880 5	8055.04.200	65	87	88	1980	1984
800	880 5	8055.04.200	65	87	88	1980	1984
88	88-94	8045.25.210	62	83	84	1993	1996
90	100-90	8065.06.000	74	99	101	1984	1988
90	100-90	8065.06.000	74	99	101	1984	1988
90	115-90	8065.05.000	85	114	115	1984	1990
90	115-90	8065.05.000	85	114	115	1984	1990
90	55-90	8035.06.200	40	54	54	1984	1992
90	55-90	8035.06.200	40	54	54	1984	1992
90	90-90	8055.05.000	66	88	90	1984	1991
90	90-90	8055.05.000	66	88	90	1984	1991
900	980	8065.02.200	72	97	98	1979	1984
900	980	8065.02.200	72	97	98	1979	1984
DINO Coupe (135)	2.4	135 C.000	132	177	179	1969	1972
DINO Spider (135)	2.0	135 B.000	118	158	160	1966	1968
F	F 100	8065.05.210	73	98	99	1993	1996
F	F 100	8065.06.230; 8065.06	72	97	98	1990	1993
Series 100	100E	8060.02.000	90	121	122	1973	1976
Series 100	100NC	8060.02.000	90	121	122	1973	1975
Series 110	110		122	164	166	1973	1980
Series 110	110NC		90	121	122	1973	1980
Series 110	110NC	8060.02.000	90	121	122	1973	1983
Series 50	50N; 50NC	8040.02	60	80	82	1972	1976
Series 55	55N	8040.02	60	80	82	1972	1976
Series 75	75P		96	129	130	1979	1983
Series 80	80N	8060.02.000	90	121	122	1972	1976
Series 80	80N; 80NC	8060.02.000	90	121	122	1972	1976
Series 90	90N; 90NC	8060.02.000	90	121	122	1972	1976
Series 90	90P		96	129	130	1979	1983
Series 90	90P		96	129	130	1979	1983
Series 90	90P	8060.02.000	90	121	122	1975	1977
Series 90	90P	8060.02.000	90	121	122	1975	1977
Series 90	90P	8060.02.000	90	121	122	1977	1979
Series 90	90P	8060.02.000	90	121	122	1977	1979

**FORD**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
5000-Serie	5030		47	63	64	1992	1999
5000-Serie	5030		47	63	64	1992	1999
5000-Serie	5100		48	64	65	1988	1991
5000-Serie	5100		48	64	65	1988	1991
5000-Serie	5110		48	64	65	1988	1991
5000-Serie	5110		48	64	65	1988	1991
5000-Serie	5900		54	72	73	1985	1993
6000-Serie	6410		59	79	80	1988	1991
6000-Serie	6410		59	79	80	1988	1991
6000-Serie	6600		56	75	76	1976	1980
6000-Serie	6600		56	75	76	1976	1980
6000-Serie	6600		58	78	79	1980	1981
6000-Serie	6600		58	78	79	1980	1981
6000-Serie	6610		60	80	82	1981	1985
6000-Serie	6610		60	80	82	1981	1985
6000-Serie	6710		60	80	82	1981	1985
6000-Serie	6710		60	80	82	1981	1985

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**FORD**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
6000-Serie	6810		67	90	91	1988	1991
7000-Serie	7700		48	64	65	1976	1980
7000-Serie	7700		48	64	65	1976	1980
7000-Serie	7700		68	91	92	1980	1981
7000-Serie	7700		68	91	92	1980	1981
MAVERICK (UDS; UNS)	2.7 TD	TD27E	92	123	125	1996	1998
MAVERICK VAN	2.7 TD	TD27E	92	123	125	1996	1998
RANGER (ER; EQ; R )	2.5 TD	WL-T	62	83	84	2002	2006
RANGER (ER; EQ; R )	2.5 TD 4x4	WL-T	62	83	84	2002	2006
RANGER (ER; EQ; R )	2.5 TD 4x4	WL-T	80	107	109	1999	2006
SCORPIO I (GAE; GGE)	2.5 TD	SCB	85	114	115	1993	1994
SCORPIO I Sedan (GGE)	2.5 TD	SCB	85	114	115	1993	1994
SCORPIO I Turnier (GGE)	2.5 TD	SCB	85	114	115	1993	1994
SCORPIO II (GFR; GGR)	2.5 TD	SCC	85	114	115	1994	1998
SCORPIO II (GFR; GGR)	2.5 TD	VM; SCD	92	123	125	1996	1998
SCORPIO II Turnier (GNR; GG 2.5 TD		SCC	85	114	115	1994	1998
SCORPIO II Turnier (GNR; GG 2.5 TD		VM; SCD	92	123	125	1996	1998

**FORD USA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
AEROSTAR	4.0 i V6 4WD	99X	115	154	156	1989	1997
BRONCO II	2.9 i V6 4x4	96M	104	139	141	1985	1990
EXPLORER (U2; U )	4.0	99EA	150	201	204	1999	2002
EXPLORER (U2; U )	4.0	T40VSEX	152	204	207	1996	2002
EXPLORER (U2; U )	4.0 V6 4WD		115	154	156	1995	2001
EXPLORER (U2; U )	4.0 V6 4WD	T40VSEX	150	201	204	1998	2001
EXPLORER (U2; U )	4.0 V6 4WD	T40VSEX	152	204	207	1996	2001
EXPLORER (U2; U )	4.9 4WD		157	210	213	1996	2001
EXPLORER (UN46)	4.0 V6 4WD		121	162	164	1993	1994

**GAZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
GAZELLE Autobus	2.5 D	ZMZ- 20ZLT	67	90	91	1993	2001
GAZELLE Caja-Chasis	2.5 D	ZMZ- 20ZLT	67	90	91	1993	2001
GAZELLE Furgoneta	2.4	ZMZ-4025.10	66	88	90	2003	2013
GAZELLE Furgoneta	2.5 D	ZMZ- 20ZLT	67	90	91	1993	2001

**HATTAT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
A Series	A100	1104D-44TA	68	91	92	2010	
A Series	A90	1104D-44TA	61	82	83	2010	

**IVECO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
M	135-17	8060.25.600	130	174	177	1986	1991
M	135-17 H	8060.25.600	130	174	177	1986	1992
M	135-17 T	8060.25.600	130	174	177	1986	1991
MK	90-13 A	BF6L 913 T	96	129	130	1983	1991
MK	90-13 AH	BF6L 913 T	96	129	130	1983	1991
ZETA	109-14	8060.04.689	99	133	135	1983	1985
ZETA	109-14	8060.05.289	101	135	137	1985	1991
ZETA	109-14 H	8060.04.689	99	133	135	1983	1985
ZETA	109-14 H	8060.05.289	101	135	137	1985	1991
ZETA	79-13	8060.04.060; 8060.04 96	129	130	130	1979	1983
ZETA	79-13	8060.04.060; 8060.04 96	129	130	130	1979	1983
ZETA	79-13	8060.04.060; 8060.04 96	129	130	130	1979	1983
ZETA	79-14	8060.04.660	99	133	135	1983	1985

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



**IVECO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ZETA	79-14	8060.04.660	99	133	135	1983	1985
ZETA	79-14	8060.05.280	101	135	137	1985	1991
ZETA	79-14	8060.05.280	101	135	137	1985	1991
ZETA	79-14 H	8060.04.660	99	133	135	1983	1985
ZETA	79-14 H	8060.04.660	99	133	135	1983	1985
ZETA	79-14 H	8060.05.280	101	135	137	1985	1991
ZETA	79-14 H	8060.05.280	101	135	137	1985	1991
ZETA	79-14 V	8060.04.660	99	133	135	1983	1985
ZETA	79-14 V	8060.04.660	99	133	135	1983	1985
ZETA	79-14 V	8060.05.280	101	135	137	1985	1991
ZETA	79-14 V	8060.05.280	101	135	137	1985	1991
ZETA	95-14	8060.04.669	99	133	135	1983	1985
ZETA	95-14	8060.05.289; 8060.05	101	135	137	1985	1991
ZETA	95-14 H	8060.04.669	99	133	135	1983	1985
ZETA	95-14 H	8060.05.289; 8060.05	101	135	137	1985	1991
ZETA	A 70-14	8060.05.246; 8060.05	101	135	137	1988	1992

**KIOTI**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Series PX	PX 9020	1104D-44TT	68	91	92	2014	

**LANCIA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FULVIA Berlina	1.1 (818)	1100	52	70	71	1964	1969
FULVIA Berlina (818 )	1.3 (818)	138 B.100	62	83	84	1970	1972
FULVIA Berlina (818 )	1.3 (818)	138 B.100	70	94	95	1969	1970
FULVIA Berlina (818 )	1.3 (818.612)		61	82	83	1972	1975
FULVIA Coupe (818 )	1.3 (818)	138 B.100	66	88	90	1970	1976
FULVIA Coupe (818 )	1.3 (818)	138 B.100	70	94	95	1967	1969
FULVIA Coupe (818 )	1.3 (818)	138 B.100	74	99	101	1967	1969
FULVIA Coupe (818 )	1.3 (818)	138 B.100	76	102	103	1968	1970
FULVIA Coupe (818 )	1.3 (818.630; 818	138 B.100	65	87	88	1968	1975

**LAND ROVER**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
110-127 (LDH)	2.5 TD 4x4	19 J	63	84	86	1986	1990
110-127 (LDH)	3.5 4x4	15G	98	131	133	1983	1990
110-127 Pick-up (LDH)	2.5	17 H	61	82	83	1985	1990
110-127 Pick-up (LDH)	2.5 TD	19 J	63	84	86	1986	1990
88-109 MK III Todo terreno; ab	3.5 4x4	17G	94	126	128	1979	1984
88-109 MK III Todo terreno; ce	3.5 4x4	17G	94	126	128	1979	1984
90 I (LDV)	2.5 4x4	17 H	62	83	84	1985	1990
90 I (LDV)	3.5 4x4	15G	85	114	115	1984	1990
DEFENDER Cabrio (L316)	2.5 D 4x4 (L316)	12 J	51	68	69	1990	1994
DEFENDER Cabrio (L316)	2.5 TDI 4x4 (L316	23 L; 11 L; 16 L	83	111	113	1990	1998
DEFENDER Station Wagon (L	2.5 D 4x4 (L316)	12 J	51	68	69	1990	1994
DEFENDER Station Wagon (L	2.5 TDI 4x4 (L316	23 L; 11 L; 16 L	83	111	113	1990	1998
DEFENDER Station Wagon (L	3.9 V8 4x4 (L316	37 L	136	182	185	1998	2016
DISCOVERY I (LJ)	2.5 TDI 4x4	12 L; 21 L; 17 L	83	111	113	1989	1998
DISCOVERY I (LJ)	2.5 TDI 4x4	19 L; 22 L	90	121	122	1993	1998
DISCOVERY I (LJ)	3.5 4x4	27G	84	113	114	1989	1990
DISCOVERY I (LJ)	3.5 4x4 (SALLJG	22 D	113	151	154	1989	1994
DISCOVERY I (LJ)	4.0 4x4	36 D; 35 D	134	180	182	1993	1998
DISCOVERY I (LJ)	4.0 4x4	37 L	136	182	185	1993	1998
DISCOVERY II (L318)	4.0 V8 4x4	35 D; 56 D; 94 D	136	182	185	1998	2004
RANGE ROVER I	2.4 TD 4x4	11 A	78	105	106	1986	1990
RANGE ROVER I	2.4 TD 4x4	11 A	83	111	113	1986	1994

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056



<b>LAND ROVER</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
RANGE ROVER I	2.5 TD 4x4	95 A	89	119	121	1989	1992
RANGE ROVER I	2.5 TDi 4x4	14 L; 21 L	83	111	113	1992	1996
RANGE ROVER I	3.5 4x4	31 D	107	143	145	1987	1990
RANGE ROVER I	3.5 Vogue 4x4	11 D	93	125	126	1981	1990
RANGE ROVER I	3.5 Vogue 4x4	24 D; 25 D	120	161	163	1985	1990
RANGE ROVER I	3.9 4x4	35 D	134	180	182	1988	1992
RANGE ROVER I	3.9 Cat 4x4	37 D; 38 D	127	170	173	1988	1994
RANGE ROVER I	3.9 Vogue SEI 4x	36 D; 35 D	134	180	182	1988	1994
RANGE ROVER I	4.3 Vogue LSE 4	40 D	149	200	202	1992	1994
RANGE ROVER II (P38A)	3.9 4x4	42 D	140	188	190	1994	2002
RANGE ROVER II (P38A)	4.0 4x4	42 D	136	182	185	1995	2002
RANGE ROVER II (P38A)	4.6 4x4	46 D	165	221	224	1994	2002
RANGE ROVER II (P38A)	4.6 4x4	60 D	160	214	217	1998	2002

<b>LANDINI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
POWERFARM	100; 110	1104D-44TA	68	91	92	2003	
POWERFARM	80; 90	1104D-44T	54	72	73	2003	
REX	60 F; 70 F; 85 F	1103D-33TA	50	67	68	2003	
REX	60 F; 70 F; 85 F	1103D-33TA	50	67	68	2003	
Series 1	75	1104D-44T	54	72	73	2011	
Series 1	90	1104D-44TT	68	91	92	2011	
Series 60	8860	1104A-44	62	83	84	2012	
TECHNOFARM	60	1103C-33	43	58	58	2009	
TECHNOFARM	60	1103C-33	43	58	58	2009	
TECHNOFARM	75	1104C-44	50	67	68	2009	
TECHNOFARM	75	1104C-44	50	67	68	2009	
TECHNOFARM	80	1104D-44	54	72	73	2009	
TECHNOFARM	80	1104D-44	54	72	73	2009	
VISION	100	1004-40T	70	94	95	2002	
VISION	100; 105	1104D-44TA	68	91	92	2008	
VISION	105	1104C-44T	73	98	99	2004	
VISION	80	1004-42	59	79	80	2002	
VISION	85; 95	1104C-44; 1104C-44T	61	82	83	2004	
VISION	90	1004-40T	67	90	91	2002	

<b>LDV</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FREIGHT ROVER SHERPA A1	3.5		103	138	140	1984	1989
SHERPA Autobus (FR)	2.6 D	K25D	59	79	80	1983	1988

<b>LTI</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TX	2.7 TD	TD27	60	80	82	1997	

<b>MASSEY FERGUSON</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MF 5400	5445	1104D-E44TA	70	94	95	2008	
MF 5400	5450		77	103	105	2011	

<b>MORGAN</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PLUS EIGHT	3.5	486	115	154	156	1968	1986
PLUS EIGHT	3.5 EFI	30 A	142	190	193	1984	1990
PLUS EIGHT	3.9	47A	138	185	188	1990	1995
PLUS EIGHT	3.9	47A	140	188	190	1995	2004
PLUS EIGHT	4.6	46 D	164	220	223	1996	2001

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**MULTICAR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
M25	1;9	028.B M 344 M 841	40	54	54	1991	1992

**MULTICAR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
M25	1;9	028.B M 344 M 841	40	54	54	1991	1992
M26	1;9	028.B M 344 M 841	40	54	54	1992	1996
M26	1;9	028.B M 344 M 841	40	54	54	1992	1996
Tremo	501	AFD	58	78	79	1998	

**NEW HOLLAND**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
TL	TL100		74	99	101	1999	2003
TL	TL100		74	99	101	1999	2003
TL	TL80		60	80	82	1999	2003
TL	TL80		60	80	82	1999	2003
TL	TL90		67	90	91	1999	2003
TL	TL90		67	90	91	1999	2003

**NISSAN**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ATLEON	110.35; 120.35	BD-30Ti	78	105	106	2000	
ATLEON	110.56; 120.56	BD-30Ti	78	105	106	2000	
ATLEON	120.16; 165.120	B6-60Ti-L	117	157	159	2004	2006
ATLEON	120.21	B6-60Ti-H	151	202	205	2004	2006
ATLEON	120.21; 210.120	B6-60Ti-H	151	202	205	1999	2006
ATLEON	120.45	BD-30Ti	87	117	118	2003	
ATLEON	120.56	BD-30Ti	87	117	118	2003	
ATLEON	130.16	B6-60Ti-L	117	157	159	2004	2006
ATLEON	130.21	B6-60Ti-H	151	202	205	2004	2006
ATLEON	140.70	B4-40Ti	100	134	136	2003	
ATLEON	140.75	BD-40Ti	100	134	136	2000	
ATLEON	140.80	B4-40Ti	100	134	136	2003	
ATLEON	150.21; 210.150	B6-60Ti-H	151	202	205	1999	2006
ATLEON	165.130	B6-60Ti-L	117	157	159	2003	
ATLEON	210.130	B6-60Ti-H	151	202	205	2003	
ATLEON	35.13	BD-30Ti	92	123	125	2006	
ATLEON	45.13	BD-30Ti	92	123	125	2006	
ATLEON	45.13	BD-30Ti	92	123	125	2006	
ATLEON	50.13	BD-30Ti	92	123	125	2006	
ATLEON	56.13	BD-30Ti	92	123	125	2006	
ATLEON	60.14	B4-40Ti	100	134	136	2006	
ATLEON	65.14	B4-40Ti	100	134	136	2006	
ATLEON	70.14	B4-40Ti	100	134	136	2006	
ATLEON	75.14	B4-40Ti	100	134	136	2006	
ATLEON	75.16; 165.75	B660N	117	157	159	2000	
ATLEON	80.14	B4-40Ti	100	134	136	2006	
ATLEON	95.16	B6-60Ti-L	117	157	159	2004	2006
ATLEON	95.16; 165.95	B6-60Ti-L	117	157	159	1999	2006
BLUEBIRD (910)	2.0 D	LD20	44	59	60	1980	1983
BLUEBIRD (B610) (610)	1.8	L18	65	87	88	1974	1979
BLUEBIRD Traveller (W910)	2.0 D	LD20	44	59	60	1980	1984
CABSTAR (F22; H40)	2.3 TD (F22)	SD23; TD23	53	71	72	1982	1992
CABSTAR (F22; H40)	2.5 D (F22)	SD25	53	71	72	1983	1990
CABSTAR (F22; H40)	2.5 TD (F22)	TD25	59	79	80	1982	1992
CABSTAR E (TL ; VL )	105.35; 110.35; 1	BD-30Ti	78	105	106	1998	2006
CABSTAR E (TL ; VL )	120.35; 120.45 (1	BD-30Ti	88	118	120	1998	2006
CABSTAR E (TL ; VL )	125.35; 125.45 (1	BD-30Ti	92	123	125	1998	2006

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**NISSAN**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CABSTAR E (TL ; VL )	28.10; 32.10	BD-30Ti	77	103	105	2004	2006
CABSTAR E (TL ; VL )	3.0 110.35 (TL0)	BD-30Ti	81	109	110	2000	2004
CABSTAR E (TL ; VL )	90.32; 90.28; 95.:	TD27T	66	88	90	1998	2006
CABSTAR E (TL ; VL )	95.32	TD27	70	94	95	2002	2004
DATSUN 140J (710)	1.4	L14	48	64	65	1973	1977
DATSUN 160J (710; A10)	1.6 (710)	L16S	53	71	72	1973	1978
DATSUN 160J (710; A10)	1.6 i.e. (A10)	L16	65	87	88	1978	1982
DATSUN 180B (PL810)	1.8	L18; L18S; L18T	65	87	88	1977	1981
DATSUN 180B (PL810)	1.8 (KPL810)	L18; L18S; L18T	66	88	90	1977	1981
DATSUN 240 Coupe (C210)	KGT 2.4	L24	96	129	130	1978	1981
ECO-T	100.35	BD-30Ti	80	107	109	1997	2000
ECO-T	100.45	BD-30Ti	80	107	109	1997	2000
ECO-T	100.56	BD-30Ti	80	107	109	1997	2000
ECO-T	135.60	B4-40Ti	100	134	136	1997	2000
ECO-T	135.70	B4-40Ti	100	134	136	1997	2000
ECO-T	135.75	B4-40Ti	100	134	136	1997	2000
ECO-T	135.80	B4-40Ti	100	134	136	1997	2000
ECO-T	160.75		118	158	160	1997	2000
ECO-T	160.90		118	158	160	1997	2000
L-Serie	35.085	BD30II	63	84	86	1995	2000
L-Serie	50.095	B440II	70	94	95	1995	2000
L-Serie	80.14		103	138	140	1995	2000
LAUREL (HLC230)	2.0	L20A	71	95	96	1977	1983
LAUREL (HLC230)	2.4	L24	83	111	113	1977	1983
LAUREL (JC31)	2.8 D	LD28	62	83	84	1981	1985
LAUREL (JC32)	2.8 D	LD28	62	83	84	1985	1987
LAUREL (JC32)	2.8 D	RD28	66	88	90	1985	1989
PATROL GR IV (Y60; GR)	2.8 TD (Y60A)	RD28T	85	114	115	1988	1997
PATROL GR IV (Y60; GR)	4.2 D (Y60GR)	TD42	85	114	115	1988	1997
PATROL GR V Wagon (Y61)	2.7 TD	TD27T	73	98	99	1998	2001
PATROL III-1 Hardtop (K160)	2.8 D	A428	55	74	75	1983	1989
PATROL III-1 Hardtop (K160)	2.8 D	A428II	62	83	84	1983	1989
PATROL III-2 Hardtop (K260)	2.8 TD	RD28T	85	114	115	1986	1990
PATROL III-2 Station Wagon (\	2.8 TD	RD28T	85	114	115	1989	1995
PICK UP (720)	2.3 D	SD23	51	68	69	1983	1986
PICK UP (720)	2.5 D 4WD	SD25	53	71	72	1983	1986
PICK UP (D21)	2.5 D	TD25	61	82	83	1992	1998
PICK UP (D21)	2.5 D 4WD	TD25	61	82	83	1996	1998
PICK UP (D22)	2.5 D	TD25	61	82	83	1998	2005
PICK UP (D22)	2.5 D 4WD	TD25	61	82	83	1998	2005
PICK UP (D22)	2.5 TD 4WD	TD25TI	76	102	103	1998	2005
PICK UP (D22)	3.2 D 4WD	QD32	76	102	103	1998	2005
TERRANO II (R20)	2.7 TDi 4WD	TD27TI	92	123	125	1996	2007
TRADE Autobus	3.0 TDiC	BD-30Ti	78	105	106	1996	2001
TRADE Caja-Chasis	2.8 D	A428II	59	79	80	1986	1994
TRADE Caja-Chasis	3.0 D	BD-30Ti	78	105	106	1996	1998
TRADE Caja-Chasis	3.0 D	BD30II	63	84	86	1993	1998
TRADE Caja-Chasis	3.0 D	BD30II	63	84	86	1994	1998
TRADE Caja-Chasis	3.0 TD	BD-30Ti	81	109	110	1998	2004
TRADE Caja-Chasis	3.0 TDiC	BD-30Ti	78	105	106	1996	2001
TRADE Furgoneta	100	BD-30Ti	78	105	106	1996	1998
TRADE Furgoneta	3.0 D	BD30II	63	84	86	1993	1998
TRADE Furgoneta	3.0 TDiC	BD-30Ti	78	105	106	1996	2001
URVAN Autobus (E24)	2.5 D	TD25	59	79	80	1989	1996
URVAN Furgoneta (E24)	2.5 D	TD25	59	79	80	1988	1997
VANETTE Furgoneta (C120)	2.0 D	LD20	43	58	58	1982	1987

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056




**88227 Millard Oil Filter**
**OPEL**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ASCONA B (81 ; 86 ; 87 ; 88 )	2.0 D	20 D	43	58	58	1978	1981
FRONTERA A (U92)	2.3 TD (5JMWL4; 23 DTR		74	99	101	1992	1998
OMEGA A (V87)	2.3 D (F19; M19; 23 YD		54	72	73	1986	1994
OMEGA A (V87)	2.3 TD (F19; M19; 23 YDT		66	88	90	1986	1988
OMEGA A (V87)	2.3 TD Interc. (F1 23 DTR		74	99	101	1988	1994
OMEGA A Station Wagon (V87	2.3 D (F35; M35) 23 YD		54	72	73	1986	1994
OMEGA A Station Wagon (V87	2.3 TD (F35; M35) 23 YDT		66	88	90	1986	1988
OMEGA A Station Wagon (V87	2.3 TD Interc. (F3 23 DTR		74	99	101	1988	1994
REKORD D	2.0 D	20 D	40	54	54	1974	1977
REKORD D	2.1 D	21 D	44	59	60	1972	1977
REKORD D Station Wagon	2.0 D	20 D	40	54	54	1974	1977
REKORD D Station Wagon	2.1 D	21 D	44	59	60	1972	1977
REKORD E (17 ; 11 ; 14 ; 16 ;	2.0 D	20 D	43	58	58	1977	1982
REKORD E (17 ; 11 ; 14 ; 16 ;	2.1 D	21 D	44	59	60	1977	1978
REKORD E (17 ; 11 ; 14 ; 16 ;	2.2 D	23 D	48	64	65	1978	1983
REKORD E (17 ; 11 ; 14 ; 16 ;	2.2 D	23 D	52	70	71	1982	1986
REKORD E (17 ; 11 ; 14 ; 16 ;	2.2 TD	23 TD	63	84	86	1984	1986
REKORD E Station Wagon (61	2.0 D	20 D	43	58	58	1977	1982
REKORD E Station Wagon (61	2.1 D	21 D	44	59	60	1977	1978
REKORD E Station Wagon (61	2.2 D	23 D	48	64	65	1978	1983
REKORD E Station Wagon (61	2.2 TD	23 TD	63	84	86	1984	1986
REKORD E Station Wagon (61	2.3 D	23 D	52	70	71	1982	1986
SENATOR A (29 )	2.2 TD	23 TD	63	84	86	1984	1987

**PORSCHE**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
911	2.0	901.01	96	129	130	1963	1967
911	2.0 E	901.09; 901.11	103	138	140	1968	1969
911	2.0 L	901.05; 901.06; 901.0	96	129	130	1967	1968
911	2.0 S	901.02; 901.08	118	158	160	1966	1968
911	2.0 S	901.10	125	168	170	1968	1969
911	2.0 T	901.03; 901.13	81	109	110	1968	1972
911	2.2 E	911.01; 911.04	114	153	155	1969	1971
911	2.2 S	911.02	132	177	179	1969	1971
911	2.2 T	911.06; 911.07; 911.0	92	123	125	1970	1972
911 Targa	2.0 E	901.09; 901.11	103	138	140	1968	1972
911 Targa	2.0 L	901.05; 901.06; 901.0	96	129	130	1967	1968
911 Targa	2.0 S	901.02; 901.08	118	158	160	1966	1968
911 Targa	2.0 S	901.10	125	168	170	1966	1972
911 Targa	2.0 T	901.03; 901.13	81	109	110	1967	1972
911 Targa	2.2 E	911.01; 911.04	114	153	155	1969	1972
911 Targa	2.2 S	911.02	132	177	179	1969	1972
911 Targa	2.2 T	911.06	92	123	125	1970	1972
914	6 2.0	901.36; 901.37	81	109	110	1969	1973

**RENAULT TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MIDLINER	S 100.06 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.06 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.07 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.07 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.08 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.08 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.08 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.08 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.08 A	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.09 A BOM	T 4.38	69	92	94	1986	1990
MIDLINER	S 100.09 A CIT	T 4.38	69	92	94	1986	1990
MIDLINER	S 110.06 A	797-21	76	102	103	1985	1990

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**RENAULT TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MIDLINER	S 110.07 A	797-21	76	102	103	1985	1990
MIDLINER	S 110.08 A	797-21	76	102	103	1985	1990
MIDLINER	S 110.08 A	797-21	76	102	103	1985	1990
MIDLINER	S 110.08 A	797-21	76	102	103	1985	1990
MIDLINER	S 120.06 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.06 A;S 12C	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.06 A;S 12C	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.07 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.07 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.07 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.07 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.08 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.08 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.08 A	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.08 A	T 4.40	82	110	111	1992	1992
MIDLINER	S 120.08 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.08 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 A	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 B	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 B BOM	T 4.40	82	110	111	1990	1992
MIDLINER	S 120.09 B BOM	T 4.40 CC; T 4.40 A 3	88	118	120	1992	1994
MIDLINER	S 120.09 B CIT	T 4.40	82	110	111	1990	1992
MIDLINER	S 130.06	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.07	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.08 A	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.08 A;S 13C	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.08 A;S 13C	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.08 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.08 R	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.09 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.09 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.09 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.11	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.11 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.11 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 130.13 B	797-20; 797.23	96	129	130	1983	1990
MIDLINER	S 135.08 A	T 4.40 B 3	102	137	139	1994	1996
MIDLINER	S 135.08 A	T 4.40 B 3	102	137	139	1994	1996
MIDLINER	S 135.08 A;S 15C	MIDR 04.02.26 B 41; I	100	134	136	1996	2000
MIDLINER	S 135.08 A;S 15C	MIDR 04.02.26 B 41; I	100	134	136	1996	2000
MIDLINER	S 135.09 B;S 15C	MIDR 04.02.26 B 41; I	100	134	136	1996	2000
MIDLINER	S 150.08TI	798-10	113	151	154	1983	1986
MIDLINER	S 150.08TI	798-10	113	151	154	1983	1986
MIDLINER	S 150.09TI	798-10	113	151	154	1983	1986
MIDLINER	S 150.09TI	798-10	113	151	154	1983	1986
MIDLINER	S 90	720.12	67	90	91	1984	1994

**ROVER**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
2000-3500 (P6)	2200 (TC)	H8	83	111	113	1973	1976
2000-3500 Hatchback (SD1)	2400 TD	HR 492 HT	67	90	91	1982	1986
2000-3500 Hatchback (SD1)	3500	39 A; 38 A	115	154	156	1976	1986
2000-3500 Hatchback (SD1)	3500 Vitesse	31 A; 30 A	142	190	193	1982	1986
800 (XS)	825 D SD (XS)	492 4 SHIRG; 425 SL	87	117	118	1990	1999
800 Coupe	825 SD	492 4 SHIRG; 425 SL	87	117	118	1993	1999
800 Hatchback (XS)	825 D SD (XS)	492 4 SHIRG; 425 SL	87	117	118	1992	1999

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056





**SAME**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
DORADO	86	1000.4 WT	64	86	87	2004	2009
EXPLORER	85	1000.4 WT	63	84	86	2004	2007
EXPLORER	95	1000.4 WT	70	94	95	2004	2007

**SEAT**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CORDOBA (6K1; 6K2)	1.9 D	1Y	47	63	64	1996	1996
CORDOBA (6K1; 6K2)	1.9 D	1Y	50	67	68	1993	1996
CORDOBA (6K1; 6K2)	1.9 SDI	AEY	47	63	64	1996	1999
CORDOBA (6K1; 6K2)	1.9 TD	AAZ	55	74	75	1993	1996
CORDOBA Vario (6K5)	1.9 SDI	AEY	47	63	64	1996	1999
EXEO (3R2)	1.8 T	CFMA	110	147	149	2008	2010
EXEO ST (3R5)	1.8 T	CFMA	110	147	149	2009	2010
IBIZA II (6K1)	1.9 D	1Y	47	63	64	1993	1999
IBIZA II (6K1)	1.9 SDI	AEY	47	63	64	1996	1999
IBIZA II (6K1)	1.9 TD	AAZ	55	74	75	1993	1996
INCA (6K9)	1.7 D	AHB	42	56	57	1996	2003
INCA (6K9)	1.9 D	1Y	47	63	64	1995	2003
INCA (6K9)	1.9 SDI	AEY; AYQ	47	63	64	1995	2003
INCA (6K9)	1.9 TDI	ALH	66	88	90	1996	2003
TERRA (24)	1.3 D	MN	33	44	45	1990	1994
TERRA (24)	1.4 D	1 W	35	47	48	1990	1995
TERRA Furgoneta-Station wag	1.3 D	MN	33	44	45	1990	1992
TERRA Furgoneta-Station wag	1.4 D	1 W	35	47	48	1990	1992
TOLEDO I (1L2)	1.9 D	1Y	47	63	64	1995	1999
TOLEDO I (1L2)	1.9 D	1Y	50	67	68	1991	1999
TOLEDO I (1L2)	1.9 TD	AAZ	55	74	75	1991	1999

**SKODA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SUPERB I (3U4)	1.8 T	AWT	110	147	149	2001	2008

**TOYOTA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CRESSIDA Sedan ( X6 )	2.0 GLI (GX61_); 1G-E		80	107	109	1982	1985
CRESSIDA Sedan ( X6 )	2.2 D (LX60)	L	49	66	67	1980	1985
CRESSIDA Station Wagon ( X6 )	2.2 D (LX60_); LX L		49	66	67	1980	1985
DYNA 100 Caja-Chasis ( LY1 ; 2L )	2.4 D (LY100_)	2L	58	78	79	1995	2001
DYNA 100 Caja-Chasis ( LY1 ; 2L )	2.4 D (LY100_); L' 2L		54	72	73	1995	2001
DYNA 150 Caja-Chasis ( Y )	2.4 D (LY60_)	2L	54	72	73	1985	1987
DYNA 150 Caja-Chasis ( LY )	2.4 D (LY60)	2L	55	74	75	1988	1995
DYNA 150 Caja-Chasis ( LY )	2.8 D (LY211)	3L	61	82	83	1995	1998
DYNA Autobus ( U3 ; U2 )	3.4 D (BU82_); BL 13B		66	88	90	1977	1987
DYNA Caja-Chasis ( U ; Y )	3.4 D (BU85; BU 13B		66	88	90	1984	1987
DYNA Caja-Chasis ( LH8 )	2.4 D (LH80_); LH 2L		55	74	75	1987	1995
HIACE II Furgoneta ( H11; H2 )	2.2 D (LH20; LH3 L		49	66	67	1979	1983
HIACE III Autobus ( H5 ; H6 ; )	2.2 D (LH50; LH6 L		49	66	67	1982	1989
HIACE III Autobus ( H5 ; H6 ; )	2.4 D (LH51; LH6 2L		55	74	75	1984	1989
HIACE III Autobus ( H5 ; H6 ; )	2.4 D 4WD (LH56 2L		54	72	73	1987	1989
HIACE III Furgoneta ( H5 ; H6 )	2.2 D (LH50; LH6 L		49	66	67	1982	1989
HIACE III Furgoneta ( H5 ; H6 )	2.4 D (LH61; LH5 2L		55	74	75	1982	1989
HIACE III Furgoneta ( H5 ; H6 )	2.4 D 4WD (LH56 2L		55	74	75	1984	1989
HILUX III Pick-up ( N3 ; N4 )	2.2 D (LN40; LN3 L		49	66	67	1979	1983
HILUX IV Pick-up ( N5 ; N6 )	2.4 D 4WD (LN66 2L		55	74	75	1983	1988
HILUX V Pick-up ( N ; KZN1 ; )	2.4 D (LN5_); LN8 2L		55	74	75	1988	1997
LAND CRUISER ( J4 ; J5 )	3.0 D 4WD (BJ42 B		59	79	80	1969	1984
LAND CRUISER ( J4 ; J5 )	3.4 D (BJ42_V; B 3B		66	88	90	1980	1984
LAND CRUISER ( J4 ; J5 )	3.9 (FJ40_); FJ43, F		96	129	130	1969	1975

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



**TOYOTA**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LAND CRUISER ( J4 ; J5 )	4.2 (FJ40; FJ43; 2F		89	119	121	1975	1986
LAND CRUISER ( J6 )	3.4 Diesel (BJ60; 3B		66	88	90	1981	1987
LAND CRUISER ( J6 )	4.0 (FJ62_G; FJ6 3F-E		115	154	156	1987	1992
LAND CRUISER ( J6 )	4.0 (FJ62_V) 3F		101	135	137	1984	1987
LAND CRUISER ( J7 ; JL7 )	2.4 (RJ70_ ; RJ73 22R		77	103	105	1984	1993
LAND CRUISER ( J7 ; JL7 )	2.4 (RJ70_ ; RJ73 22R		81	109	110	1984	1993
LAND CRUISER ( J7 ; JL7 )	2.4 D (LJ70_ ; LJ7 2L		53	71	72	1984	1985
LAND CRUISER ( J7 ; JL7 )	2.4 TD (LJ70_ ; L 2L-T		63	84	86	1985	1990
LAND CRUISER ( J7 ; JL7 )	3.4 D (BJ70_V; B 3B		70	94	95	1984	1996
LAND CRUISER ( J7 ; JL7 )	3.4 TD (BJ71_V; 13B-T		91	122	124	1985	1986
LAND CRUISER 80 ( J8 )	4.0 (FJ80_ ; FJ80 3F-E		115	154	156	1990	1992
LAND CRUISER 80 ( J8 )	4.5 24V (FZJ80_) 1FZ-FE		151	202	205	1992	1997
LAND CRUISER Pick-up ( J4 )	3.4 D (BJ45_P; B 3B		66	88	90	1980	1984
LAND CRUISER Pick-up ( J4 )	4.2 (FJ45_) 2F		89	119	121	1975	1986
LAND CRUISER Softtop ( J4 )	3.4 4WD (BJ42; E 3B		66	88	90	1980	1983
LAND CRUISER Softtop ( J4 )	3.9 (FJ45_P; FJ4 F		96	129	130	1969	1975

**TRIUMPH**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
TR 8	3.5	15E	99	133	135	1980	1981

**TVR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
350 Coupe	3.5 i	37A	145	194	197	1983	1989
350 Descapotable	3.5 i	37A	145	194	197	1983	1989
390	3.9	25J	205	275	279	1984	1989
420 Descapotable	4.2	69J	224	300	304	1985	1989
420 Sports Saloon	4.2	63P	198	265	269	1985	1989
450	4.4	28G	238	319	323	1989	1993
CHIMAERA	3.9	39SE	177	237	240	1993	2003

**VOLVO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
164 (164)	2.9	B 30 E	118	158	160	1972	1974
164 (164)	2.9 E	B 30 A	96	129	130	1968	1973
240 (P242; P244)	2.4 Diesel	D 24	58	78	79	1987	1993
240 (P242; P244)	2.4 Diesel	D 24	60	80	82	1978	1985
240 Kombi (P245)	2.4 Diesel	D 24	60	80	82	1979	1993
740 (744)	2.4 Diesel	D 24	60	80	82	1984	1992
740 (744)	2.4 TD	D 24 T	80	107	109	1985	1990
740 (744)	2.4 TD	D 24 T	83	111	113	1984	1990
740 (744)	2.4 TD	D 24 TIC	90	121	122	1986	1988
740 Kombi (745)	2.4 Diesel	D 24	60	80	82	1985	1988
740 Kombi (745)	2.4 TD Interc.	D 24 TIC	90	121	122	1986	1988
740 Kombi (745)	2.4 Turbo-Diesel	D 24 T	80	107	109	1985	1992
760 (704; 764)	2.4 TD Interc.	D 24 TIC	85	114	115	1987	1992
760 (704; 764)	2.4 TDiC	D 24 TIC	90	121	122	1987	1990
760 (704; 764)	2.4 Turbo Diesel	D 24 T	80	107	109	1987	1992
760 (704; 764)	2.4 Turbo Diesel	D 24 T	82	110	111	1982	1987
760 Kombi (704; 765)	2.4 TD Interc. (76	D 24 TIC	85	114	115	1987	1992
760 Kombi (704; 765)	2.4 TDiC	D 24 TIC	90	121	122	1987	1990
780 (782)	2.4 D	D 24 TIC	90	121	122	1986	1990
940 (944)	2.4 D	D 24	60	80	82	1990	1994
940 (944)	2.4 TD Intercoole	D 24 TIC	90	121	122	1990	1994
940 (944)	2.4 Turbo Diesel	D 24 T	80	107	109	1990	1994
940 II (944)	2.4 TD Interc.	D 24 TIC	90	121	122	1994	1998
940 II Station Wagon (945)	2.4 TD Interc.	D 24 TIC	90	121	122	1994	1998

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
940 Kombi (945)	2.4 D	D 24	60	80	82	1990	1995
940 Kombi (945)	2.4 TD Intercoole	D 24 TIC	90	121	122	1990	1994
940 Kombi (945)	2.4 Turbo Diesel	D 24 T	80	107	109	1990	1994
960 (964)	2.4 TD Interc.	D 24 TIC	85	114	115	1991	1994
960 Kombi (965)	2.4 TD Interc.	D 24 TIC	85	114	115	1991	1994
F4	F 406	D 39 B	59	79	80	1975	1986
FLC	FLC 140	D4A140	99	133	135	1996	2000
FLC	FLC 140	D4A140	99	133	135	1996	2000

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CADDY I (14)	1.6 D	ME; CR; JK	40	54	54	1982	1992
CADDY II Furgoneta-monovolu	1.9 D	1Y	47	63	64	1995	2004
CADDY II Furgoneta-monovolu	1.9 SDI	AEY; AYQ	47	63	64	1995	2004
CADDY II Furgoneta-monovolu	1.9 TDI	1Z; AHU; ALH; ALE	66	88	90	1996	2004
CADDY II Monospace (9K9B)	1.9 D	1Y	47	63	64	1995	2004
CADDY II Monospace (9K9B)	1.9 SDI	AEY; AYQ	47	63	64	1995	2004
CADDY II Monospace (9K9B)	1.9 TDI	1Z; AHU; ALH; ALE	66	88	90	1996	2004
CALIFORNIA T4 Camper (7DJ	2.4 D	AJA	55	74	75	1998	2002
CALIFORNIA T4 Camper (7DJ	2.5	AEU	81	109	110	1998	2002
CALIFORNIA T4 Camper (7DJ	2.5 TDI	ACV; AUF; AYC	75	101	102	1998	2002
CALIFORNIA T4 Camper (7DJ	2.5 TDI	AHY; AXG	111	149	151	1999	2003
CALIFORNIA T4 Camper (7DJ	2.5 TDI	AJT; AYY	65	87	88	1998	2003
GOLF I (17)	1.5 D	CK	37	50	50	1976	1980
GOLF I (17)	1.6 D	CR; JK	40	54	54	1980	1983
GOLF I (17)	1.6 TD	CY	51	68	69	1982	1983
GOLF II (19E; 1G1)	1.6 D	JP; ME	40	54	54	1983	1991
GOLF II (19E; 1G1)	1.6 TD	1V	44	59	60	1989	1991
GOLF II (19E; 1G1)	1.6 TD	JR; MF	51	68	69	1983	1991
GOLF II (19E; 1G1)	1.6 TD	RA; SB	59	79	80	1989	1991
GOLF II Van (19E; 1G1)	1.6 D	JP	40	54	54	1983	1991
GOLF III (1H1)	1.9 D	1Y	47	63	64	1991	1997
GOLF III (1H1)	1.9 SDI	AEY	47	63	64	1995	1997
GOLF III (1H1)	1.9 TD; GTD	AAZ	55	74	75	1991	1997
GOLF III Van (1H1)	1.9 D	AAZ	55	74	75	1991	1995
GOLF III Van (1H1)	1.9 SDI	AEY	47	63	64	1995	1997
GOLF III Variant (1H5)	1.9 D	1Y	47	63	64	1993	1999
GOLF III Variant (1H5)	1.9 SDI	AEY	47	63	64	1995	1999
GOLF III Variant (1H5)	1.9 TD	AAZ	55	74	75	1993	1999
GOLF Van III Variant (1H5)	1.9	1Y	47	63	64	1993	1999
ILTIS (183)	1.6 TD	1C	51	68	69	1987	1988
JETTA I (16)	1.5 D	CK	37	50	50	1978	1980
JETTA I (16)	1.6 D	CR; JK	40	54	54	1980	1984
JETTA I (16)	1.6 TD	CY	51	68	69	1982	1984
JETTA II (19E; 1G2; 165)	1.6 D	JP; ME	40	54	54	1984	1991
JETTA II (19E; 1G2; 165)	1.6 TD	1V	44	59	60	1990	1991
JETTA II (19E; 1G2; 165)	1.6 TD	JR; MF	51	68	69	1984	1991
JETTA II (19E; 1G2; 165)	1.6 TD	RA; SB	59	79	80	1989	1991
LT 28-35 I Autobus (281-363)	2.4	1E	70	94	95	1988	1995
LT 28-35 I Autobus (281-363)	2.4	DL	66	88	90	1982	1992
LT 28-35 I Autobus (281-363)	2.4 D	ACT; 1S	51	68	69	1989	1996
LT 28-35 I Autobus (281-363)	2.4 D	CP; DW	55	74	75	1979	1992
LT 28-35 I Autobus (281-363)	2.4 i	1E	69	92	94	1989	1996
LT 28-35 I Autobus (281-363)	2.4 TD	1G	68	91	92	1989	1992
LT 28-35 I Autobus (281-363)	2.4 TD	ACL	70	94	95	1992	1996
LT 28-35 I Autobus (281-363)	2.4 TD	DV	75	101	102	1982	1989
LT 28-35 I Caja-Chasis (281-363)	2.4	DL	66	88	90	1982	1992
LT 28-35 I Caja-Chasis (281-363)	2.4 D	ACT; 1S	51	68	69	1990	1996

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**
**ANTIDRAIN BACK VALVE**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
LT 28-35 I Caja-Chasis (281-3€ 2.4 D		CP; DW	55	74	75	1978	1991
LT 28-35 I Caja-Chasis (281-3€ 2.4 D		DW	57	76	77	1982	1992
LT 28-35 I Caja-Chasis (281-3€ 2.4 D Syncro		1S	51	68	69	1991	1992
LT 28-35 I Caja-Chasis (281-3€ 2.4 D Syncro		DW	55	74	75	1991	1992
LT 28-35 I Caja-Chasis (281-3€ 2.4 i		1E	69	92	94	1994	1996
LT 28-35 I Caja-Chasis (281-3€ 2.4 TD		1G	68	91	92	1990	1992
LT 28-35 I Caja-Chasis (281-3€ 2.4 TD		ACL	70	94	95	1992	1996
LT 28-35 I Caja-Chasis (281-3€ 2.4 TD		DV	75	101	102	1982	1993
LT 28-35 I Caja-Chasis (281-3€ 2.4 TD Syncro		ACL	70	94	95	1992	1996
LT 28-35 I Caja-Chasis (281-3€ 2.7 D		CG	48	64	65	1975	1980
LT 28-35 I Furgoneta (281-363 2.4		DL	66	88	90	1982	1992
LT 28-35 I Furgoneta (281-363 2.4 D		ACT; 1S	51	68	69	1990	1996
LT 28-35 I Furgoneta (281-363 2.4 D		CP; DW	55	74	75	1979	1992
LT 28-35 I Furgoneta (281-363 2.4 D		DW	57	76	77	1982	1992
LT 28-35 I Furgoneta (281-363 2.4 i		1E	69	92	94	1989	1996
LT 28-35 I Furgoneta (281-363 2.4 TD		1G	68	91	92	1988	1992
LT 28-35 I Furgoneta (281-363 2.4 TD		ACL	70	94	95	1992	1996
LT 28-35 I Furgoneta (281-363 2.4 TD		DV	75	101	102	1986	1992
LT 28-35 I Furgoneta (281-363 2.7 D		CG	48	64	65	1975	1980
LT 40-55 I Caja-Chasis (293-9€ 2.4		DL	66	88	90	1985	1989
LT 40-55 I Caja-Chasis (293-9€ 2.4 D		ACT; 1S	51	68	69	1990	1996
LT 40-55 I Caja-Chasis (293-9€ 2.4 D		CP; DW	55	74	75	1978	1991
LT 40-55 I Caja-Chasis (293-9€ 2.4 D		DW	57	76	77	1982	1992
LT 40-55 I Caja-Chasis (293-9€ 2.4 i		1E	69	92	94	1994	1996
LT 40-55 I Caja-Chasis (293-9€ 2.4 Syncro		DL	66	88	90	1982	1989
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD		1G	68	91	92	1988	1991
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD		ACL	70	94	95	1992	1996
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD		DV	75	101	102	1982	1993
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD Syncro		1G	68	91	92	1991	1992
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD Syncro		ACL	70	94	95	1992	1996
LT 40-55 I Caja-Chasis (293-9€ 2.4 TD Syncro		DV	75	101	102	1982	1992
LT 40-55 I Furgoneta (291-512 2.4		DL	66	88	90	1982	1992
LT 40-55 I Furgoneta (291-512 2.4 4WD		DL	66	88	90	1982	1992
LT 40-55 I Furgoneta (291-512 2.4 D		ACT; 1S	51	68	69	1990	1996
LT 40-55 I Furgoneta (291-512 2.4 D		CP; DW	55	74	75	1979	1992
LT 40-55 I Furgoneta (291-512 2.4 D		DW	57	76	77	1982	1992
LT 40-55 I Furgoneta (291-512 2.4 D 4WD		DW	55	74	75	1982	1991
LT 40-55 I Furgoneta (291-512 2.4 i		1E	69	92	94	1993	1996
LT 40-55 I Furgoneta (291-512 2.4 TD		1G	68	91	92	1988	1992
LT 40-55 I Furgoneta (291-512 2.4 TD		ACL	70	94	95	1992	1996
LT 40-55 I Furgoneta (291-512 2.4 TD		DV	75	101	102	1986	1992
LT 40-55 I Furgoneta (291-512 2.4 TD 4WD		DV	75	101	102	1982	1991
PASSAT B1 (32)	1.5 D	CK	37	50	50	1977	1980
PASSAT B1 Variant (33)	1.5 D	CK	37	50	50	1977	1980
PASSAT B1 Variant (33)	1.6 D	CR	40	54	54	1980	1981
PASSAT B2 (32B)	1.6 D	CR; JK	40	54	54	1980	1988
PASSAT B2 (32B)	1.6 TD	CY	51	68	69	1982	1988
PASSAT B2 (32B)	1.6 TD	RA	59	79	80	1988	1989
PASSAT B2 Sedan (32B)	1.6 TD	CY	51	68	69	1985	1988
PASSAT B2 Variant (33B)	1.6 D	CR; JK	40	54	54	1980	1988
PASSAT B2 Variant (33B)	1.6 TD	CY	51	68	69	1982	1988
PASSAT B3-B4 (315; 3A5)	1.9 TD	AAZ	55	74	75	1993	1996
PASSAT B3-B4 (3A2; 35I)	1.6 TD	RA; SB	59	79	80	1988	1993
PASSAT B3-B4 (3A2; 35I)	1.9 D	1Y	50	67	68	1989	1993
PASSAT B3-B4 (3A2; 35I)	1.9 TD	AAZ	55	74	75	1991	1996
PASSAT B3-B4 Variant (3A5; € 1.6 TD		RA; SB	59	79	80	1988	1993
PASSAT B3-B4 Variant (3A5; € 1.9 D		1Y	50	67	68	1989	1993
PASSAT B3-B4 Variant (3A5; € 1.9 TD		AAZ	55	74	75	1991	1997

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PASSAT B5 (3B2)	1.8 T	AEB; ANB; APU; ATM	110	147	149	1996	2000
PASSAT B5 (3B2)	1.9 TDI	AFN; AVG	81	109	110	1996	2000
PASSAT B5 (3B2)	1.9 TDI	AHU; AHH	66	88	90	1996	2000
PASSAT B5 (3B2)	1.9 TDI Syncro4x4	AFN; AVG	81	109	110	1997	2000
PASSAT B5 Variant (3B5)	1.8 T	AEB; ANB; APU; ATM	110	147	149	1997	2000
PASSAT B5 Variant (3B5)	1.9 TDI	AFN; AVG	81	109	110	1997	2000
PASSAT B5 Variant (3B5)	1.9 TDI	AHU; AHH	66	88	90	1997	2000
PASSAT B5 Variant (3B5)	1.9 TDI Syncro4x4	AFN; AVG	81	109	110	1997	2000
PASSAT B5.5 (3B3)	1.8 T	AWM	125	168	170	2001	2005
PASSAT B5.5 (3B3)	1.8 T 20V	AWT	110	147	149	2000	2005
PASSAT B5.5 (3B3)	1.8 T 4motion	AWM	125	168	170	2003	2005
PASSAT B5.5 Variant (3B6)	1.8 T	AWM	125	168	170	2002	2005
PASSAT B5.5 Variant (3B6)	1.8 T 20V	AWT	110	147	149	2000	2005
POLO CLASSIC (86C; 80)	1.3 D	MN	33	44	45	1986	1988
POLO CLASSIC (86C; 80)	1.4 D	1W	35	47	48	1990	1994
POLO Coupe (86C; 80)	1.3 D	MN	33	44	45	1986	1990
POLO Coupe (86C; 80)	1.4 D	1W	35	47	48	1990	1994
POLO Furgoneta-Hatchback (86C; 80)	1.4 D	1W	35	47	48	1992	1994
POLO II (86C; 80)	1.3 D	MN	33	44	45	1986	1990
POLO II (86C; 80)	1.4 D	1W	35	47	48	1990	1994
POLO III (6N1)	1.7 SDI	AHG	42	56	57	1997	1999
POLO III CLASSIC (6V2)	57 1.7 SDI	AKW	42	56	57	1997	2001
POLO III CLASSIC (6V2)	64 1.9 SDI	AEY	47	63	64	1995	1999
POLO Variant (6V5)	1.7 SDI	AKW	42	56	57	1997	2001
POLO Variant (6V5)	1.9 SDI	AEY	47	63	64	1997	2001
SANTANA (32B)	1.6 D	CR; JK	40	54	54	1981	1984
SANTANA (32B)	1.6 TD	CY	51	68	69	1981	1984
TRANSPORTER T3 Autobus (1.6 D)	1.6 D	CS	37	50	50	1981	1987
TRANSPORTER T3 Autobus (1.6 TD)	1.6 TD	JX	51	68	69	1984	1992
TRANSPORTER T3 Autobus (1.6 TD Syncro)	1.6 TD Syncro	JX	51	68	69	1986	1992
TRANSPORTER T3 Autobus (1.7 D)	1.7 D	KY	42	56	57	1986	1992
TRANSPORTER T3 Caja-Chasis (1.6 D)	1.6 D	CS	37	50	50	1981	1987
TRANSPORTER T3 Caja-Chasis (1.6 TD)	1.6 TD	JX	51	68	69	1984	1992
TRANSPORTER T3 Caja-Chasis (1.6 TD Syncro)	1.6 TD Syncro	JX	51	68	69	1986	1992
TRANSPORTER T3 Caja-Chasis (1.7 D)	1.7 D	KY	42	56	57	1985	1992
TRANSPORTER T3 Furgoneta (1.6 D)	1.6 D	CS	37	50	50	1981	1987
TRANSPORTER T3 Furgoneta (1.6 TD)	1.6 TD	JX	51	68	69	1984	1992
TRANSPORTER T3 Furgoneta (1.6 TD Syncro)	1.6 TD Syncro	JX	51	68	69	1986	1992
TRANSPORTER T3 Furgoneta (1.7 D)	1.7 D	KY	42	56	57	1984	1992
TRANSPORTER T4 Autobus (2.4 D)	2.4 D	AAB	57	76	77	1990	1998
TRANSPORTER T4 Autobus (2.4 D)	2.4 D	AJA	55	74	75	1997	2003
TRANSPORTER T4 Autobus (2.4 D Syncro)	2.4 D Syncro	AAB	57	76	77	1992	1998
TRANSPORTER T4 Autobus (2.5)	2.5	AAF; ACU; AEU; AEN	81	109	110	1990	2003
TRANSPORTER T4 Autobus (2.5)	2.5	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Autobus (2.5 Syncro)	2.5 Syncro	AAF; ACU; AEU	81	109	110	1992	2003
TRANSPORTER T4 Autobus (2.5 Syncro)	2.5 Syncro	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Autobus (2.5 TDI)	2.5 TDI	ACV; AUF; AYC	75	101	102	1995	2003
TRANSPORTER T4 Autobus (2.5 TDI)	2.5 TDI	AHY; AXG	111	149	151	1998	2003
TRANSPORTER T4 Autobus (2.5 TDI)	2.5 TDI	AJT; AYY	65	87	88	1998	2003
TRANSPORTER T4 Autobus (2.5 TDI Syncro)	2.5 TDI Syncro	ACV; AXL	75	101	102	1996	2003
TRANSPORTER T4 Caja-Chasis (2.4 D)	2.4 D	AAB	57	76	77	1990	1998
TRANSPORTER T4 Caja-Chasis (2.4 D)	2.4 D	AJA	55	74	75	1997	2003
TRANSPORTER T4 Caja-Chasis (2.4 D Syncro)	2.4 D Syncro	AAB	57	76	77	1992	1998
TRANSPORTER T4 Caja-Chasis (2.5)	2.5	AAF; ACU; AEU; AEN	81	109	110	1990	2003
TRANSPORTER T4 Caja-Chasis (2.5)	2.5	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Caja-Chasis (2.5 Syncro)	2.5 Syncro	AAF; ACU; AEU	81	109	110	1992	2001
TRANSPORTER T4 Caja-Chasis (2.5 Syncro)	2.5 Syncro	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Caja-Chasis (2.5 TDI)	2.5 TDI	ACV; AUF; AYC	75	101	102	1995	2003

**DIMENSIONS**

H (Height):	140 mm
OD (Outer Diameter):	96 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	92mm 45R
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm

**PROPERTIES**

ANTIDRAIN BACK VALVE

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	14.6 Kg
VOLUME:	0.04 cbm
EAN13:	5055148201050
ITF14:	85055148201056




**88227 Millard Oil Filter**

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TRANSPORTER T4 Caja-Cha	2.5 TDI	AJT; AYY	65	87	88	1998	2003
TRANSPORTER T4 Caja-Cha	2.5 TDI Syncro	ACV; AXL	75	101	102	1998	2003
TRANSPORTER T4 Furgoneta	2.4 D	AAB	57	76	77	1990	1998
TRANSPORTER T4 Furgoneta	2.4 D	AJA	55	74	75	1997	2003
TRANSPORTER T4 Furgoneta	2.4 D Syncro	AAB	57	76	77	1992	1998
TRANSPORTER T4 Furgoneta	2.5	AAF; ACU; AEU; AEN	81	109	110	1990	2003
TRANSPORTER T4 Furgoneta	2.5	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Furgoneta	2.5 Syncro	AAF; ACU; AEU	81	109	110	1992	2001
TRANSPORTER T4 Furgoneta	2.5 Syncro	AET; APL; AVT	85	114	115	1996	2003
TRANSPORTER T4 Furgoneta	2.5 TDI	ACV; AUF; AYC	75	101	102	1995	2003
TRANSPORTER T4 Furgoneta	2.5 TDI	AHY; AXG	111	149	151	2000	2003
TRANSPORTER T4 Furgoneta	2.5 TDI	AJT; AYY	65	87	88	1998	2003
TRANSPORTER T4 Furgoneta	2.5 TDI Syncro	ACV; AXL	75	101	102	1995	2003
VENTO (1H2)	1.9 D	1Y	48	64	65	1991	1998
VENTO (1H2)	1.9 SDI	AEY	47	63	64	1997	1998
VENTO (1H2)	1.9 TD	AAZ	55	74	75	1991	1998

**DIMENSIONS**

<b>H (Height):</b>	140 mm
<b>OD (Outer Diameter):</b>	96 mm
<b>Th (Thread):</b>	3/4"-16
<b>Drain (Drain):</b>	NO
<b>Wrench (Uninstall tool):</b>	92mm 45R
<b>Gaskets:</b>	
<b>1 Unit/s (OD/ID)</b>	72 mm / 62 mm

**PROPERTIES****ANTIDRAIN BACK VALVE****PRESENTATION**

<b>UNITS PER BOX:</b>	24
<b>WEIGHT:</b>	14.6 Kg
<b>VOLUME:</b>	0.04 cbm
<b>EAN13:</b>	5055148201050
<b>ITF14:</b>	85055148201056

